



ABOUT THIS CATALOG

Thank you for your interest in our products!

This catalog contains our hunting series of products. A few years ago, we introduced our Aesthetic Rings (the ARB and ARS series for Blaser and SAKO bases,) which was discontinued in 2016. In late 2017 we decided to re-design and re-introduce our Aesthetic Rings – but also to add scope mounts with a similar design for hunters who do not need the full systems capability of the Ideal Scope Mount System (ISMS,) and 1-piece scope bases based on our heavily dehorned Picatinny Gen2-design.

What you are holding in your hand is the first catalog for our Hunting Series of products. The order of presentation is from the smallest ring size/tube diameter to the largest.

In an effort to make this catalog as universal as possible it does not contain any prices, but we have made an effort to include all measurements and the weights of the products when mounted.

We hope you will find this catalog to your liking and we welcome any feedback you may have. If you want to see more of our capabilities, please visit our website www.spuhr.com or www.spuhr.biz.

Yours sincerely,

Håkan Spuhr

CONTENT

ABOUT THIS CATALOG	1
ABOUT THE HUNTING SERIES	3
BLASER RINGS	4
1-inch Rings	4
30 mm Rings	5
34 mm Rings	6
35 mm Rings	7
36 mm Rings	8
SAKO RINGS	9
1-inch Rings	9
30 mm Rings	10
34 mm Rings	11
35 mm Rings	12
36 mm Rings	13
PICATINNY HUNTING MOUNTS	14
30 mm Mounts	14
SAKO TRG / TIKKA T3/T3x HUNTING MOUNTS	18
30 mm Mounts	19
34 mm Mounts	21
PICATINNY GEN2 SCOPE BASES	25
Remington 700	25
Sauer STR	27
Small Ring Mauser (Mauser 96 / HVA 1600/1900)	28
Tikka T3/T3x	29
Winchester Model 70	30
ACCESSORIES	31
HUNTING SERIES SPARE PARTS LIST	34
Top covers	34
Ring bodies	34
Fasteners	34
OTHER PRODUCTS	35

ABOUT THE HUNTING SERIES

The Hunting Series of products originally came to mind as an implementation of our patented diagonally cut rings from the Ideal Scope Mount System (ISMS) but applied to traditional hunting rings and mounts. The ISMS provide a way to mount the optics to a rifle in such a way that the rings do not obscure the turrets of the scope. With traditional mounting solutions the user has a choice between obscuring either the elevation or the windage adjustments (and in some cases both!)

The first trick was to cut the rings diagonally rather than horizontal or vertical, thus putting the "fat" part of the rings offset from the scope turrets – a solution we ended up patenting. The Hunting Series combine this feature with the sleek looks of a more traditional hunting ring.

We machine the mounts and rings from 7075 T651 billet aluminum, as this material is lightweight and extremely strong, even outperforming construction steel in several aspects. Our fasteners are 12.9 Grade steel with zinc-nickel corrosion resistance, and they come pre-waxed to ensure proper torque values.

We offer the hunting series of mounts and rings in three versions: the standard Hunting version that has a Spuhr Interface on one ring; the Classic version that doesn't have any interfaces; and the Interface version that features Spuhr Interfaces on both rings.

The Spuhr Interface provides a way to attaching accessories to the scope mount/ring – with a high degree of repeatability – without having to replace parts of the mount or having to re-zero the scope in between changes.

In addition to the mounts and rings we also offer our 1-piece Picatinny Gen2 scope bases. These bases are based on our pre-existing design of using heavily dehorned edges on all edges and corners to ensure greater repeatability and a smoother touch.

BLASER RINGS

For use on Blaser Saddle Mounts

1-inch Rings

HB20-19 Blaser Hunting Rings Ø1" H19/0.75"

Rings: 1"
Tilt: 0 MIL/MOA
Height: 19 mm/0.75"
Length: 22 mm/0.087" & 31 mm/1.22"
Weight: 68 gram/2.4 oz
Note: Features a Spuhr Interface on one ring. Interface Ring can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706005



HB20-19A Blaser Aesthetic Rings Ø1" H19/0.75"

Rings: 1"
Tilt: 0 MIL/MOA
Height: 19 mm/0.75"
Length: 2 x 22 mm/0.087"
Weight: 66 gram/2.3 oz
Note: Features two Classic Rings without Spuhr Interfaces.
EAN: 7340150706012



HB20-19D Blaser Interface Rings Ø1" H19/0.75"

Rings: 1"
Tilt: 0 MIL/MOA
Height: 19 mm/0.75"
Length: 2 x 31 mm/1.22"
Weight: 69 gram/2.4 oz
Note: Features Spuhr Interface on both rings. Interface Rings can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706029



30 mm Rings

HB30-21 Blaser Hunting Rings Ø30 H21/0.83"

Rings: 30 mm
 Tilt: 0 MIL/MOA
 Height: 21 mm/0.83"
 Length: 22 mm/0.087" & 31 mm/1.22"
 Weight: 75 gram/2.6 oz
 Note: Features a Spuhr Interface on one ring. Interface Ring can be oriented as to attach an accessory in the 12 or 3-o'clock position.
 EAN: 7340150706036



HB30-21A Blaser Aesthetic Rings Ø30 H21/0.83"

Rings: 30 mm
 Tilt: 0 MIL/MOA
 Height: 21 mm/0.83"
 Length: 2 x 22 mm/0.087"
 Weight: 73 gram/2.6 oz
 Note: Features two Classic Rings without Spuhr Interfaces.
 EAN: 7340150706043



HB30-21D Blaser Interface Rings Ø30 H21/0.83"

Rings: 30 mm
 Tilt: 0 MIL/MOA
 Height: 21 mm/0.83"
 Length: 2 x 31 mm/1.22"
 Weight: 76 gram/2.7 oz
 Note: Features Spuhr Interface on both rings. Interface Rings can be oriented as to attach an accessory in the 12 or 3-o'clock position.
 EAN: 7340150706050



34 mm Rings

HB40-23 Blaser Hunting Rings Ø34 H23/0.91"

Rings: 34 mm
 Tilt: 0 MIL/MOA
 Height: 23 mm/0.91"
 Length: 22 mm/0.087" & 31 mm/1.22"
 Weight: 81 gram/2.9 oz
 Note: Features a Spuhr Interface on one ring. Interface Ring can be oriented as to attach an accessory in the 12 or 3-o'clock position.
 EAN: 7340150706067



HB40-23A Blaser Aesthetic Rings Ø34 H23/0.91"

Rings: 34 mm
 Tilt: 0 MIL/MOA
 Height: 23 mm/0.91"
 Length: 2 x 22 mm/0.087"
 Weight: 80 gram/2.8 oz
 Note: Features two Classic Rings without Spuhr Interfaces.
 EAN: 7340150706074



HB40-23D Blaser Interface Rings Ø34 H23/0.91"

Rings: 34 mm
 Tilt: 0 MIL/MOA
 Height: 23 mm/0.91"
 Length: 2 x 31 mm/1.22"
 Weight: 83 gram/2.9 oz
 Note: Features Spuhr Interface on both rings. Interface Rings can be oriented as to attach an accessory in the 12 or 3-o'clock position.
 EAN: 7340150706081



35 mm Rings

HB50-23 Blaser Hunting Rings Ø35 H23/0.91"

Rings: 35 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 22 mm/0.087" & 31 mm/1.22"
Weight: 81 gram/2.9 oz
Note: Features a Spuhr Interface on one ring. Interface Ring can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706098



HB50-23A Blaser Aesthetic Rings Ø35 H23/0.91"

Rings: 35 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 2 x 22 mm/0.087"
Weight: 80 gram/2.8 oz
Note: Features two Classic Rings without Spuhr Interfaces.
EAN: 7340150706104



HB50-23D Blaser Interface Rings Ø35 H23/0.91"

Rings: 35 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 2 x 31 mm/1.22"
Weight: 83 gram/2.9 oz
Note: Features Spuhr Interface on both rings. Interface Rings can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706111



36 mm Rings

HB60-23 Blaser Hunting Rings Ø36 H23/0.91"

Rings: 36 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 22 mm/0.087" & 31 mm/1.22"
Weight: 82 gram/2.9 oz
Note: Features a Spuhr Interface on one ring. Interface Ring can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706128



HB60-23A Blaser Aesthetic Rings Ø36 H23/0.91"

Rings: 36 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 2 x 22 mm/0.087"
Weight: 80 gram/2.8 oz
Note: Features two Classic Rings without Spuhr Interfaces.
EAN: 7340150706135



HB60-23D Blaser Interface Rings Ø36 H23/0.91"

Rings: 36 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 2 x 31 mm/1.22"
Weight: 83 gram/2.9 oz
Note: Features Spuhr Interface on both rings. Interface Rings can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706142



SAKO RINGS

For use on SAKO OptiLock Bases

1-inch Rings

HS20-19 SAKO Hunting Rings Ø1" H19/0.75"

Rings: 1"
 Tilt: 0 MIL/MOA
 Height: 19 mm/0.75"
 Length: 22 mm/0.087" & 31 mm/1.22"
 Weight: 67 gram/2.4 oz
 Note: Features a Spuhr Interface on one ring. Interface Ring can be oriented as to attach an accessory in the 12 or 3-o'clock position.
 EAN: 7340150706159



HS20-19A SAKO Aesthetic Rings Ø1" H19/0.75"

Rings: 1"
 Tilt: 0 MIL/MOA
 Height: 19 mm/0.75"
 Length: 2 x 22 mm/0.087"
 Weight: 67 gram/2.3 oz
 Note: Features two Classic Rings without Spuhr Interfaces.
 EAN: 7340150706166



HS20-19D SAKO Interface Rings Ø1" H19/0.75"

Rings: 1"
 Tilt: 0 MIL/MOA
 Height: 19 mm/0.75"
 Length: 2 x 31 mm/1.22"
 Weight: 69 gram/2.4 oz
 Note: Features Spuhr Interface on both rings. Interface Rings can be oriented as to attach an accessory in the 12 or 3-o'clock position.
 EAN: 7340150706173



30 mm Rings

HS30-21 SAKO Hunting Rings Ø30 H21/0.83"

Rings:	30 mm
Tilt:	0 MIL/MOA
Height:	21 mm/0.83"
Length:	22 mm/0.087" & 31 mm/1.22"
Weight:	74 gram/2.6 oz
Note:	Features a Spuhr Interface on one ring. Interface Ring can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN:	7340150706180



HS30-21A SAKO Aesthetic Rings Ø30 H21/0.83"

Rings:	30 mm
Tilt:	0 MIL/MOA
Height:	21 mm/0.83"
Length:	2 x 22 mm/0.087"
Weight:	72 gram/2.6 oz
Note:	Features two Classic Rings without Spuhr Interfaces.
EAN:	7340150706197



HS30-21D SAKO Interface Rings Ø30 H21/0.83"

Rings:	30 mm
Tilt:	0 MIL/MOA
Height:	21 mm/0.83"
Length:	2 x 31 mm/1.22"
Weight:	75 gram/2.6 oz
Note:	Features Spuhr Interface on both rings. Interface Rings can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN:	7340150706203



34 mm Rings

HS40-23 SAKO Hunting Rings Ø34 H23/0.91"

Rings: 34 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 22 mm/0.087" & 31 mm/1.22"
Weight: 80 gram/2.8 oz
Note: Features a Spuhr Interface on one ring. Interface Ring can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706210



HS40-23A SAKO Aesthetic Rings Ø34 H23/0.91"

Rings: 34 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 2 x 22 mm/0.087"
Weight: 79 gram/2.8 oz
Note: Features two Classic Rings without Spuhr Interfaces.
EAN: 7340150706227



HS40-23D SAKO Interface Rings Ø34 H23/0.91"

Rings: 34 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 2 x 31 mm/1.22"
Weight: 82 gram/2.9 oz
Note: Features Spuhr Interface on both rings. Interface Rings can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706234



35 mm Rings

HS50-23 SAKO Hunting Rings Ø35 H23/0.91"

Rings: 35 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 22 mm/0.087" & 31 mm/1.22"
Weight: 81 gram/2.9 oz
Note: Features a Spuhr Interface on one ring. Interface Ring can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706241



HS50-23A SAKO Aesthetic Rings Ø35 H23/0.91"

Rings: 35 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 2 x 22 mm/0.087"
Weight: 79 gram/2.8 oz
Note: Features two Classic Rings without Spuhr Interfaces.
EAN: 7340150706258



HS50-23D SAKO Interface Rings Ø35 H23/0.91"

Rings: 35 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 2 x 31 mm/1.22"
Weight: 82 gram/2.9 oz
Note: Features Spuhr Interface on both rings. Interface Rings can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706265



36 mm Rings

HS60-23 SAKO Hunting Rings Ø36 H23/0.91"

Rings: 36 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 22 mm/0.087" & 31 mm/1.22"
Weight: 81 gram/2.8 oz
Note: Features a Spuhr Interface on one ring. Interface Ring can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706272



HS60-23A SAKO Aesthetic Rings Ø36 H23/0.91"

Rings: 36 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 2 x 22 mm/0.087"
Weight: 79 gram/2.8 oz
Note: Features two Classic Rings without Spuhr Interfaces.
EAN: 7340150706289



HS60-23D SAKO Interface Rings Ø36 H23/0.91"

Rings: 36 mm
Tilt: 0 MIL/MOA
Height: 23 mm/0.91"
Length: 2 x 31 mm/1.22"
Weight: 82 gram/2.9 oz
Note: Features Spuhr Interface on both rings. Interface Rings can be oriented as to attach an accessory in the 12 or 3-o'clock position.
EAN: 7340150706296



PICATINNY HUNTING MOUNTS

30 mm Mounts

SCP-3000 Hunting Mount Ø30 H25.4mm/1" 0MIL PIC

Tilt: 0 MIL/MOA
 Height: 25.4 mm/1"
 Length: 118 mm/4.65"
 Weight: 134 g/4.7 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712075



SCP-3000A Aesthetic Mount Ø30 H25.4mm/1" 0MIL PIC

Tilt: 0 MIL/MOA
 Height: 25.4 mm/1"
 Length: 118 mm/4.65"
 Weight: 133 g/4.7 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712143



SCP-3000D Interface Mount Ø30 H25.4mm/1" 0MIL PIC

Tilt: 0 MIL/MOA
 Height: 25.4 mm/1"
 Length: 118 mm/4.65"
 Weight: 135 g/4.8 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712150



SCP-3001 Hunting Mount Ø30 H30mm/1.18" 0MIL PIC

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 147 g/5.2 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712082



SCP-3001A Aesthetic Mount Ø30 H30mm/1.18" 0MIL PIC

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 145 g/5.1 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712167

**SCP-3001D Interface Mount Ø30 H34mm/1.18" 0MIL PIC**

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 148 g/5.2 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712174

**SCP-3006 Hunting Mount Ø30 H34mm/1.35" 0MIL PIC**

Tilt: 0 MIL/MOA
 Height: 34 mm/1.35"
 Length: 118 mm/4.65"
 Weight: 166 g/5.9 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712099

**SCP-3006A Aesthetic Mount Ø30 H34mm/1.35" 0MIL PIC**

Tilt: 0 MIL/MOA
 Height: 34 mm/1.35"
 Length: 118 mm/4.65"
 Weight: 160 g/5.6 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712143

**SCP-3006D Interface Mount Ø30 H34mm/1.35" 0MIL PIC**

Tilt: 0 MIL/MOA
 Height: 34 mm/1.35"
 Length: 118 mm/4.65"
 Weight: 169 g/6.0 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712150



34 mm Mounts

SCP-4001 Hunting Mount Ø34 H30mm/1.18" 0MIL PIC

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 141 g/ 5.0 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712273



SCP-4001A Aesthetic Mount Ø34 H30mm/1.18" 0MIL PIC

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 140 g/4.9 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712280



SCP-4001D Interface Mount Ø34 H34mm/1.18" 0MIL PIC

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 143 g/5.0 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712297



SCP-4006 Hunting Mount Ø34 H34mm/1.35" 0MIL PIC

Tilt: 0 MIL/MOA
 Height: 34 mm/1.35"
 Length: 118 mm/4.65"
 Weight: 154 g/5.4 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.
 EAN: 7340150712303



SCP-4006A Aesthetic Mount Ø34 H34mm/1.35" 0MIL PIC

Tilt: 0 MIL/MOA

Height: 34 mm/1.35"

Length: 118 mm/4.65"

Weight: 152 g/5.4 oz

Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. The SCP-series of mounts can be rotated for right-handed or left-handed use.

EAN: 7340150712310

**SCP-4006D Interface Mount Ø34 H34mm/1.35" 0MIL PIC**

Tilt: 0 MIL/MOA

Height: 34 mm/1.35"

Length: 118 mm/4.65"

Weight: 156 g/5.5 oz

Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.

EAN: 7340150712327



36 mm Mounts

SCP-6001 Hunting Mount Ø36 H30mm/1.18" 0MIL PIC

*** COMING IN 2019 ***

Tilt: 0 MIL/MOA
Height: 30 mm/1.18"
Length: 118 mm/4.65"
Weight: TBD
Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.

EAN: 7340150712365



SCP-6001A Aesthetic Mount Ø36 H30mm/1.18" 0MIL PIC

*** COMING IN 2019 ***

Tilt: 0 MIL/MOA
Height: 30 mm/1.18"
Length: 118 mm/4.65"
Weight: TBD
Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. The SCP-series of mounts can be rotated for right-handed or left-handed use.

EAN: 7340150712372



SCP-6001D Interface Mount Ø36 H34mm/1.18" 0MIL PIC

*** COMING IN 2019 ***

Tilt: 0 MIL/MOA
Height: 30 mm/1.18"
Length: 118 mm/4.65"
Weight: TBD
Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. The SCP-series of mounts can be rotated for right-handed or left-handed use.

EAN: 7340150712389



SAKO TRG / TIKKA T3/T3x HUNTING MOUNTS

30 mm Mounts

SCT-3001 Hunting Mount Ø30 H30mm/1.18" 0MIL TRG

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 153 g/5.4 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.
 EAN: 7340150712105



SCT-3001A Aesthetic Mount Ø30 H30mm/1.18" 0MIL TRG

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 152 g/5.4 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.
 EAN: 7340150712112



SCT-3001D Hunting Mount Ø30 H34mm/1.18" 0MIL TRG

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 155 g/5.5 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.
 EAN: 7340150712129



SCT-3006 Hunting Mount Ø30 H34mm/1.35" 0MIL TRG

Tilt: 0 MIL/MOA
 Height: 34 mm/1.35"
 Length: 118 mm/4.65"
 Weight: 166 g/5.9 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.
 EAN: 7340150712136



SCT-3006A Aesthetic Mount Ø30 H34mm/1.35" 0MIL TRG

Tilt: 0 MIL/MOA

Height: 34 mm/1.35"

Length: 118 mm/4.65"

Weight: 160 g/5.6 oz

Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.

EAN: 7340150712204

**SCT-3006D Hunting Mount Ø30 H34mm/1.35" 0MIL TRG**

Tilt: 0 MIL/MOA

Height: 34 mm/1.35"

Length: 118 mm/4.65"

Weight: 169 g/6.0 oz

Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.

EAN: 7340150712211



34 mm Mounts

SCT-4001 Hunting Mount Ø34 H30mm/1.18" 0MIL TRG

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 153 g/5.4 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.
 EAN: 7340150712068



SCT-4001A Aesthetic Mount Ø34 H30mm/1.18" 0MIL TRG

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 152 g/5.4 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.
 EAN: 7340150712228



SCT-4001D Hunting Mount Ø34 H30mm/1.18" 0MIL TRG

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: 155 g/5.5 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.
 EAN: 7340150712235



SCT-4006 Hunting Mount Ø34 H34mm/1.35" 0MIL TRG

Tilt: 0 MIL/MOA
 Height: 34 mm/1.35"
 Length: 118 mm/4.65"
 Weight: 168 g/5.9 oz
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.
 EAN: 7340150706340



SCT-4006A Aesthetic Mount Ø34 H34mm/1.35" 0MIL TRG

Tilt: 0 MIL/MOA

Height: 34 mm/1.35"

Length: 118 mm/4.65"

Weight: 167 g/5.9 oz

Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.

EAN: 7340150706340

**SCT-4006D Hunting Mount Ø34 H34mm/1.35" 0MIL TRG**

Tilt: 0 MIL/MOA

Height: 34 mm/1.35"

Length: 118 mm/4.65"

Weight: 169 g/6.0 oz

Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.

EAN: 7340150706340



36 mm Mounts

SCT-6006 Hunting Mount Ø36 H34mm/1.35" 0MIL TRG***** COMING IN 2019 *****

Tilt: 0 MIL/MOA
 Height: 34 mm/1.35"
 Length: 118 mm/4.65"
 Weight: TBD
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.

EAN: 7340150712396

**SCT-6006A Aesthetic Mount Ø36 H34mm/1.35" 0MIL TRG******* COMING IN 2019 *****

Tilt: 0 MIL/MOA
 Height: 34 mm/1.35"
 Length: 118 mm/4.65"
 Weight: TBD
 Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.

EAN: 7340150712402

**SCT-6006D Hunting Mount Ø36 H34mm/1.35" 0MIL TRG******* COMING IN 2019 *****

Tilt: 0 MIL/MOA
 Height: 34 mm/1.35"
 Length: 118 mm/4.65"
 Weight: TBD
 Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.

EAN: 7340150712419



40 mm Mounts

SCT-7001 Hunting Mount Ø40 H30mm/1.18" 0MIL TRG***** COMING IN 2019 *****

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: TBD
 Note: Height is measured from the top of the action to the centerline of the optics. Features one classic ring and one interface ring, which can be rotated as to position the interface/accessory in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.

EAN: 7340150712426

**SCT-7001A Aesthetic Mount Ø40 H30mm/1.18" 0MIL TRG******* COMING IN 2019 *****

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: TBD
 Note: Height is measured from the top of the action to the centerline of the optics. Features two classic rings without interfaces for a more traditional look. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.

EAN: 7340150712433

**SCT-7001D Hunting Mount Ø40 H30mm/1.18" 0MIL TRG******* COMING IN 2019 *****

Tilt: 0 MIL/MOA
 Height: 30 mm/1.18"
 Length: 118 mm/4.65"
 Weight: TBD
 Note: Height is measured from the top of the action to the centerline of the optics. Features two interface rings, which can be rotated as to position the interfaces/accessories in either the 12-o'clock or 3-o'clock position. As with all our SAKO/Tikka mounts the SCT-series feature a recoil lug that can be moved for improved eye-relief.

EAN: 7340150712440



PICATINNY GEN2 SCOPE BASES

High Quality Dehorned Scope Mount Bases

Based on a decade of experience designing and manufacturing the original Ideal Scope Mount System – including a vast number of accessories – as well as forends and stock assemblies for various firearms, we are proudly providing you with the Next Generation Picatinny Rail Scope Bases.

Our Picatinny Gen2 scope bases feature properly dehorned edges for improved repeatability and a smooth touch. Using 7075 T651 aluminum we combine strength and durability with low weight.

The rails come with 6-48x1/4" Torx 10-screws and stainless-steel pins for optional pinning of the scope base to the action. Can be used on right and left-handed actions alike.

Remington 700

R-7001 Remington 700 SA Scope Base 0MIL

Tilt: 0 MIL/MOA
 Height: 10 mm/0.39"
 Length: 145 mm/5.7"
 Weight: 53 g/1.9 oz
 Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
 EAN: 7340150706302



R-7601 Remington 700 SA Scope Base 6MIL

Tilt: 6 MIL/20.6 MOA
 Height: 10 mm/0.39"
 Length: 145 mm/5.7"
 Weight: 53 g/1.9 oz
 Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
 EAN: 7340150706395



R-7002 Remington 700 SA Scope Base 0MIL Extended

Tilt: 0 MIL/MOA
 Height: 10 mm/0.39"
 Length: 175 mm/6.89"
 Weight: 64 g/2.3 oz
 Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
 EAN: 7340150706319



R-7602 Remington 700 SA Scope Base 6MIL Extended

Tilt: 6 MIL/20.6 MOA
 Height: 10 mm/0.39"
 Length: 175 mm/6.89"
 Weight: 67 g/2.4 oz
 Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
 EAN: 7340150706401



R-7011 Remington 700 LA Scope Base 0MIL

Tilt: 0 MIL/MOA
Height: 10 mm/0.39"
Length: 164 mm/6.46"
Weight: 58 g/2.0 oz
Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
EAN: 7340150706326

**R-7611 Remington 700 LA Scope Base 6MIL**

Tilt: 6 MIL/20.6 MOA
Height: 10 mm/0.39"
Length: 164 mm/6.46"
Weight: 60 g/2.1 oz
Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
EAN: 7340150706418

**R-7012 Remington 700 LA Scope Base 0MIL Extended**

Tilt: 0 MIL/MOA
Height: 10 mm/0.39"
Length: 195 mm/7.68"
Weight: 70 g/2.5 oz
Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
EAN: 7340150706333

**R-7612 Remington 700 LA Scope Base 6MIL Extended**

Tilt: 6 MIL/20.6 MOA
Height: 10 mm/0.39"
Length: 195 mm/7.68"
Weight: 74 g/2.6 oz
Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
EAN: 7340150706425



Sauer STR

R-7042 Sauer 200 STR Scope Base 0MIL Extended

Tilt: 0 MIL/MOA

Height: 14 mm/0.54"

Length: 215 mm/8.46"

Weight: 100 g/3.5 oz

Note: Height is measured from the top of the action to the top of the Picatinny at the back plane of the rail. Weight includes screws.
Add 1.2 g/0.04oz for pins.

EAN: 7340150706371



R-7642 Sauer 200 STR Scope Base 6MIL Extended

Tilt: 6 MIL/20.6 MOA

Height: 15 mm/0.59"

Length: 215 mm/8.46"

Weight: 107 g/3.8 oz

Note: Height is measured from the top of the action to the top of the Picatinny at the back plane of the rail. Weight includes screws.
Add 1.2 g/0.04oz for pins.

EAN: 7340150706463



Small Ring Mauser (Mauser 96 / HVA 1600/1900)

R-7051 Mauser 96 / HVA 1600/1900 Scope Base 0MIL

***** COMING IN 2019 *****

Tilt: 0 MIL/MOA
Height: 10 mm/0.39"
Length: TBD"
Weight: TBD
Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
EAN: 7340150706388



R-7651 Mauser 96 / HVA 1600/1900 Scope Base 6MIL

***** COMING IN 2019 *****

Tilt: 6 MIL/20.6 MOA
Height: 10 mm/0.39"
Length: TBD"
Weight: TBD
Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
EAN: 7340150706470



Tikka T3/T3x

R-7021 Tikka T3 Scope Base 0MIL

Tilt: 0 MIL/MOA
 Height: 10 mm/0.39"
 Length: 164 mm/6.46"
 Weight: 65 g/2.3 oz
 Note: Height is measured from the top of the action to the top of the Picatinny at the back plane of the rail. Weight includes screws.
 Add 0.8 g/0.03 oz for pins.
 EAN: 7340150706340

**R-7621 Tikka T3 Scope Base 6MIL**

Tilt: 6 MIL/20.6 MOA
 Height: 11 mm/0.43"
 Length: 164 mm/6.46"
 Weight: 67 g/2.4 oz
 Note: Height is measured from the top of the action to the top of the Picatinny at the back plane of the rail. Weight includes screws.
 Add 0.8 g/0.03 oz for pins.
 EAN: 7340150706432

**R-7022 Tikka T3 Scope Base 0MIL Extended**

Tilt: 0 MIL/MOA
 Height: 10 mm/0.39"
 Length: 195 mm/7.68"
 Weight: 77 g/2.7 oz
 Note: Height is measured from the top of the action to the top of the Picatinny at the back plane of the rail. Weight includes screws.
 Add 0.8 g/0.03 oz for pins.
 EAN: 7340150706357

**R-7622 Tikka T3 Scope Base 6MIL Extended**

Tilt: 6 MIL/20.6 MOA
 Height: 11 mm/0.43"
 Length: 195 mm/7.68"
 Weight: 81 g/2.9 oz
 Note: Height is measured from the top of the action to the top of the Picatinny at the back plane of the rail. Weight includes screws.
 Add 0.8 g/0.03 oz for pins.
 EAN: 7340150706449



Winchester Model 70

R-7031 Winchester 70 Scope Base 0MIL

***** COMING IN 2019 *****

Tilt: 0 MIL/MOA
Height: 10 mm/0.39"
Length: TBD"
Weight: TBD
Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
EAN: 7340150706364



R-7631 Winchester 70 Scope Base 6MIL

***** COMING IN 2019 *****

Tilt: 6 MIL/20.6 MOA
Height: 10 mm/0.39"
Length: TBD"
Weight: TBD
Note: Height is measured from the top of the front vault of the action to the top of the Picatinny. Weight includes screws. Add 0.8 g/0.03 oz for pins.
EAN: 7340150706456



ACCESSORIES

A-0001 Spacer for Interface, 4 mm/.157"

Height: 4 mm/.157"
 Weight: 7 g/0.2 oz
 Note: Designed to raise interfaces above turrets and large objectives.
 Includes screws.
 EAN: 7340150710002



A-0003 Picatinny Rail 10x55 mm

Height: 10 mm/.39"
 Length: 55 mm/2.16"
 Weight: 18 g/0.6 oz
 Note: Picatinny interface for attaching 3rd party accessories with Picatinny clamps to the ISMS scope mount. Includes screws.
 EAN: 7340150710040



A-0004 ACI Interface, QD

Weight: 19 g/0.7 oz
 Note: QD Interface for attaching Angle Cosine Indicator to the ISMS scope mount. Includes screws.
 EAN: 7340150710064



H-0009 Delta Point Interface

Weight: 16 g/0.6 oz
 Note: Interface for attaching a Leupold DeltaPoint to the scope mount. Will also fit Shield Mini Sight, JPoint, Firepoint, Tasco Optima, and Trijicon RedDot. Includes screws.
 EAN: 7340150710514



H-0010 Trijicon RMR Interface

Weight: 23 g/0.8 oz
 Note: Interface for attaching a Trijicon RMR to an ISMS scope mount. Includes screws.
 EAN: 7340150710521



H-0011 Docter/Burris Fastfire Interface

Weight: 18 g/0.6 oz
 Note: Interface for attaching a Docter, Burris FastFire, or Vortex Venom red dot sight to the scope mount. Includes screws.
 EAN: 7340150710538



A-0015 Spacer for Interface, 10 mm/.39"

Height: 10 mm/.39"
 Weight: 14 g/0.5 oz
 Note: Designed to raise interfaces above turrets and large objectives. Includes screws.
 EAN: 7340150710149



A-0023 ACI Interface

Weight: 16 g/0.6 oz
 Note: Interface for attaching Angle Cosine Indicator to the ISMS scope mount. Includes screws.
 EAN: 7340150710170

**A-0025 Aimpoint Micro Interface**

Weight: 43 g/1.5 oz
 Note: Interface for attaching Aimpoint Micro or Vortex SPARC® AR red dot sight to the right side of the ISMS scope mount (4:30-position). Includes screws.
 EAN: 7340150710187

**A-0025B Aimpoint Micro Interface, Left**

Weight: 43 g/1.5 oz
 Note: Interface for attaching Aimpoint Micro or Vortex SPARC® AR red dot sight to the left side of the ISMS scope mount (7:30-position). Includes screws.
 EAN: 7340150710194

**A-0029 Wilcox RAPTAR Adapter**

Height: 25 mm/0.984"
 Length: 85 mm/3.346" (Picatinny Rail)
 Weight: 42 g/1.5 oz
 Note: Interface for attaching Wilcox RAPTAR or SilencerCo RADIUS laser range finder to ISMS scope mount. Includes screws.
 EAN: 7340150710200

**A-0029B Wilcox RAPTAR/RAPTAR-S Adapter, High**

Height: 34 mm/1.34"
 Length: 104 mm/4.095" (Picatinny Rail)
 Weight: 59 g/2.1 oz
 Note: Interface for attaching Wilcox RAPTAR, RAPTAR-S (Gen2,) or SilencerCo RADIUS laser range finder to ISMS scope mount. Includes screws.
 EAN: 7340150710392

**A-0029C Gen1 Wilcox RAPTAR-S Adapter, Interrupted Picatinny**

Height: 34 mm/1.34"
 Length: 104 mm/4.095" (Picatinny Rail)
 Weight: 58 g/2.0 oz
 Note: Interface for attaching Gen1 Wilcox RAPTAR-S laser range finder to ISMS scope mount. Features an interrupted rail to compensate for the mold seam underneath the rail clamp on the Gen1 RAPTAR-S. Includes screws.
 EAN: 7340150710415



A-0032 Picatinny Rail 14x75 mm

Height: 14 mm/0.55"
 Length: 75 mm/2.95"
 Weight: 31 g/1.1 oz
 Note: Picatinny interface for attaching 3rd party accessories with Picatinny clamps to the ISMS scope mount. Includes screws.
 EAN: 7340150710217

**A-0037 Picatinny Rail 20x75 mm**

Height: 20 mm/0.79"
 Length: 75 mm/2.95"
 Weight: 32 g/1.1 oz
 Note: Picatinny interface for attaching 3rd party accessories with Picatinny clamps to the ISMS scope mount. Includes screws.
 EAN: 7340150710224

**A-0055 Aimpoint ACRO P-1 Interface**

Weight: 20 g/0.7 oz
 Note: Interface for attaching Aimpoint ACRO P-1 red dot sight to ISMS and Spuhr Hunting Series rings and scope mounts. Includes screws.
 EAN: 7340150710545

**A-0080/81 Leveling Kit, Separate Rings**

Note: Leveling kit for indexing the reticle to the Picatinny Rail. Included with SR-series of rings. Cannot be used with Weaver rails or on flat 1-piece bases.
 EAN: 7340150710231

**A-0094 Horus ACI Adapter**

Weight: 7 g/0.2 oz
 Note: Adapter plate for using Horus Vision Angle Slope Level Indicator in A-0004 and A-0023 interfaces designed for Sniper Tools LLC ACI.
 EAN: 7340150710309

**TQ-FISS Fix It Sticks Spuhr Torque Kit**

Note: Fix It Sticks Spuhr-specific torque kit containing two Fixit sticks, a 25 in/lb and a 45 in/lb torque limiter, and two each of standard length and extended length Torx 20 bits. Delivered in slim soft pouch with Velcro panel and PALS. Includes an *Approved by Spuhr* patch.
 EAN: 7340150710316



HUNTING SERIES SPARE PARTS LIST

TOP COVERS	MOUNT MODELS
H20	1-inch rings, Classic
H21	1-inch rings, Interface
H30	30 mm rings, Classic
H31	30 mm rings, Interface
H40	34 mm rings, Classic
H41	34 mm rings, Interface
H50	35 mm rings, Classic
H51	35 mm rings, Interface
H60	36 mm rings, Classic
H61	36 mm rings, Interface
H70	40 mm rings, Classic
H71	40 mm rings, Interface

RING BODIES	MOUNT MODELS
AHB20-19	1-inch Blaser rings, 19 mm/0.75" height
AHB30-21	30 mm Blaser rings, 21 mm/0.83" height
AHB40-23	34 mm Blaser rings, 23 mm/0.91" height
AHB50-23	35 mm Blaser rings, 23 mm/0.91" height
AHB60-23	36 mm Blaser rings, 23 mm/0.91" height
AHS20-19	1-inch SAKO rings, 19 mm/0.75" height
AHS30-21	30 mm SAKO rings, 21 mm/0.83" height
AHS40-23	34 mm SAKO rings, 23 mm/0.91" height
AHS50-23	35 mm SAKO rings, 23 mm/0.91" height
AHS60-23	36 mm SAKO rings, 23 mm/0.91" height

FASTENERS	MOUNT MODELS
P-100	M4x10 Torx 20 Ring Screws, 20-pack (for SCP-series)
P-120	M4x10 Torx 20 Ring Screws, 10-pack (for rings and SCT-series)
S-1003	6-48x1/4" MFT Torx 10 Screw for Picatinny Gen2 Scope Bases
S-1250	3x8 Cylindrical Pin M6 DIN6325 Hardened for Picatinny Gen2 Scope Bases
S-1328	MF6S M5x10 Screw for Blaser Rings

OTHER PRODUCTS

Though famous for our Ideal Scope Mount System the company was founded around the **GS-1050 NVG carry system**. Since then we have continued to work with other projects relating to various optic mounts, such as the SM-100 Dual Position Accessory Mount, the SM-101QD Ballistic Adjustable Mount, and others. We have also worked with various upgrade kits for firearms such as the HK G3, G36, HK417, and MP5/HK53, and in 2016 we began delivering G3 upgrade kits to the Swedish Armed Forces.



spuhr i Dalby AB
Terminalvägen 19
SE-246 42 Löddeköpinge
Sweden

+46-46-712012
info@spuhr.com
www.spuhr.com

v2019