



STFCR/L



Ref	Holder Style				Application							Inserts	Parts			
Comment	F Style, Approach Angle 90°				Facing, Through Hole, Blind Hole Machining											
Designation	Code #		Code #		ØD	Ød	H	L	S	θ°	l					
	Right	Price \$	Left	Price \$												
S06M-STFCR 2	146001	45.37			0.480	0.375	0.336	6.0	0.250	-13°	0.906	TC □ T 21.5 □	FTKA02565	TW07P		
S08M-STFCR 2	146022	72.99			0.600	0.500	0.461	6.0	0.312	-10°	1.181		146930	146939	-	-
S10R-STFCR/L 2	145954	86.38	147275	100.18	0.770	0.625	0.586	8.0	0.406	-6°	1.378		\$ 10.72	\$ 11.19		
S12S-STFCR/L 2	145955	108.31			0.930	0.750	0.671	10.0	0.500	-3°	1.417					
S16T-STFCR 3	146042	157.44			1.200	1.000	0.921	12.0	0.640	-6°	1.929	TC □ T 32.5 □	FTGA03510	TW15P		
S20U-STFCR 3	146818	181.95			1.470	1.250	1.171	14.0	0.765	-10°	1.969		146957	146940	-	-
												FTGA03512	TW15P	ST32S	SHXN0509F	
												146933	146940	145999	146935	
												\$ 9.94	\$ 11.66	\$ 13.08	\$ 15.20	
Carbide Shank																
C06-STFCR 2	147302	407.75			0.480	0.375	0.461	6.0	0.312	-10°	1.102	TC □ T 21.5 □	FTKA02565	TW07P		
C08-STFCR 2	147303	442.73			0.600	0.500	0.461	6.0	0.312	-10°	1.181		146930	146939	-	-
C10-STFCR 2	147304	633.17			0.770	0.625	0.586	8.0	0.406	-6°	1.378		\$ 10.72	\$ 11.19		

► P. E22-24

SVQBR



Ref	Holder Style				Application							Inserts	Parts			
Comment	Q Style, Approach Angle 108°				Copying, Relief Machining											
Designation	Code #		Code #		ØD	Ød	H	L	S	θ°	l					
	Right	Price \$	Left	Price \$												
S20U-SVQBR 3	145977	181.95			1.705	1.250	1.171	14.0	1.000	-8°	2.205	VB □ T 33 □	FTGA03512	TW15P	SV32S	SHXN0509F
S24V-SVQBR 3	145978	232.25			2.000	1.500	1.382	16.0	1.125	-8°	2.520		146933	146940	146950	146935
												\$ 9.94	\$ 11.66	\$ 12.72	\$ 15.20	

► P. E27