by regulation (EC) No 1907/2006 REACH

Page 1 / 8 **02 UNIVERSAL CLEANER** Version: 1.0

Date of issue: 15.10.2021

a r a						
	SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1	Product identifier					
	Name:	02 UNIVERSAL CLEANER				
	UFI code:	There is no				
	Registration number:	does not have				
1.2 Relevant identified uses of the substance or mixture and uses advised against						
	Identified uses:	surface clea				
	Uses advised against:	user may be	use the mixture only for the purposes specified by the manufacturer. Otherwise, the user may be exposed to unpredictable risks.			
1.3	Details of the supplier of the safety data sheet					
	Supplier:	Humdakin				
	Adress:	Estrupvej 1, 8380 Trige, Denmark				
	Telehone:	+45 6014 1588				
	Email:	info@humdakin.com				
1.4	Emergency telephone nu	ımber				
	Danish Poison Center (Git	ftlinjen): +45 82	12 1212			
	Danish Environmental Pro	otection Agency	, Tolderlundsvej 5, 5000 Ode	ense C, Telephon	e: +45 72 54 44 66	
SEC	TION 2: Hazards identi	ification				
2.1	Classification of the subs	stance or mixtu	re			
	Classification 1272/2008/WE:		The mixture is not classified as dangerous.			
			not classified			
	Dangerous effects on the	environment:	not classified			
	Dangerous physical-chem	ical effects:	not classified			
2.2						
	Hazard pictogram:	card pictogram: Does		oes not apply.		
	Signal word: Do Hazard statement: The		Does not apply.			
			They are not required.			
			They are not required.			
			EUH208 Contains 3,7-dimethyloctan-3-ol. May produce an allergic			
	r		reaction.			
2.3	Marking according to EC 648/2004: <5% anionic surfactant, preservative (2-phenoxyethan-1-ol) and perfume. Other hazards		vethan-1-ol) and perfume.			
2.3	The mixture is not assesse	d og DDT om viDv	-D			
	Prolonged exposure may of					
SEC	TION 3: Composition/in					
3.1	Substances					
3.2	Does not apply. Mixtures					
3.2	Aqueous surfactant solution	on:				
	Substance identifier		CAS number EC number Index number	Content (%)	Classification 1272/2008	
	Sulfonic acids, C14 - 16 (even sodium salts *		Registration number - 931-534-0 - 01-2119513401-57-0004	≤3,2	Skin Irrit. 2, H315 Eye Dam. 1, H318	
	_1		01 211/010101 01 000T		1	

by regulation (EC) No 1907/2006 REACH

02 UNIVERSAL CLEANER

Page 2 / 8

Date of issue: 15.10.2021

Version: 1.0

122-99-6 204-589-7 Acute Tox. 4, H302 2-phenoxyethanol ≤1 603-098-00-9 Eye Irrit. 2, H319 01-2119488943-21 56-81-5 200-289-5 Látka není klasifikovaná glycerol ≤0,3 jako nebezpečná 78-69-3 Skin Irrit. 2; H315 201-133-9 3,7-dimethyloctan-3-ol <0,14 Eye Irrit. 2; H319 Skin Sens. 1B; H317 01-2119454788-21 63500-71-0 tetrahydro-2-isobutyl-4-methylpyran-405-040-6 <0.07 Eye Irrit. 2; H319 4-ol, mixed isomers (cis and trans) 01-0000015458-64 55066-48-3 259-461-3 3-methyl-5-phenylpentanol <0.07 Acute Tox. 4; H302 01-2119969446-23 25485-88-5 400-410-3 < 0,07 Cyclohexyl 2-hydroxybenzoate Aquatic Chronic 2; H411 01-2119900141-60 10339-55-6 233-732-6 3,7-dimethylnona-1,6-dien-3-ol Skin Irrit. 2; H315 <0,035 (cis & trans) Eye Irrit. 2; H319 01-2119969272-32 13828-37-0 5502-75-0 Skin Irrit. 2; H315 cis-4-(isopropyl)cyclohexanemethanol 939-719-8 <0,035 Skin Sens. 1B: H317 01-2119983532-32 115-95-7 Skin Irrit. 2; H315 3,7-dimethyl-1,6-octadien-3-yl 204-116-4 Eye Irrit. 2; H319 <0,035 acetate (= linalyl acetate) Skin Sens. 1B; H317 01-2119454789-19 141-12-8 3,7-Dimethyl-2,6-octadien-1-yl 205-459-2 < 0.02 Skin Sens. 1B; H317 acetate(cis & trans isomers) 01-2120748334-54 916887-53-1 Skin Sens. 1; H317 482-300-5 cyclohexylidene-o-tolyl-acetonitrile < 0.02 STOT RE 2; H373 Aquatic Chronic 2; H411 01-0000020170-87 5949-29-1 Citric Acid 201-069-1 < 0,01 Eye Irrit. 2, H319 01-2119457026-42 532-32-1 Sodium benzoate <0,01 208-534-8 Eye Irrit. 2, H319 01-2119460683-35 24634-61-5 Potassium sorbate 246-376-1 <0.01 Eye Irrit. 2, H319 01-2119950315-41

by regulation (EC) No 1907/2006 REACH

02 UNIVERSAL CLEANER Version: 1.0

Date of issue: 15.10.2021

*) The substance has specific concentration limits:

classification for concentration> 38.0% see above

Page 3 / 8

classification for concentration> 5,0% <= 38%: Skin irritation, cat. 2, H315 Eye irritation, cat. 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

SEC	CTION 4: First aid n	neasures			
4.1	Description of first aid measures				
	If you do not feel well after exposure or if the problem persists, seek medical attention. If unconscious, place in				
		recovery position and get medical attention. Do not give anything by mouth when unconscious.			
	Inhalation:		Remove victim to fresh air, keep calm and warm. If the problem persists, see a doctor.		
	Skin contact:		In case of skin contact, wash immediately with plenty of water. Wash contaminated clothing before reuse. Seek medical attention if irritation persists.		
	Eye contact:		Immediately flush eyes with plenty of water for at least 15 minutes. Do not rinse with a strong stream of water - risk of corneal injury. Get medical attention if problems occur.		
	Ingestion:		duce vomiting. Rinse mouth with water and drink 1-2 dl of water. Call a doctor		
4.2		ptoms and effe	ects, both acute and delayed		
	Information not availa				
4.3	Indication of any im Special funds are not		al attention and special treatment needed		
~- ~	<u> </u>		ment is symptomatic.		
	CTION 5: Firefightii				
5.1	Extinguishing media				
	Suitable extinguishing media:		CO ₂ , extinguishing powder, extinguishing foam, sand		
	Unsuitable extinguishing media:		Full stream of water		
5.2	Special hazards arising from the substance or mixture The mixture is not classified as flammable. In case of fire, carbon dioxide, carbon monoxide and other hazardous				
5.3	gases may be formed. Advice for firefighters				
3.3	Use suitable respiratory protective device. Collect contaminated fire fighting water separately. It must not enter the sewage system.				
SEC	CTION 6: Accidenta	l release meas	sures		
6.1	Personal precautions, protective equipment and emergency procedures Restrict unauthorized access to the accident area until the accident is rectified. Ensure adequate ventilation. Avoid contact with skin and eyes. Follow the rules and regulations of work safety when working with chemical products Use personal protective equipment. Do not breathe vapors or aerosols.				
6.2	Environmental precautions				
	Do not allow to enter appropriate authoritie		e or ground water. If the product leaks into water or sewage system inform		
6.3	Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Keep in a suitable container and dispose of in accordance with local regulations.				
6.4	Reference to other so Section 8 and 13.	ections			
	Stellon o una 15.				

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation in the workplace. Avoid contact with skin and eyes. Do not breathe vapors / aerosols. Wash hands after use. For personal protection see section. 8. Do not drink, eat or smoke while using the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in original, tightly closed containers in a well-ventilated, dry and cool place. Do not eat, drink or smoke in areas where the product is stored and used. Store at room temperature.

7.3 Specific end use(s) surface cleaning agent

by regulation (EC) No 1907/2006 REACH

Page 4 / 8 **02 UNIVERSAL CLEANER** Version: 1.0

Date of issue: 15.10.2021

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

exposure limits are not set

DNELs Sulfonic acids, C14 - 16 (even) - hydroxy alkane and C14 - 16 (even) - alkene, sodium salts

Worker, inhalation, systemic effects, long-term: 155.22 mg / m3 Worker, dermal, systemic effects, long-term: 2158.33 mg / kg / day Consumers, inhalation, systemic effects, long-term: 45.04 mg / m3 Consumers, dermal, systemic effects, long-term: 1295 mg / kg / day Consumers, oral, systemic effects, long-term: 12.95 mg / kg / day

DNEL 2-phenoxyethanol (CAS 122-99-6)

Worker, inhalation, systemic effects, long-term: 8.07 mg / m3 Worker, inhalation, local effects, long-term: 8.07 mg / m3 Worker, dermal, systemic effects, long-term: 20.83 mg / kg / day Consumers, inhalation, systemic effects, long-term: 2.41 mg / m3 Consumers, inhalation, local effects, long-term: 2.41 mg / m3 Consumers, dermal, systemic effects, long-term: 10.42 mg / kg / day Consumers, oral, systemic effects, long-term: 9.23 mg / kg / day Consumers, oral, systemic effects, acute, short-term: 9.23 mg / kg / day

PNEC Sulfonic acids, C14 - 16 (even) - hydroxy alkane and C14 - 16 (even) - alkene, sodium salts

Fresh water: 0.042 mg / 1 Sea water: 0.0042 mg / 1 WWTP: 4 mg / kg

Freshwater sediment: 2.025 mg / kg Marine sediment: 0.2025 mg / kg

Soil: 0.0061 mg / kg

PNEC 2-phenoxyethanol (CAS 122-99-6)

Fresh water: 0.943 mg / 1 Sea water: 0.094 mg / 1 WWTP: 24.8 mg / 1

Freshwater sediment: 7.237 mg / kg Marine sediment: 0.724 mg / kg

Soil: 1.26 mg / kg

8.2 Exposure controls

Ensure adequate ventilation. After work, wash your hands thoroughly with water. Do not eat, drink or smoke while working.

The monitoring procedure for the content of substances in the air of workplaces and the specifications of protective equipment are determined by the worker responsible for occupational safety and health protection.

Individual protection measures, such as personal protective equipment

Respiratory protection:	It is not necessary if the concentration limits are observed (if they are exceeded, use a	
	respirator against organic vapors). In the event of an accident or fire, wear self-	
	contained breathing apparatus.	
Eye protection:	Wear safety goggles if there is a risk of eye contact	
Hand protection:	Wear protective gloves for long-term exposure	
Skin protection:	Protective clothing and footwear	
Thermal hazard:	It's not	

Environmental exposure controls

Prevent leakage to the sewage system, surface waters, underground waters and soil.

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties		
	Physical state	Liquid	
	Colour	Information is not available	
	Odour	Information is not available	

by regulation (EC) No 1907/2006 REACH

Page 5 / 8 **02 UNIVERSAL CLEANER** Version: 1.0

	Melting point/freezing point (°C):	Information is not available
	Boiling point or initial boiling point and boiling range	Information is not available
	(°C):	
	Flammability	Information is not available
	Lower and upper explosion limit	Information is not available
	Flash point (°C):	Information is not available
	Auto-ignition temperature	Information is not available
	Decomposition temperature	Information is not available
	рН	Information is not available
	Kinematic viscosity	Information is not available
	Solubility	Information is not available
	Partition coefficient n-octanol/water (log value)	Information is not available
	Vapour pressure	Information is not available
	Density and/or relative density	Information is not available
	Relative vapour density	Information is not available
	Particle characteristics	Information is not available
9.2	Other information	
	Information is not available	

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is not reactive under normal conditions.

10.2 Chemical stability

The mixture is stable under normal ambient conditions and anticipated temperature and pressure conditions during storage and handling.

10.3 Possibility of hazardous reactions

They are not known.

10.4 | Conditions to avoid

Protect from frost.

10.5 Incompatible materials

Strong oxidizing agents, strong acids and bases.

10.6 | Hazardous decomposition products

They do not arise spontaneously.

SECTION 11: Toxicological information

11.1 | Information on toxicological effects

a) Acute toxicity

Based on available data, the classification criteria are not met.

- LD50 oral, rat (mg / kg) data for mixture not available

185,000 - calculation according to an additive formula

1850 - 2-phenoxyethan-1-ol

- LD50 dermal, rat or rabbit (mg / kg) data are not available for the mixture

14 391 - 2-phenoxyethan-1-ol (rat)

- LC50 by inhalation, rat, (mg / l, 4h) No data available for the mixture

b) Skin corrosion/irritation

Based on available data, the classification criteria are not met.

not irritating - mean scores of erythema = 0.1 and edema = 0 - 2-phenoxyethan-1-ol (OECD 404, rabbit).

c) Serious eye damage/irritation

Based on available data, the classification criteria are not met.

eye irritant - 2-phenoxyethan-1-ol (OECD 405, rabbit)

d) Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

not sensitizing - 2-phenoxyethan-1-ol (guinea pig, maximization test)

e) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

2-phenoxyethan-1-ol - negative (OECD 476)

f) Carcinogenicity

Date of issue: 15.10.2021

by regulation (EC) No 1907/2006 REACH

Page 6 / 8

02 UNIVERSAL CLEANER

Version: 1.0

Date of issue: 15.10.2021

Based on available data, the classification criteria are not met. NOAEL = 249 mg / kg - 2-phenoxyethan-1-ol (rat, OECD 451)

g) Reproductive toxicity

Based on available data, the classification criteria are not met.

NOAEL = approx. 375 mg / kg - 2-phenoxyethan-1-ol (mouse, oral)

h) STOT-single exposure

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure

Based on available data, the classification criteria are not met.

NOAEL = 376 mg / kg - 2-phenoxyethan-1-ol (rat, oral)

NOAEL = 500 mg / kg - 2-phenoxyethan-1-ol (rabbit, dermal)

NOAEC = 48.2 mg / kg - 2-phenoxyethan-1-ol (rat, inhalation, aerosol, 6 h)

j) Aspiration hazard

Based on available data, the classification criteria are not met.

Other information: Information is not available

SECTION 12: Ecological information

12.1 Toxicity

The mixture is not classified as dangerous for aquatic organisms.

Fish data for the mixture are not available

 $LC50,\,96\;hours,\,Great\;Crested\;Grebe\;(Pimephales\;promelas):\,344\;mg\:/\:1-2-phenoxyethan-1-ol$

NOEC, 34 d., Great Crested Grebe (Pimephales promelas): 23 mg/l-2-phenoxyethan-1-ol

Crustacean data for the mixture are not available

EC10, 21 d., Daphnia Magna: 1.76 mg / 1 - CAS 110615-47-9 (mortality)

EC50, 48 hours, Daphnia Magna:> 500 mg / 1 - 2-phenoxyethan-1-ol

NOEC, 21 d., Daphnia Magna: 9.43 mg/1-2-phenoxyethan-1-ol

Algae data for the mixture are not available

EC50, 72 hours, Green alga (Desmodesmus subspicatus):> 500 mg/l-2-phenoxyethan-1-ol

NOEC, 72 hours, Green alga (Desmodesmus subspicatus):> 500 mg/l-2-phenoxyethan-1-ol

Bacteria data for the mixture are not available

EC10, 17 hours, Bacteria (Pseudomonas putida): 320 g / 1 - 2-phenoxyethan-1-ol

Soil data for the mixture are not available

LC50, 14 d., Manure earthworm (Eisenia fetida):> 1,000 mg / kg soil - 2-phenoxyethan-1-ol

Plants data for the mixture are not available

EC50, 19 d., Brassica napus: 34 mg/kg soil - 2-phenoxyethan-1-ol

12.2 Persistence and degradability

Not determined for the mixture.

The surfactant (s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 1907/2006. 648/2004 on detergents.

2-phenoxyethan-1-ol: rapidly biodegradable:> 90% in 15 days (loss of dissolved organic carbon, OECD 301 A), 98% in 3 days (loss of dissolved organic carbon, OECD 301 A)

12.3 Bioaccumulative potential

not determined for the mixture

2-phenoxyethan-1-ol: BCF = 0.349 (calculation)

2-phenoxyethan-1-ol: log Pow = 1.2 (23 $^{\circ}$ C, pH = 5, 7, 9)

12.4 Mobility in soil

not determined for the mixture

2-fenoxyethan-1-ol: $\log Koc = 1,6$

12.5 Results of PBT and vPvB assessment

The mixture is not assessed as PBT or vPvB.

12.6 Endocrine disrupting properties

They are not.

12.7 Other adverse effects

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Flushing large amounts into drains or watercourses can lead to an increase in pH, which will affect pH-sensitive ecosystems.

by regulation (EC) No 1907/2006 REACH

Page 7 / 8 **02 UNIVERSAL CLEANER** Version: 1.0

Date of issue: 15.10.2021

SECTION 13: Disposal considerations Waste treatment methods Suitable methods for removing the mixture and contaminated packaging: Hand over the marked waste for disposal to a specialized company authorized for this activity. Dispose of waste in accordance with the Waste Act. Perfectly cleaned packaging can be recycled. Possible waste code 20 01 29 * Detergents containing dangerous substances 15 01 02 Plastic packaging Specify the physical/chemical properties that may affect waste treatment options information is not available Discourage sewage disposal information is not available Iidentify, where appropriate, any special precautions for any recommended waste treatment option information is not available **SECTION 14: Transport information** The product is not dangerous for transport UN number or ID number: Not applicable 14.1 14.2 UN proper shipping name Ground transportation ADR Railway transportation RID Not restricted Naval transport IMDG: Air transport ICAO/IATA: 14.3 Transport hazard class(es) ADRRID IMDG: ICAO/IATA: Not applicable Not applicable Not applicable Not applicable 14.4 Packing group IMDG: ICAO/IATA: ADRRIDNot applicable Not applicable Not applicable Not applicable 14.5 **Environmental hazards** Mixture is not hazardous to the environment during transport. 14.6 Special precautions for user Not applicable Maritime transport in bulk according to IMO instruments 14.7 Information is not available **SECTION 15: Regulatory information** Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EC) No 1907/2006 (REACH) Regulation (EC) No 1272/2008 (CLP) Commission Regulation (EU) 2020/878 15.2 Chemical safety assessment Chemical safety assessment for the substance has not been carried out by the producer. **SECTION 16: Other information** 21.09.2021 - general update of the safety data sheet according to Regulation (EC) No. 878/2020 of the European Parliament and of the Council and according to Regulation (EC) No. 1272/2008 of the European Parliament and of the Council List of abbreviations **DNEL** Derived No Effect Level **PNEC** Predicted No Effect Concentration CLP Regulation (EC) No 1272/2008 Regulation (EC) No 1907/2006 REACH

International Code of Dangerous Goods

International Air Transport Association

IMDG

IATA

by regulation (EC) No 1907/2006 REACH

Page 8 / 8 **02 UNIVERSAL CLEANER**

Date of issue: 15.10.2021

Version: 1.0

	ICAO	International Civil Aviation Organization	
	ADR European Agreement concerning the International Carriage of Dangerous Goo by Road		
	RID	Regulation on the international transport of dangerous goods by rail	
	Einecs	European Inventory of Existing Commercial Chemical Substances	
CAS Chemical Abstracts Service		Chemical Abstracts Service	
	PBT	persistent, bioaccumulative and toxic substance	
	vPvB	very persistent a very bioaccumulation substance	
SDS		Safety data sheet	
	Acute Tox. 4	Acute toxicity (oral), category 4	
	Eye Dam. 1 Serious eye damage / eye irritation, category 1		
	Eye Irrit. 2	Serious eye damage / eye irritation, category 2	
	Skin Irrit. 2	Skin corrosion / irritation, category 2	
	Skin Sens. 1, 1B	Skin sensitization, category 1, 1B	
	STOT RE 2	Specific target organ toxicity - repeated exposure, category 2	
	Aquatic Chronic 2	Hazardous to the aquatic environment - chronic, category 2	
c) Sources of information State legislation, professional literature, ECHA website, safety data sheets for raw materi The classification of the mixture was performed by the manufacturer according to the classification of the additive formula, general and specific concentration limits.			
d)	<u> </u>		
	H315 Causes skin irritation.		
	H317 May cause an allergic skin reaction.		
	H318 Causes serious eye damage.		
	H319 Causes serious eye irritation.		
	H373 May cause damage to organs through prolonged or repeated exposure		
	H411 Toxic to aquatic life with long lasting effects.		
e) Instructions for training Training of work safety for handling with chemicals.			
		or handling with chemicals.	
f)	Other information		

The information in this safety data sheet correspond to the best knowledge of the product at the time of publication. This information is used for safer handling, storage, transportation and disposal of the product. This information does not guarantee the quality of the product. This information applies only to this material and is not valid if the product is used in combination with other materials or in a way which is not listed in this SDS.