

iTALK 300

Professional PoC Radio

Featuring a high power speaker with noise reduction and IP54 ingress protection.



ANDROID



4G



WIFI



NFC



GPS



iTALK 300 Professional PoC Radio


KEY FEATURES

- Loud Speaker with Noise Reduction
- Dual-SIM Card
- Long Battery Life
- IP67 Ingress Protection (Optional)
- NFC (Guard Patrol)
- GPS
- WiFi


SPECIFICATIONS

Bands	Asia-Pacific Version: TDD-LTE: B38/B39/B40/B41 FDD-LTE: B1/B3/B5/B8 TD-SCDMA: B34/B39, EVDO/CDMA: BC0 WCDMA: B1/B8 GSM: 900/1800MHz	Europe-Africa Version: LTE FDD: B1/B3/B5/B7/B8/B20 LTE TDD: B38/B40/B41 WCDMA: B1/B5/B8 GSM: 850/900/1800/1900MHz
	North America Version: LTE FDD: B2/B4/B5/B7/B12/B13/B25/B26 WCDMA: B1/B2/B4/B5/B8 GSM: 850/1900MHz	Australia Version: LTE FDD: B1/B3/B5/B7/B8/B28 LTE TDD: B40 WCDMA: B1/B2/B5/B8 GSM: 850/900/1800/1900MHz
System Version	Android 7.1	
Dimension(H*W*D)	108*56*37 mm	
Weight	Approximately 270g (incl. belt clip)	
Ingress Protection	IP67 (Optional)	
Battery	3.8V 4000mAh main Battery. Optional 5200mAh High Cap	
SIM Card	Nano, Dual-SIM Card	
Speaker	8Ω, 1W	
WIFI	Asia-Pacific Version: 2.4G. Europe-Africa / North America / Australia Version: 2.4G & 5G	
Positioning	GPS	
Mandown	Available	
NFC	Optional	
Working Temperature	-20°C - +60°C	
Storage Temperature	-30°C - +70°C	

STANDARD ACCESSORIES



OPTIONAL ACCESSORIES



iTALK 300 Professional PoC Radio

FEATURES AND HIGHLIGHTS



Worldwide Communications

The Global Talk service could be supported via the 2G/3G/4G public mobile network.



Voice Announcement

All information including working status and groups can be voice broadcasted.



Reliable and Durable

The optional IP67 Ingress Protection and MIL-STD-810 G meets the requirements of harsh service applications.



Loud Speaker with Noise Reduction

Professional audio design guarantees good audio quality for individual call, group call and emergency call.



Long Battery Life

4000mAh Lithium-Ion high capacity battery can meet the longer endurance through the power optimization and other technical methods. An optional 5200mAh High Cap is also available.

APPLICATION SCENARIOS

