


First Focal Plane Rifle Scopes

New!



1-8x26



Most scopes have the reticle fitted in the second focal plane (near the eyepiece). While presently it has always been the practice to provide the reticle in the first focal plane (the reticle increases its size when changing the magnification from low to high). Each system has its advantages. The advantage with telemetric reticles (like rangefinder & Mil-dot etc.) is that the target image and distance between dots remains constant even when changing magnification. It is the system that is widely used by the TOP military suppliers now.

Model no	SCP-F1826i
Magnification	1X-8X
Tube diameter	35mm
Objective diameter	35mm
Reticle	Etched Glass Reticle
Field of view @100yard	104.6-13ft
Eye relief	110-91 mm
Exit pupil	16.6-3.2mm
Click value	1/10 MIL
Side focus	no
Length	250 mm
IR	Red/Green
Elevation	120 MOA
Windage	120 MOA





3-18x50

NEW



1-8x26

NEW



3-15x50

NEW



4-20x50

NEW



5-30x56

Model no	SCP-F31550si	SCP-F31850si	SCP-F42050si	SCP-F53056si
Magnification	3X-15X	3X-18X	4X-20X	5X-30X
Tube diameter	30mm	30mm	30mm	34mm
Objective diameter	50mm	50mm	50mm	56mm
Reticle	Etched Glass Reticle	Etched Glass Reticle	Etched Glass Reticle	Etched Glass Reticle
Field of view @100yard	34-6.8ft	111.86-18.86ft	25.9-5.21ft	23.53-3.8ft
Eye relief	99-88 mm	100mm	93.0-88.0 mm	100-88mm
Exit pupil	16.6-3.33mm	16.2-2.7mm	12.5-2.5 mm	11.2-1.86mm
Click value	1/4 MOA	1/10 MIL	1/10 MIL	1/10 MIL
Side focus	10yds-∞	15yds-∞	10m-∞	10m-∞
Length	350 mm	350mm	380mm	372 mm
IR	Red/Green	Red	Red/Green	Red/Green
Elevation	90 MOA	50 MOA	70 MOA	90 MOA
Windage	70 MOA	50 MOA	50 MOA	70 MOA

Tactical Rifle Scopes



1-12x26



Model no	SCP-11026i	SCP-11226i
Magnification	1X-10X	1X-12X
Tube diameter	34mm	34mm
Objective diameter	26mm	26mm
Reticle	CQB/4A dot/BDC	CQB/4A dot/BDC
Field of view @100yard	99-9.9ft	94-7.9ft
Eye relief	120-90 mm	120-89 mm
Exit pupil	8-2.6mm	8-2.16mm
Click value	1/10 MIL	1/10 MIL
Side focus	no	no
Length	270mm	270mm
IR	Red/Green	Red/Green
Elevation	100 MOA	100 MOA
Windage	100 MOA	100 MOA

10x



NEW

1-10x26

12x




NEW

1-12x26

Tactical Rifle Scopes

Your choice Our Care

Our **CCOP** hunting scope is an ideal choice for short to medium range shooting. With the features of quick target acquisition and fast focus eyepiece, it fills the requirement of the law enforcement and hunters who need a quick-sighting system at ranges of 5 yards to infinite. A large eyepiece provides the shooter an increased vertical and horizontal, forward and backward movement behind the scopes . If you are tired of massive heavy scope yet still insist upon outstanding performance, take our **CCOP** hunting scope.



Model no	SCP-1824i	SCP-21650i
Magnification	1x-8x	2X-16X
Tube diameter	30mm	30mm
Objective diameter	24mm	50mm
Reticle	CQB/4A dot/BDC	CQB/4A dot/BDC
Field of view @100yard	104.6-13.6ft	44.5-5.23ft
Eye relief	110-91mm	89mm
Exit pupil	16.6-3.2mm	8-3.12mm
Click value	1/10 MIL	1/10 MIL
Side focus	no	10yds-∞
Length	253mm	298mm
IR	Red/Green	Red
Elevation	100 MOA	80 MOA
Windage	100 MOA	80 MOA




1-8x24




2-16x50

Tactical Rifle Scopes

6x




4A DOT



CQB



DBC



MIL DOT

Model no	SCP-1624i	SCP-251550si	SCP-42450si	NEW SCP-53056si	NEW SCP-F31850si	NEW SCP-F53056si
Magnification	1x-6x	2.5x-15x	4x-24x	5x-30x	3X-18X	5X-30X
Tube diameter	30mm	30mm	30mm	30mm	30mm	34mm
Objective diameter	24mm	50mm	50mm	56mm	50mm	56mm
Reticle	CQB/4A dot/BDC	CQB/4A dot/BDC	mil dot	mil dot	Etched Glass Reticle	Etched Glass Reticle
Field of view @100yard	99-16.6ft	40-6.8ft	29.5-4.94ft	23.4-3.9ft	111.86-18.86ft	23.53-3.8ft
Eye relief	110-88mm	115-88mm	106-88mm	100-88mm	100mm	100-88mm
Exit pupil	16-4mm	10-3.3mm	12.5-2.08mm	11.2-1.86mm	16.2-2.7mm	11.2-1.86mm
Click value	1/2 MOA	1/4 MOA	1/8 MOA	1/8 MOA	1/10 MIL	1/10 MIL
Side focus	no	10yds-∞	25yds-∞	50yds-∞	15yds-∞	10m-∞
Length	265mm	353mm	390mm	420mm	350mm	372 mm
IR	Red/Green	Red/Green	Red/Green	Red/Green	Red	Red/Green
Elevation	100 MOA	70 MOA	60 MOA	50 MOA	50 MOA	90 MOA
Windage	100 MOA	70 MOA	60 MOA	50 MOA	50 MOA	70 MOA








Tactical Rifle Scopes



- Zoom Control
- Elevation Adjustment
- Battery Compartment
- Side Focus Control
- Fast Focus Eyepiece
- Windage Adjustment

6-24x50

A combination of high magnification and maximum elevation travel.



NEW

Model no	SCP-1424i	SCP-31244si	SCP-31256si	SCP-352556si	SCP-41656si	SCP-62450si	SCP-62456si	SCP-83256si
Magnification	1x-4x	3x-12x	3x-12x	3.5X-25X	4x-16x	6x-24x	6x-24x	8x-32x
Tube diameter	30mm	30mm	30mm	35mm	30mm	30mm	30mm	30mm
Objective diameter	24mm	44mm	56mm	56mm	56mm	50mm	56mm	56mm
Reticle	CQB/4A dot/BDC	mil dot	mil dot	mil dot	mil dot	mil dot	mil dot	mil dot
Field of view @100yard	100.5-22.5ft	9.2-36.5ft	26.7-6.8ft	31.4-4.3ft	6.9-27.4ft	4.6-18.3ft	17.5-4.3ft	3.5-13.5ft
Eye relief	120-90 mm	101.6-89 mm	89-76.2 mm	90mm	101.6-89 mm	101.6-89 mm	89-76.2 mm	101.6-89 mm
Exit pupil	12.8-6.4mm	3.7-14.7mm	12.4-4.3mm	8-2.24mm	3.5-14mm	2.1-8.3mm	8.5-2.3mm	1.8-7.0mm
Click value	1/2 MOA	1/8 MOA	1/4 MOA	1/10 MIL	1/8 MOA	1/8 MOA	1/4 MOA	1/8 MOA
Side focus	no	25yds-∞	25yds-∞	20yds-∞	25yds-∞	yes	15yds-∞	15yds-∞
Length	290mm	357mm	346mm	350mm	380mm	420mm	420mm	425mm
IR	Red/Green	Red/Green	Red/Green	Red/Green	Red/Green	Red/Green	Red/Green	Red/Green
Elevation	100 MOA	100 MOA	100 MOA	80 MOA	100 MOA	25 MOA	25 MOA	25 MOA
Windage	100 MOA	100 MOA	100 MOA	50 MOA	100 MOA	25 MOA	25 MOA	25 MOA

Tactical Rifle Scopes



8.5-25x50

NEW


Model no	SCP-15642i	SCP-251032i	SCP-62556si	SCP-852550si
Magnification	1.5X-6X	2.5X-10X	6x-25x	8.5X-25X
Tube diameter	30mm	30mm	35mm	30mm
Objective diameter	42mm	32mm	56mm	50mm
Reticle	CQB/4A dot/BDC	CQB/4A dot/BDC	mil dot	mil dot
Field of view @100yard	65.8-16.5ft	43.96-11.0ft	17.5-4.3ft	14.67-4.99ft
Eye relief	110.1-90.5 mm	105-98 mm	101.6-89 mm	98.6-88 mm
Exit pupil	17.9-7.0mm	12.8-3.2mm	9.3-2.5mm	5.8-2.0 mm
Click value	1/4 MOA	1/4 MOA	1/4 MOA	1/8 MOA
Side focus	no	no	10yds-∞	10yds-∞
Length	280mm	300mm	424mm	410mm
IR	Red/Green	Red/Green	Red/Green	Red/Green
Elevation	100 MOA	100 MOA	100 MOA	50 MOA
Windage	100 MOA	100 MOA	100 MOA	50 MOA




Prism Scope



4 x 32mm



2.5 x 32mm



Model no	SCP-P2532i	SCP-P3032i	SCP-P4032i
Magnification	2.5x32	3x32	4x32
Reticle	CQB	CQB	CQB
Focus range	100yards	100yards	100yards
Field of view @100yard	37.5ft	31.4ft	23.6ft
Fov Degree (°)	7.2°	6°	4.5°
Fov m/100m	12.2	10.5	7.87
Eye relief	80	80	80
Exit pupil	12.4	10	8
Click value	1/2 MOA	1/2 MOA	1/2 MOA
Length	119mm	137.5mm	137.5mm
IR	Red/Green	Red/Green	Red/Green
Elevation	30 MOA	30 MOA	30 MOA
Windage	30 MOA	30 MOA	30 MOA





Specifications:

Item	Jacket Length Front Diameter	Scope Length	Scope Objective
RSSS-01	10" x 3.5mm	10.5"-11.5"	Up to 33mm
RSSS-02	10.25" x 4.5mm	10.5"-12"	Up to 43mm
RSSS-03	11.5" x 5.0mm	12"-14"	Up to 50mm
RSSS-04	13.5" x 5.2mm	13"-15.5"	Up to 56mm
RSSS-05	14.5" x 5.6mm	14"-16.5"	Up to 60mm



Laser Bore Sighter



Item NO	Size	NW	Material	Specifications
LBS-45	1.14"x0.47"x0.47"	12g	Bronze	Laser bore sighter CAL:45ACP
LBS-30	1.30"x0.35"x0.35"	6g	Bronze	Laser bore sighter CAL:.30
LBS-222	1.57"x0.39"x0.39"	8g	Bronze	Laser bore sighter CAL:222REM
LBS-76239	1.54"x0.47"x0.47"	16g	Bronze	Laser bore sighter CAL:7.62x39
LBS-223	1.77"x0.39"x0.39"	8g	Bronze	Laser bore sighter CAL:.223
LBS-308	1.81"x0.47"x0.47"	24g	Bronze	Laser bore sighter CAL:.308
LBS-3030	2.04"x0.51"x0.51"	16g	Bronze	Laser bore sighter CAL:30-30WIN
LBS-76254	2.13"x0.55"x0.55"	28g	Bronze	Laser bore sighter CAL:7.62x54R
LBS-6555	2.24"x0.47"x0.47"	26g	Bronze	Laser bore sighter CAL:6.5x55
LBS-757	2.13"x0.55"x0.55"	28g	Bronze	Laser bore sighter CAL:7x57R
LBS-8	2.21"x0.47"x0.47"	28g	Bronze	Laser bore sighter CAL:8mm
LBS-7	2.20"x0.51"x0.51"	36g	Bronze	Laser bore sighter CAL:7mm
LBS-3006	2.48"x0.51"x0.51"	24g	Bronze	Laser bore sighter CAL:.30-06/0.25-06/.270WIN
LBS-300	2.64"x0.55"x0.55"	40g	Bronze	Laser bore sighter CAL:300WIN
LBS-303	2.20"x0.59"x0.59"	8g	Aluminium	Laser bore sighter CAL:303BRI
LBS-857	2.24"x0.51"x0.51"	12g	Aluminium	Laser bore sighter CAL:8x57JS
LBS-857R	2.24"x0.51"x0.51"	10g	Aluminium	Laser bore sighter CAL:8x57JRS
LBS-9362	2.48"x0.47"x0.47"	12g	Aluminium	Laser bore sighter CAL:9.3x62
LBS-50	3.94"x0.83"x0.83"	44g	Aluminium	Laser bore sighter CAL:.50BMG
LBS-762	1.54"x0.47"x0.47"	16g	Aluminium	Laser bore sighter CAL:7.62X39
LBS-12	2.40"x0.87"x0.87"	46g	Aluminium	Laser bore sighter CAL:12GA
LBS-9	0.95"x0.35x0.35	7g	Aluminium	Laser bore sighter CAL: 9mm