



		Quotation		Version-no.	Page: 1
Company name Department Contact person Phone no. Fax-no. Email address					
Pos.r	Quant	Description	Item no.		
1		Spare parts			
1.1		80SFQ211-53			
1.1.1		Packing & O-Ring Set	173-000-52		
1.1.1	1	Packing & O-Ring Set	173-000-52		
1.1.1	1	O-Ring V-225 FPDM	122-000-11		
1.1.1	2	O-Ring G-75 FPDM	122-126-20		
1.1.1	1	O-Ring V-225 FPDM	122-000-11		
1.1.1	1	O-Ring 195xd3.1 FPDM	122-406-14		
1.1.1	1	Packing 145mm2(P.C.145) Cork	121-154-11		
1.1.1	1	O-Ring 12xd3 FPDM	122-259-23		
1.1.1	1	Packing d8.2xd13.5x2t PE	121-248-13		
1.1.2	3	Hex.Bolt M5x20 SUS316 (DIN 1.4401) Stainless Steel	140-021-20		
1.1.3	3	Seal Washer PM-5 SUS+NBR	142-422-18		
1.1.4	1	Gland 37-CL2 SUS316 (DIN 1.4401) Stainless Steel	003-157-15		
1.1.5	1	Cabtyre Cable Set (10m) 2PNCT4Cx1,25mm2(Complete) CL2	001-005-85		
1.1.6	2	Compression type Terminal TMNB-2.2(Insulated) CU	009-274-17		
1.1.7	1	Terminal 380V-50Hz R-5.5-6 CU	009-131-11		
1.1.8	1	Cabtyre Cable Set(10m)380/400/415V-50Hz(EUR,NSU) NSSHOU 4Gx2,5mm2	001-009-41		
1.1.9	4	Hex.Bolt M10x40 SUS316 (DIN 1.4401) Stainless Steel	140-079-36		
1.1.1	4	Hex.Nut M10 SUS316 (DIN 1.4401) Stainless Steel	141-006-22		
1.1.1	2	Gland No.2 SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	003-112-18		
1.1.1	1	Cable Bush d17xd49x20l CR	004-131-16		
1.1.1	2	Bush Washer d19.5xd49x3.2t SPC	005-120-15		
1.1.1	8	Hex.Bolt M8x30 SUS316 (DIN 1.4401) Stainless Steel	140-056-24		
1.1.1	8	Spring Washer M8 SUS316 (DIN 1.4401) Stainless Steel	142-163-21		
1.1.1	2	Stuffing Box 55/75-CL SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	006-101-26		
1.1.1	2	O-Ring G-75 FPDM	122-126-20		
1.1.1	1	Pan Screw (w/Spring Washer) M4x6 SWRM	143-085-21		
1.1.1	1	Compression type Terminal TGNB-5.5(Insulated) CU	009-275-18		
1.1.2	1	Cabtyre Cable Set(10m)380/400/415V-50Hz(EUR,NSU) NSSHOU 4Gx2,5mm2 (3G)	001-009-36		
1.1.2	1	Cable Bush d15.5xd49x20l CR	004-130-15		
1.1.2	6	Compression type Terminal TGNB-5.5(Insulated) CU	009-275-18		
1.1.2	2	Eye Bolt M16 SUS316 (DIN 1.4401) Stainless Steel	072-107-30		
1.1.2	1	Washer M16(d16.2xd26x0.1t) SUS316 (DIN 1.4401) Stainless Steel	142-001-11		
1.1.2	1	Washer M16(d16.2xd26x0.3t) SUS316 (DIN 1.4401) Stainless Steel	142-001-12		
1.1.2	4	Hex.Bolt M12x35 SUS316 (DIN 1.4401) Stainless Steel	140-098-28		
1.1.2	4	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	142-165-23		
1.1.2	1	Motor Bracket SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	050-000-06		
1.1.2	1	O-Ring V-225 FPDM	122-000-11		
1.1.3	1	Wave Washer 6306 SK5	142-198-12		
1.1.3	1	Bearing 6306ZZC3	052-109-14		
1.1.3	1	Lead Wire Protection Plate d80xd224x1.6t (SPHC)	058-000-09		
1.1.3	1	Rotor	055-003-84		
1.1.3	1	Impeller Key 7x7x18l SUS316 (DIN 1.4401) Stainless Steel	147-080-15		
Projektnummer		Referenz	Erstelldatum	Last update	
			2022-01-26	2022-01-26	


 www.tsurumi.eu		Quotation		Version-no.	Page: 2
Company name Department Contact person Phone no. Fax-no. Email address					
Pos.r	Quant	Description	Item no.		
1.1.3	1	Collar d225x97.5x1.6t SECC	071-000-39		
1.1.3	1	Stator 380/400/415V-50Hz	056-007-83		
1.1.3	1	Key7x2.5x40l S45C	147-000-04		
1.1.3	4	Hex.Bolt M12x45 SUS316 (DIN 1.4401) Stainless Steel	140-100-24		
1.1.3	4	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	142-165-23		
1.1.4	1	Motor Frame SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	064-000-06		
1.1.4	1	O-Ring V-225 FPDM	122-000-11		
1.1.4	3	Hex.Bolt (w/Spring Washer/Plain Washer) M6x12 SWCH	140-000-06		
1.1.4	1	Bearing 6309ZZD2C3	052-140-17		
1.1.4	4	Hex.Bolt M12x45 SUS316 (DIN 1.4401) Stainless Steel	140-100-24		
1.1.4	4	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	142-165-23		
1.1.4	1	Bearing Housing SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	060-000-09		
1.1.4	1	O-Ring 12xd3 FPDM	122-259-23		
1.1.4	1	Oil Plug M12x16(B=21) SUS316 (DIN 1.4401) Stainless Steel	035-102-14		
1.1.4	1	Mechanical Seal X-30W SiC	025-191-19		
1.1.5	2	Pan Screw M5x6 SWRM	143-070-23		
1.1.5	1	Oil Lifter H-30(A)(T) Resin	030-142-11		
1.1.5	3	Pan Screw M5x6 SWRM	143-070-10		
1.1.5	1	Seal Stopper H-30(A)(T) SPCC	030-151-13		
1.1.5	1	O-Ring 195xd3.1 FPDM	122-406-14		
1.1.5	1	Air Release Valve PT-1/2 SUS316 (DIN 1.4401) Stainless Steel	046-000-04		
1.1.5	1	Oil Plug M8x12 SUS316 (DIN 1.4401) Stainless Steel	035-109-11		
1.1.5	1	Packing d8.2xd13.5x2t PE	121-248-13		
1.1.5	1	Pump Casing 80SFQ25.5/27.5/211 SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	020-000-96		
1.1.5	1	Oil Seal TC-35508 FPDM	026-000-26		
1.1.6	1	Shaft Sleeve 80SFQ25.5/7.5/11 SUS316 (DIN 1.4401) Stainless Steel	071-344-12		
1.1.6	1	Impeller Shim d25.2xd38x0.3t SUS316 (DIN 1.4401) Stainless Steel	040-117-18		
1.1.6	1	Impeller (50HZ) 50Hz SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	021-374-16		
1.1.6	1	Plain Washer M16 SUS316 (EN X5CrNiMo17-12-2) Stainless Steel	142-130-32		
1.1.6	1	Spring Washer M16 SUS316 (DIN 1.4401) Stainless Steel	142-166-24		
1.1.6	1	Hex.Cap Nut M16 SUS316 (DIN 1.4401) Stainless Steel	141-033-28		
1.1.6	1	Packing d204xd264x0.3t PE	120-121-16		
1.1.6	1	Suction Cover 75/110-CL SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	022-333-16		
1.1.6	3	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	142-165-23		
1.1.6	3	Hex.Bolt M12x25 SUS316 (DIN 1.4401) Stainless Steel	140-096-26		
1.1.7	1	Pump Stand 55/110-CL SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	023-123-27		
1.1.7	3	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	142-165-23		
1.1.7	3	Hex.Bolt M12x40 SUS316 (DIN 1.4401) Stainless Steel	140-099-29		
1.1.7	8	Hex.Bolt M16x70 SUS316 (DIN 1.4401) Stainless Steel	140-130-23		
1.1.7	1	Screwed Flange PF-3(JIS10K) SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	048-000-03		
1.1.7	1	Packing JIS10Kx80mm Cork	121-000-18		
1.1.7	1	Discharge Bend 80x80mm(JIS10K) SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	037-000-08		
1.1.7	8	Spring Washer M16 SUS316 (DIN 1.4401) Stainless Steel	142-166-24		
1.1.7	8	Hex.Nut M16 SUS316 (DIN 1.4401) Stainless Steel	141-008-24		
Projektnummer		Referenz	Erstelldatum	Last update	
			2022-01-26	2022-01-26	

 www.tsurumi.eu		Quotation		Version-no.	Page: 3
Company name Department Contact person Phone no. Fax-no. Email address					
Pos.r	Quant	Description	Item no.		
1.1.7	4	Hex.Bolt M16x40 SUS316 (DIN 1.4401) Stainless Steel	140-124-24		
1.1.8	1	Packing 145mm2(P.C.145) Cork	121-154-11		
1.1.8	1	Guide Hook TOS-80-14 SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	093-154-11		
1.1.8	2	Hex.Bolt M12x45 SUS316 (DIN 1.4401) Stainless Steel	140-100-24		
1.1.8	4	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	142-165-23		
1.1.8	1	Duck Foot Bend TOS-80H SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	091-000-14		
1.1.8	2	Guide Connector 34mm SUS316 (DIN 1.4401) Stainless Steel	096-122-19		
1.1.8	2	Hex.Bolt M12x50 SUS316 (DIN 1.4401) Stainless Steel	140-101-25		
1.1.8	1	Guide Support TOS-80-14 SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	094-132-16		
1.1.8	2	Hex.Bolt M10x40 SUS316 (DIN 1.4401) Stainless Steel	140-079-23		
1.1.8	2	Hex.Nut M10 SUS316 (DIN 1.4401) Stainless Steel	141-006-22		
1.1.9	2	Plain Washer M10 SUS316 (EN X5CrNiMo17-12-2) Stainless Steel	142-128-37		
1.1.9	1	Chain 9mm(7L) EN X5CrNiMo17-2-2	095-000-04		
1.1.9	3	Shackle 9mm EN X5CrNiMo17-2-2	011-000-03		
1.1.9	1	Chain 9mmx5M EN X5CrNiMo17-2-2	095-000-05		
1.1.9	1	Packing & O-Ring Set	173-000-52		
1.1.9	2250	ml Turbine Oil ISO VG32	##oilVG32		
Projektnummer		Referenz		Erstelldatum	Last update
				2022-01-26	2022-01-26

80SFQ211-53

Kontroll-Nr. --

2022-01-26 V.01.02.2021

Pos.no	Item no.	Description	Quant.
80SFQ211-53			
		 <p style="text-align: center;">80SFQ211-53</p>	
1.1.1	173-000-52	Packing & O-Ring Set	1
1	140-021-20	Hex.Bolt M5x20 SUS316 (DIN 1.4401) Stainless Steel	3
2	142-422-18	Seal Washer PM-5 SUS+NBR	3
3	003-157-15	Gland 37-CL2 SUS316 (DIN 1.4401) Stainless Steel	1
4	001-005-85	Cabtyre Cable Set (10m) 2PNCT4Cx1,25mm2(Complete) CL2	1
5	009-274-17	Compression type Terminal TMNB-2.2(Insulated) CU	2
6	009-131-11	Terminal 380V-50Hz R-5.5-6 CU	1
7	001-009-41	Cabtyre Cable Set(10m)380/400/415V-50Hz(EUR,NSU) NSSHOU 4Gx2,5mm2	1
8	140-079-36	Hex.Bolt M10x40 SUS316 (DIN 1.4401) Stainless Steel	4
9	141-006-22	Hex.Nut M10 SUS316 (DIN 1.4401) Stainless Steel	4
10	003-112-18	Gland No.2 SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	2
11	004-131-16	Cable Bush d17xd49x20l CR	1
12	005-120-15	Bush Washer d19.5xd49x3.2t SPC	2
13	140-056-24	Hex.Bolt M8x30 SUS316 (DIN 1.4401) Stainless Steel	8
14	142-163-21	Spring Washer M8 SUS316 (DIN 1.4401) Stainless Steel	8
15	006-101-26	Stuffing Box 55/75-CL SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	2
16	122-126-20	O-Ring G-75 FPDM	2
17	143-085-21	Pan Screw (w/Spring Washer) M4x6 SWRM	1
18	009-275-18	Compression type Terminal TGNB-5.5(Insulated) CU	1
19	001-009-36	Cabtyre Cable Set(10m)380/400/415V-50Hz(EUR,NSU) NSSHOU 4Gx2,5mm2 (3G)	1
20	004-130-15	Cable Bush d15.5xd49x20l CR	1
21	009-275-18	Compression type Terminal TGNB-5.5(Insulated) CU	6
22	072-107-30	Eye Bolt M16 SUS316 (DIN 1.4401) Stainless Steel	2
0	142-001-11	Washer M16(d16.2xd26x0.1t) SUS316 (DIN 1.4401) Stainless Steel	1
0	142-001-12	Washer M16(d16.2xd26x0.3t) SUS316 (DIN 1.4401) Stainless Steel	1
23	140-098-28	Hex.Bolt M12x35 SUS316 (DIN 1.4401) Stainless Steel	4
24	142-165-23	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	4
25	050-000-06	Motor Bracket SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
26	122-000-11	O-Ring V-225 FPDM	1
27	142-198-12	Wave Washer 6306 SK5	1
28	052-109-14	Bearing 6306ZZC3	1
29	058-000-09	Lead Wire Protection Plate d80xd224x1.6t (SPHC)	1
30	055-003-84	Rotor	1
31	147-080-15	Impeller Key 7x7x18l SUS316 (DIN 1.4401) Stainless Steel	1
32	071-000-39	Collar d225x97.5x1.6t SECC	1
33	056-007-83	Stator 380/400/415V-50Hz	1
34	147-000-04	Key7x2.5x40l S45C	1
35	140-100-24	Hex.Bolt M12x45 SUS316 (DIN 1.4401) Stainless Steel	4
36	142-165-23	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	4
37	064-000-06	Motor Frame SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1

80SFQ211-53

Kontroll-Nr. --

2022-01-26 V.01.02.2021

Pos.no	Item no.	Description	Quant.
38	122-000-11	O-Ring V-225 FPDM	1
39	140-000-06	Hex.Bolt (w/Spring Washer/Plain Washer) M6x12 SWCH	3
40	052-140-17	Bearing 6309ZZD2C3	1
41	140-100-24	Hex.Bolt M12x45 SUS316 (DIN 1.4401) Stainless Steel	4
42	142-165-23	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	4
43	060-000-09	Bearing Housing SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
44	122-259-23	O-Ring 12xd3 FPDM	1
45	035-102-14	Oil Plug M12x16(B=21) SUS316 (DIN 1.4401) Stainless Steel	1
46	025-191-19	Mechanical Seal X-30W SiC	1
47	143-070-23	Pan Screw M5x6 SWRM	2
48	030-142-11	Oil Lifter H-30(A)(T) Resin	1
49	143-070-10	Pan Screw M5x6 SWRM	3
50	030-151-13	Seal Stopper H-30(A)(T) SPCC	1
51	122-406-14	O-Ring 195xd3.1 FPDM	1
52	046-000-04	Air Release Valve PT-1/2 SUS316 (DIN 1.4401) Stainless Steel	1
53	035-109-11	Oil Plug M8x12 SUS316 (DIN 1.4401) Stainless Steel	1
54	121-248-13	Packing d8.2xd13.5x2t PE	1
55	020-000-96	Pump Casing 80SFQ25.5/27.5/211 SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
56	026-000-26	Oil Seal TC-35508 FPDM	1
57	071-344-12	Shaft Sleeve 80SFQ25.5/7.5/11 SUS316 (DIN 1.4401) Stainless Steel	1
58	040-117-18	Impeller Shim d25.2xd38x0.3t SUS316 (DIN 1.4401) Stainless Steel	1
59	021-374-16	Impeller (50HZ) 50Hz SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
60	142-130-32	Plain Washer M16 SUS316 (EN X5CrNiMo17-12-2) Stainless Steel	1
61	142-166-24	Spring Washer M16 SUS316 (DIN 1.4401) Stainless Steel	1
62	141-033-28	Hex.Cap Nut M16 SUS316 (DIN 1.4401) Stainless Steel	1
63	120-121-16	Packing d204xd264x0.3t PE	1
64	022-333-16	Suction Cover 75/110-CL SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
65	142-165-23	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	3
66	140-096-26	Hex.Bolt M12x25 SUS316 (DIN 1.4401) Stainless Steel	3
67	023-123-27	Pump Stand 55/110-CL SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
68	142-165-23	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	3
69	140-099-29	Hex.Bolt M12x40 SUS316 (DIN 1.4401) Stainless Steel	3
70	140-130-23	Hex.Bolt M16x70 SUS316 (DIN 1.4401) Stainless Steel	8
71	048-000-03	Screwed Flange PF-3(JIS10K) SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
72	121-000-18	Packing JIS10Kx80mm Cork	1
73	037-000-08	Discharge Bend 80x80mm(JIS10K) SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
74	142-166-24	Spring Washer M16 SUS316 (DIN 1.4401) Stainless Steel	8
75	141-008-24	Hex.Nut M16 SUS316 (DIN 1.4401) Stainless Steel	8
76	140-124-24	Hex.Bolt M16x40 SUS316 (DIN 1.4401) Stainless Steel	4
77	121-154-11	Packing 145mm2(P.C.145) Cork	1
0	093-154-11	Guide Hook TOS-80-14 SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
0	140-100-24	Hex.Bolt M12x45 SUS316 (DIN 1.4401) Stainless Steel	2
0	142-165-23	Spring Washer M12 SUS316 (DIN 1.4401) Stainless Steel	4
0	091-000-14	Duck Foot Bend TOS-80H SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
0	096-122-19	Guide Connector 34mm SUS316 (DIN 1.4401) Stainless Steel	2
0	140-101-25	Hex.Bolt M12x50 SUS316 (DIN 1.4401) Stainless Steel	2
0	094-132-16	Guide Support TOS-80-14 SCS14 (DIN 1.4408 GX5CrNiMo19-11-2) Stainless Steel Casting	1
0	140-079-23	Hex.Bolt M10x40 SUS316 (DIN 1.4401) Stainless Steel	2
0	141-006-22	Hex.Nut M10 SUS316 (DIN 1.4401) Stainless Steel	2
0	142-128-37	Plain Washer M10 SUS316 (EN X5CrNiMo17-12-2) Stainless Steel	2
0	095-000-04	Chain 9mm(7L) EN X5CrNiMo17-2-2	1
0	011-000-03	Shackle 9mm EN X5CrNiMo17-2-2	3
0	095-000-05	Chain 9mmx5M EN X5CrNiMo17-2-2	1
0	173-000-52	Packing & O-Ring Set	1
0	##oilVG32	ml Turbine Oil ISO VG32	2250