



Powering Business Worldwide

[pe.eaton.com](http://pe.eaton.com)

## Eaton Series C electronic molded case circuit breaker

**HND3800T36W**

**UPC:**786679264065

### Dimensions:

- **Height:** 8.25 IN
- **Length:** 5.5 IN
- **Width:** 8.25 IN

**Weight:**50.35 LB

### Warranties:

- Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

### Specifications:

- **Type:** Digitrip 310
- **Amperage Rating:** 800A
- **Interrupt Rating:** 100 kAIC at 240 Vac, 65 kAIC at 480 Vac
- **Number Of Poles:** Three-pole
- **Voltage Rating:** 600 Vac
- **Trip Type:** Electronic LSIG
- **Circuit Breaker Type:** HND
- **Circuit Breaker Frame Type:** Complete breaker
- **Frame Size:** N-frame
- **Rating:** 80% rated
- **Series:** Series G
- **Terminals:** Without terminals
- **Frame:** NG-frame

### Supporting documents:

- [Application of Multi-Wire Terminals for Molded Case Circuit Breakers](#)
- [UL listed 100%-rated molded case circuit](#)



breakers

- [Application of Tap Rules to Molded Case Breaker Terminals](#)
- [Circuit breaker motor operators product aid](#)
- [Current limiting Series C molded case circuit breakers product aid](#)
- [Multi-wire lugs product aid](#)
- [Power metering and monitoring with Modbus RTU product aid](#)
- [Motor protection circuit breakers product aid](#)
- [Plug-in adapters for molded case circuit breakers product aid](#)
- [StrandAble terminals product aid](#)
- [Molded case circuit breakers](#)
- [Eaton's Volume 4-Circuit Protection](#)
- [Series C N-Frame Circuit Breaker - Instructions](#)
- [Breaker service centers](#)
- [Eaton Specification Sheet - HND3800T36W](#)
- [Series C G-Frame molded case circuit breakers time current curves](#)
- [Series C J-Frame molded case circuit breakers time current curves](#)
- [Series C F-Frame molded case circuit breakers](#)
- [MOEM MCCB product selection guide](#)

**Certifications:** No Data

**Product compliance:**

- HACR Rated