

# Product data sheet

Specifications

SQUARE D

Green Premium™



## Mini circuit breaker, QO, 20A, 2 pole, 120/240VAC, 22kA, plug in mount

QO220VH

### Main

Product	Miniature circuit-breaker
Range	QO
Current Rating	20 A
Voltage Rating	120/240 V AC 120 V AC
Mounting Type	Plug-in
Number of Poles	2P
Circuit Breaker Type	Standard
Ratings	HACR rated
Electrical Connection	Pressure plate

### Complementary

Interrupt Rating	22 kA 120/240 V AC 50/60 Hz 22 kA 120 V AC 50/60 Hz
Number of Panel Spaces	2
Wire Size	AWG 14...AWG 8 copper or aluminum
Tightening Torque	40.71 lbf.in (4.6 N.m)
Height	2.99 in (76 mm)
Width	1.50 in (38 mm)
Depth	2.91 in (74 mm)
Net weight	0.55 lb(US) (0.249 kg)

### Environment

Certifications	UL listed CSA
Ambient Rating	104 °F (40 °C)

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.50 in (3.81 cm)

<b>Package 1 Width</b>	3.50 in (8.89 cm)
<b>Package 1 Length</b>	3.50 in (8.89 cm)
<b>Package 1 Weight</b>	8.80 oz (249.476 g)


## Offer Sustainability

<b>Sustainable offer status</b>	Green Premium product
<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
<b>EU RoHS Directive</b>	Compliant <a href="#">EU RoHS Declaration</a>
<b>Toxic heavy metal free</b>	Yes
<b>Mercury free</b>	Yes
<b>RoHS exemption information</b>	<a href="#">Yes</a>
<b>China RoHS Regulation</b>	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
<b>Halogen content performance</b>	Halogen free product

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------

**Dimensions**



Dimensions are approximate. Refer to technical documentation, dimension drawings, and/or CAD for additional detail.

**Recommended replacement(s)**