

Prepared for:

Evn

Evn Cooling Cream 4 oz

Batch ID or Lot Number: CC-SEP22-2	Test: Potency	Reported: 20Sep2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000220641	Started: 16Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Sep2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.020	0.061	ND	ND	
Cannabichromenic Acid (CBCA)	0.018	0.055	ND	ND	
Cannabidiol (CBD)	0.054	0.159	0.490	4.90	
Cannabidiolic Acid (CBDA)	0.056	0.163	ND	ND	
Cannabidivarin (CBDV)	0.013	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.023	0.068	ND	ND	
Cannabigerol (CBG)	0.011	0.034	ND	ND	
Cannabigerolic Acid (CBGA)	0.046	0.144	ND	ND	
Cannabinol (CBN)	0.014	0.045	ND	ND	
Cannabinolic Acid (CBNA)	0.032	0.098	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.055	0.171	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.050	0.155	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.044	0.138	ND	ND	
Tetrahydrocannabivarin (THCV)	0.010	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.039	0.121	ND	ND	
Total Cannabinoids			0.490	4.90	
Total Potential THC			ND	ND	
Total Potential CBD			0.490	4.90	

Final Approval



Daniel Weidensaul
20Sep2022
01:20:00 PM MDT



Jacob Miller
20Sep2022
01:21:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/96a8f6c5-e817-4098-a8fe-8067c010e489>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

96a8f6c5e8174098a8fe8067c010e489.1