

Prepared for:
Evn

Dog Treats

Batch ID or Lot Number: DOGTRT-SEP22	Test: Potency	Reported: 20Sep2022	USDA License: N/A
Matrix: Unit	Test ID: T000220649	Started: 16Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Sep2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.232	0.719	ND	ND	# of Servings = 1, Sample Weight=12.156g
Cannabichromenic Acid (CBCA)	0.212	0.658	ND	ND	
Cannabidiol (CBD)	0.644	1.887	4.240	0.30	
Cannabidiolic Acid (CBDA)	0.660	1.935	ND	ND	
Cannabidivarin (CBDV)	0.152	0.446	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.275	0.807	ND	ND	
Cannabigerol (CBG)	0.132	0.408	0.190	0.00	
Cannabigerolic Acid (CBGA)	0.550	1.706	ND	ND	
Cannabinol (CBN)	0.172	0.533	ND	ND	
Cannabinolic Acid (CBNA)	0.375	1.164	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.655	2.033	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.595	1.846	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.527	1.636	ND	ND	
Tetrahydrocannabivarin (THCV)	0.120	0.371	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.465	1.443	ND	ND	
Total Cannabinoids			4.430	0.36	
Total Potential THC			ND	ND	
Total Potential CBD			4.240	0.35	

Final Approval



Daniel Weidensaul
20Sep2022
01:20:00 PM MDT

PREPARED BY / DATE



Jacob Miller
20Sep2022
01:21:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/96e5a715-0d16-4c9f-b18a-80a3d0d55701>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
96e5a7150d164c9fb18a80a3d0d55701.1