

Product Name:	Bluelab Pro Controller Connect
Product Code:	CONTPRO
UPC Code:	9421024920821
Country of Origin:	New Zealand
Tariff Code:	9027.80
Shipping Quantity:	Sold as singular unit
Packaging Information:	
Packaged Weight:	1.7 kg / 3.75 lb
Packaged Length:	330 mm / 12.99 in
Packaged Width:	220 mm / 8.661 in
Packaged Height:	95 mm / 3.740 in

Sales Description:

NOTE: this copy can be used in brochures, catalogues or online

Automated, constant control of reservoir pH and nutrient levels

Full control of reservoir pH, conductivity and temperature in one place.

When connected to a dosing system the Bluelab® Pro Controller™ manages pH, conductivity and temperature levels in reservoirs. As your plants feed, pH and nutrients are automatically adjusted to the desired range.

Monitor, data log and control your system in real time for immediate response to personalised settings and system alerts, direct from your computer. Customise your system set up by pairing with Bluelab® PeriPod™s; and optional Bluelab® PowerPod™, Bluelab® Alarm Box and/or Bluelab® Sample Pot.

Probe cable length: 2 meters / 6.5 feet

Use Bluelab® PowerPod™ to connect to other mains operated dosers and/or heating or cooling devices

Register your product here: <http://bluelab.com/product-registration>

Features:

- Control pH, conductivity and temperature when connected to a doser
- Easy to navigate menu to program and adjust settings
- Remote viewing with Bluelab® Connect™ Software and Apps
- Bright, plant-safe green LED with adjustable brightness
- Simple pH calibration with on screen instructions
- High and low alarm control lockouts
- Auto resume dosing on restart after power loss
- Dosing lockouts to protect from over-dosing
- Replaceable Bluelab® probes

Product Guarantee:

Two year limited guarantee, proof of purchase required. Six months for pH Probe.


Product Image:

Product images available for Screen or Web use:

- Bluelab-ProController-WEB.jpg
- Bluelab-ProController-Front-Web-sml.jpg
- Bluelab-ProController-Hero-WEB.jpg
- Bluelab-ProController-Hero-WEB-sml.jpg

Product images available for PRINT:

Note: these images are high resolution in CMYK.

- Bluelab-ProController-Front-flat-MR-cmyk.jpg
- Bluelab-ProController-Hero-MR-flat-CMYK.jpg

Technical Specifications:

Units	pH : pH Conductivity: EC, CF, TDS (ECx500), ppm (ECx700) Temperature: °C, °F
Control Range:	pH : 0.1 - 13.9 pH Conductivity: 0.1 - 4.9 EC, 1 - 49 CF, 50 - 2450 TDS (ECx500), 70 - 3430 ppm (ECx700) Temperature: °1 - 59 °C, 34 - 120 °F
Resolution:	pH : 0.1 pH Conductivity: 0.1 EC, 1 CF, 10 TDS, 10 ppm Temperature: °1°C, 1°F
Accuracy at 25°C / 77°F:	pH : ±0.1 pH Conductivity: ±0.1 EC, ±1 CF, ±50 TDS, ±70 ppm Temperature: ±1°C, ±2°F