according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SilOil M40.165/220.10

No.: 6163, 6164

Print date: 27.12.2016 Valid from: February 2016



Version: 1.1.0 (1.0.0)

# 1. Identification of the substance/mixture and of the company / undertaking

#### 1.1 Identification of the substance/mixture

Product name: SilOil M40.165/220.10

No.: 6163, 6164

EC No: —

CAS No: —

REACH Registration No: —

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses:

Surface treatment, assembling aid, release agent, damperfluid, cooling oil.

#### Uses advised against:

No information available.

## 1.3 Identification of the company / supplier

#### Supplier:

Peter HUBER Kältemaschinenbau AG

#### Street:

Werner-von-Siemens-Str. 1

#### Postal code:

DE-77656 Offenburg

#### **Contact for technical information**

#### **Technical Service**

Tel.: +49 (0) 781 9603-244 Fax: +49 (0) 781 57211

Email: support@huber-online.com

#### 1.4 Emergency telephone number

+49 (0) 179 6910027

+49 (0) 2751 524-113 (Mo-Fr 08:00-16:00 / 8.00am-4.00pm)

+49 (0) 61 31 1924 0 (Giftinfo Mainz, 24 h German and English)

+49 (0) 761-19 240 (Vergiftungs-Informationszentrale Freiburg)

# 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

None.

#### Classification procedure

Calculation method.

## 2.2 Label elements

None.

## 2.3 Other hazards

No information available.

# 3. Composition/information on ingredients

#### 3.1 Mixtures

**Hazardous ingredients** 

None

# Further ingredients

Polydimethylsiloxane.

# 4. First aid measures

#### 4.1 Description of first aid measures

**General information** 

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SilOil M40.165/220.10

No.: 6163, 6164

Print date: 27.12.2016 Valid from: February 2016



Version: 1.1.0 (1.0.0)

Change contaminated, saturated clothing. When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Provide fresh air.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap.

#### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water.

#### Self-protection of the first aider

No special measures are necessary.

# Information to physician

**Treatment** 

Treat symptomatically.

## 4.2 Most important symptoms and effects, both acute and delayed

No information available.

# 4.3 Indication of any immediate medical attention and special treatment needed

None

# 5. Firefighting measures

# 5.1 Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2). Alcohol resistant foam. Water spray jet. Extinguishing powder. Sand.

# Unsuitable extinguishing media

None.

# 5.2 Special hazards arising from the substance or mixture

No information available.

#### **5.3** Advice for firefighters

In case of fire toxic gases may be formed.

# Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

## 5.4 Additional information

None.

# 6. Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Take the precautions customary when handling chemicals. Use personal protection equipment. Special danger of slipping by leaking / spilling product.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

# 6.3 Methods and material for containment and cleaning up

## For cleaning up

Take up mechanically. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### 6.4 Reference to other sections

None.

#### 6.5 Additional information

No data available.

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SilOil M40.165/220.10 No.: 6163, 6164

Print date: 27.12.2016

Valid from: February 2016 Version: 1.1.0 (1.0.0)



# 7. Handling and storage

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes.

#### **Protective measures**

Use only in well-ventilated areas. Do not breathe gas / fumes / vapour / spray.

#### Fire prevent measures

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharge.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep / Store only in original container.

Hints on joint storage

Storage class (TRGS 510): 10

#### Further information on storage conditions

Protect containers against damage.

## 7.3 Specific end use(s)

None.

# 8. Exposure controls / personal protection

# 8.1 Control parameters

#### Occupational exposure limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

#### **Biological limit values**

No data available.

# **DNEL/DMEL and PNEC values**

#### **DNEL/DMEL**

No data available.

**PNEC** 

No data available.

### 8.2 Exposure controls

# Personal protection equipment

#### Eye / face protection

Eye glasses with side protection.

# Skin protection

#### **Hand protection**

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber)

**Breakthrough time (maximum wearing time):** 480 minutes. Check leak tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### **Respiratory protection**

Usually no personal respirative protection necessary.

#### General health and safety measures

Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash hands before breaks and after work. Keep away from food, drink and animal feeding stuffs.

#### 8.3 Additional information

No data available.

# 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Appearance

Physical state: Liquid.

Seite: 3 / 8

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SilOil M40.165/220.10

No.: 6163, 6164

Print date: 27.12.2016



Valid from: February 2016 Version: 1.1.0 (1.0.0)

**Colour:** Different according to colour.

Odour: Light.

Safety relevant basis data

Safety felevallt basis data					
Solidifying point:	( 1 bar / 1 Pa )		Not determined		Brookfield
Melting point/melting range:			Not determined		
Freezing point:			Not determined		
Initial boiling point and boiling range:		>	300	°C	
Decomposition temperature:			Not determined		
Flash point:		>	170	°C	
Ignition temperature:			Not determined		
Lower explosion limit:			Not applicable		
Upper explosion limit:			Not applicable		
Vapour pressure:	(50°C)		Not determined		
Density:	(20°C)	ca.	1	g/cm³	
Solvent separation test:	(20°C)		Not applicable		
Fat solubility:	(20°C)		No data available		
Solubility in water:			Insoluble.		
pH:	(20°C)		Not applicable		
log P O/W:			No data available		
Odour threshold:	(20°C)		Not determined		
Relative vapour density:			Not determined		
Evaporation rate:			Not determined		
Vapourisation rate:			Not determined		
Kinematic viscosity:	(25°C)	ca.	10	mm²/s	
Flammable solids:	No data available				
Flammable gases:	No data available				
Oxidising liquids:	No data available				
Explosive properties:	No data available				
Corrosive to metals:	Not determined				

#### 9.2 Other information

No data available.

# 10. Stability and reactivity

# 10.1 Reactivity

No dangerous reactions known.

# 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4 Conditions to avoid

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.

It should be borne in mind that the heat transfer fluid has a finite life and its condition must be checked regularly. At high temperatures, Silicon Oil can be chemically altered;

- in the presence of oxidising media such as air, an increase in viscosity and possibly even gelling of the fluid owing to crosslinking reactions can be expected
- contact with products having a catalytic effect, such as acids, lyes and various metal compounds usually induces a process of depolymerisation, resulting in a drop in viscosity

The higher the operating temperature the faster these reactions take place and oxidation is particularly accelerated by use of the oil in an open bath.

#### 10.5 Incompatible materials

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SilOil M40.165/220.10

No.: 6163, 6164

Valid from: February 2016

Print date: 27.12.2016 Version: 1.1.0 (1.0.0)



### 10.6 Hazardous decomposition products

Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302°F) through oxidation.

#### 10.7 Additional information

No data available.

# 11. Toxicological information

# 11.1 Information on toxicological effects

**Acute effects** 

Acute oral toxicity

LD50 ( POLYDIMETHYLSILOXANE ) Parameter:

Exposure route: Oral Species: Rat

Effective dose: > 5000 mg/kg

The product has not been tested.

Acute dermal toxicity

LD50 ( POLYDIMETHYLSILOXANE ) Parameter:

Exposure route: Dermal Species: Rabbit Effective dose: > 10000 mg/kg

The product has not been tested.

Acute inhalation toxicity

LC50 ( POLYDIMETHYLSILOXANE ) Parameter:

Exposure route: Inhalation Species: Rat Effective dose: > 535 mg/kg Exposure time: 1 h

The product has not been tested.

Specific symptoms in animal studies

The product has not been tested. Irritant and corrosive effects Primary irritation to the skin The product has not been tested.

Irritation to eyes

The product has not been tested. Irritation to respiratory tract The product has not been tested.

Sensitisation

In case of skin contact

The product has not been tested.

In case of inhalation

The product has not been tested.

Repeated dose toxicity (subacute, subchronic, chronic)

The product has not been tested.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

The product has not been tested.

Germ cell mutagenicity

The product has not been tested.

Reproductive toxicity

The product has not been tested.

STOT-single exposure

The product has not been tested.

STOT-repeated exposure

The product has not been tested.

Aspiration hazard

The product has not been tested.

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SilOil M40.165/220.10

No.: 6163, 6164

Print date: 27.12.2016 Valid from: February 2016



Version: 1.1.0 (1.0.0)

#### 11.2 Toxicokinetics, metabolism and distribution

The product has not been tested.

#### 11.3 Other adverse effects

No data available.

#### 11.4 Additional information

No data available.

# 12. Ecological information

#### 12.1 Toxicity

## Aquatic toxicity

Acute (short-term) fish toxicity

LCO ( POLYDIMETHYLSILOXANE ) Parameter: Species: Leuciscus idus (golden orfe) Evaluation parameter: Acute (short-term) fish toxicity

Effective dose: 200 mg/l Exposure time: 96 h

The product has not been tested.

# Acute (short-term) daphnia toxicity

The product has not been tested.

# Acute (short-term) algae toxicity

The product has not been tested.

**Bacteria toxicity** 

ECO ( POLYDIMETHYLSILOXANE ) Parameter:

Species: Pseudomonas putida Effective dose: > 10000 mg/l

The product has not been tested.

# **Terrestrial toxicity**

The product has not been tested. Toxicity to terrestrial plants The product has not been tested.

#### Effects in sewage plants

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

## 12.2 Persistence and degradability

#### Abiotic degradation

The product can be eliminated from water by abiotic processes, e.g. adsorption on activated sludge.

## Biodegradation

Not readily biodegradable (according to OECD criteria).

## 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4 Mobility in soil

The product has not been tested.

**Adsorption / Desorption** 

# 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

No data available.

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SilOil M40.165/220.10

No.: 6163, 6164

Print date: 27.12.2016

 Valid from: February 2016
 Version: 1.1.0 (1.0.0)



# 12.7 Further ecological information

No data available.

# 13. Disposal considerations

#### 13.1 Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Consult the appropriate local waste disposal expert about waste disposal.

## **Product / Packaging disposal**

## Waste treatment options

#### Appropriate disposal / Product

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Appropriate disposal / Package

Handle contaminated packages in the same way as the substance itself.

# 14. Transport information

#### 14.1 UN number

No dangerous goods in sense of this transport regulation.

# 14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

#### 14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

#### 14.4 Packing group

No dangerous goods in sense of this transport regulation.

# 14.5 Environmental hazards

No dangerous goods in sense of this transport regulation.

# 14.6 Special precautions for user

None.

## 15. Regulatory information

# 15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture National regulations

Technische Anleitung Luft (TA-Luft)

Sum organic substances class III: 85 - 100 %

### Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to VwVwS

## **Additional information**

#### Substance / product listed in the following inventories

TSCA EINECS/ELINCS DSL/NDSL ENCS (Class 1 and 2) AICS KECL IECSC PICCS

#### 15.2 Chemical safety assessment

No information available.

# 16. Other information

### 16.1 Indication of changes

02. Classification of the substance or mixture  $\cdot$  02. Label elements

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SilOil M40.165/220.10

No.: 6163, 6164

Print date: 27.12.2016

Print date: 27.12.2016

Valid from: February 2016

Version: 1.1.0 (1.0.0)



#### 16.2 Abbreviations and acronyms

**REACH -** Registration, Evaluation, Authorisation of Chemicals

GHS - Globally Hamonised System of Classifikation and Labeling

**CLP** - Classification, Labeling and Packaging of Substances and Mixtures

CAS - Chemical Abstract Service

TWA - Time Weighted Average

**DNEL/DMEL -** Derived No Effect Level

PNEC - Predicted No Effect Concentration

**STP** - Sewage Treatment Plant

TRGS - Technical Rules for Hazardous Substances (German Regulations)

**STEL -** Short-term Exposure Limit

TLV - threshold limit value

AGW - Occupational threshold limit value

RCP - Reciprocal Calculation Procedure

ATE - Acute Toxicity Estimate

MAK - Treshold limit values Germany

LD50 - Lethal Dosie, 50%

LC50 - Lethal concentration, 50%

**OECD -** Organization for Economic Cooperation and Development

NOAEL - No Observed Adverse Effect Level

EC50 - half maximal effective concentration

**NOEC -** No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

vPvB - very Persistent, very Bioaccumulative

ADR/RID - European Agreement concerning the International Carriage of Dangerous Goods by Road (Accord européen

IMDG - International Maritime Dangerous Goods Code

ICAO - International Civil Aviation Association

IATA - International Air Transport Association

VwVws - German administrative regulation on the classification of substances hazardous to water into water hazard

## 16.3 Key literature references and sources for data

None.

# 16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

No information available.

#### 16.5 Relevant H- and EUH-phrases (Number and full text)

None.

#### 16.6 Training advice

None.

## 16.7 Additional information

None.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.