Series Soft-Faced Hammers





- Powerful hammering with surface protection
- Soft-face hammers with hammer head out of urethane; semi-hard
- For hammering sharp-edged workpieces; car body, engineering and automotive applications.
- Inseparable and secure connection between the hammer handle and head
- High-quality ashwood handle

Wera soft-face hammers. Double-sided conical design for a secure, inseparable connection between the hammer handle and head. The hammer head is made out of semi-hard urethane; the handle out of high quality ash wood. Diverse applications thanks to the interchangeable soft-face hammer heads. Suitable for car body, engineering and automotive applications.

05000525001 - 4013288001535

# 102 Soft-faced hammer with urethane head sections, # 5 x 41 mm

## Series Soft-Faced Hammers



Wide range of applications

High quality ash wood

# Colour guidance system





They come in soft, medium and hard designs for a wide range of applications from universal use to splinter-free applications on sharpedged work pieces.



Powerful work is ensured with handles out of high quality ash wood.

Colour guidance systemYellow = Repair/maintenance work with high demandsRed = Suitable for hammering sharpedged work pieces; bodyshops, automotive,

engineeringVii>Vii>White = Suitable for metal processing and removal of dents; tent, large building and exhibition stand construction

### Secure



The double-sided conical design creates an unbreakable and secure link between the handle and head of the hammer.

# Versatile



Versatile use thanks to the soft faced heads that can be retrospectively fitted.

Wera Werkzeuge GmbH Korzerter Straße 21-25 D-42349 Wuppertal Tel: +49 (0)2 02 / 40 45-0 E-Mail: info@wera.de Series Soft-Faced Hammers



Further versions in this product family:

				A v
	#	mm	mm	mm
050005050011)	1	23.0	76.0	250.0
050005100011)	2	28.0	87.0	265.0
050005150011)	3	33.0	96.0	280.0
050005200011)	4	36.0	102.0	290.0
05000525001 <sup>1)</sup>	5	41.0	108.0	320.0
050005300011)	6	51.0	117.0	340.0
050005350011)	7	61.0	131.0	380.0

1) This item will be discontinued from 28 February 2025.