



|                        |                               |                               |              |
|------------------------|-------------------------------|-------------------------------|--------------|
| <b>EAN:</b>            | 4013288221049                 | <b>Size:</b>                  | 230x60x12 mm |
| <b>Part number:</b>    | 05004424001                   | <b>Weight:</b>                | 52 g         |
| <b>Article number:</b> | Kraftform Kompakt VDE 64 i SB | <b>Country of origin:</b>     | CZ           |
|                        |                               | <b>Customs tariff number:</b> | 82054000     |

- Kraftform Kompakt VDE interchangeable blade for hexagon socket screws
- Insulated, individually tested as per IEC 60900
- 9 mm hex drive with with entry chamfer
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- For rapid exchange without any special tools

VDE blade for Kraftform Kompakt VDE handle/interchangeable blade system for rapid exchange of the blade without needing any special tools. Individual testing at 10,000 volts so as to ensure safe working at the permitted voltage of 1,000 volts. The Wera Black Point tip offers a perfect fit and optimised corrosion protection.

**Web link**

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_64\\_i\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_64_i_sb.html)

Wera - Kraftform Kompakt VDE 64 i SB  
05004424001 - 4013288221049


Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Kraftform Kompakt VDE

### Individually tested




Why is the right tool so often missing at the workplace? The reason: too many tools and overly-heavy tool bags can make it bothersome to carry keep them with you. So for us it was a clear challenge: to develop a tool that is suitable for a whole host of applications and can be easily taken along to the workplace. Our solution: Kraftform Kompakt tools. A handle into which blades with a range of different profiles can be inserted. Compactly and protectively housed in a light and robust textile pouch - and they are even VDE-tested, too.




Our screwdrivers are tested for dielectric strength under a 10,000 volt load to make sure that their most important property, their insulation, has been exhaustively tested. Each individual Wera VDE screwdriver is subjected to this test to guarantee safe working up to 1,000 volts.

### VDE interchangeable blades 154 mm long



Suitable for Kraftform handles 7400 VDE, 827 T i and 817 VDE .

### Handle/interchangeable blade system – Kraftform Kompakt VDE



The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.

#### Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_64\\_i\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_64_i_sb.html)

Wera - Kraftform Kompakt VDE 64 i SB  
05004424001 - 4013288221049

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Kraftform Kompakt VDE 64 i SB, 6 x 154 mm

### Kraftform Kompakt VDE



#### Set contents:

#### Kraftform Kompakt VDE 64 i, 6 x 154 mm



05003424001<sup>1)</sup>

1x 6 x 154 mm



1) Discontinued item

#### Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_kraftform\\_kompakt\\_vde\\_64\\_i\\_sb.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_kraftform_kompakt_vde_64_i_sb.html)

Wera - Kraftform Kompakt VDE 64 i SB  
05004424001 - 4013288221049

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)