


950 L-key, metric, chrome-plated, 17 x 160 mm

L-Keys for Hexagon Socket Screws



| | | | |
|------------------------|---------------|-------------------------------|--------------|
| EAN: | 4013288018434 | Size: | 160x63x19 mm |
| Part number: | 05021090001 | Weight: | 438 g |
| Article number: | 950 | Country of origin: | DE (05) |
| | | Customs tariff number: | 82041100 |

- L-keys for hexagonal socket screws
- Wear-resistant size marking
- High corrosion protection thanks to chrome-plating
- Metric

High quality L-keys for hexagonal socket screws. The precise chrome-plated design ensures high corrosion protection.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950.html

Wera - 950

05021090001 - 4013288018434

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Surface protection



Chrome-plated hexagon L-keys for outstanding surface protection and long service life. High corrosion protection.

Web link






https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950.html

Wera - 950
05021090001 - 4013288018434

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

Further versions in this product family:

| |  |  |  |  |  |
|---------------------------------|---|---|---|---|---|
| | mm | mm | mm | inch | inch |
| 05021005001 ¹⁾ | 1.5 | 45 | 14 | 1 3/4" | 9/16" |
| 05021010001 | 2.0 | 50 | 16 | 2" | 5/8" |
| 05021015001 | 2.5 | 56 | 18 | 2 7/32" | 23/32" |
| 05021020001 | 3.0 | 63 | 20 | 2 1/2" | 25/32" |
| 05021025001 | 3.5 | 66 | 23 | 2 5/8" | 29/32" |
| 05021030001 | 4.0 | 70 | 25 | 2 3/4" | 1" |
| 05021035001 | 4.5 | 75 | 26 | 3" | 1 1/32" |
| 05021040001 | 5.0 | 80 | 28 | 3 1/8" | 1 3/32" |
| 05021045001 | 6.0 | 90 | 32 | 3 1/2" | 1 1/4" |
| 05021050001 | 7.0 | 95 | 34 | 3 3/4" | 1 5/16" |
| 05021055001 | 8.0 | 100 | 36 | 4" | 1 7/16" |
| 05021060001 | 9.0 | 106 | 38 | 4 3/16" | 1 1/2" |
| 05021065001 | 10.0 | 112 | 40 | 4 7/16" | 1 9/16" |
| 05021070001 | 11.0 | 120 | 43 | 4 3/4" | 1 11/16" |
| 05021075001 | 12.0 | 125 | 45 | 5" | 1 3/4" |
| 05021080001 | 13.0 | 132 | 50 | 5 3/16" | 2" |
| 05021085001 ¹⁾ | 14.0 | 140 | 56 | 5 1/2" | 2 7/32" |
| 05021090001¹⁾ | 17.0 | 160 | 63 | 6 5/16" | 2 1/2" |
| 05021095001 ¹⁾ | 19.0 | 180 | 70 | 7 1/16" | 2 3/4" |

1) Regular hexagon.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_950.html

Wera - 950

05021090001 - 4013288018434

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de