

L-Keys for Hexagon Socket Screws



EAN:	4013288117281	Size:	274x122x40 mm
Part number:	05022721001	Weight:	715 g
Article number:	3950/9 Hex-Plus Imperial Stainless 1	Country of origin:	CZ
		Customs tariff number:	82041100

- Solution to the extraneous rust problem: fasten stainless screws with stainless tools
- Hex-Plus allows socket head screws to live longer
- Stainless L-keys prevent extraneous rust on stainless screws
- L-keys are quickly to hand thanks to their size markings
- In a robust belt pouch

High quality L-key set out of stainless steel for imperial hexagonal socket screws by Wera. Stainless steel prevents the formation of extraneous rust. The Hex-Plus profile offers a larger contact surface within the screw head. This reduces the notching effects to a minimum and almost completely eliminates the risk of destroying the screw recess. Hexagonal ballpoint end on the long arm: the ballpoint drive profile means that it is possible to swivel the tool axis away from the screwdriving axis, thus enabling "round the corner" screwdriving. Includes a practical belt pouch.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_9_hex-plus_imperial_stainless_1.html

Wera - 3950/9 Hex-Plus Imperial Stainless 1
05022721001 - 4013288117281

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

L-Keys for Hexagon Socket Screws

L-Keys



We questioned the classic L-key design, since all too often the screw head recess is rounded out, meaning screws can no longer be tightened or loosened - and so the user finds the L-key slipping out of the recess. Wera Hex-Plus tools have a larger contact surface in the screw head. The notching effects are reduced and thereby the deformation of the screws. At the same time, as much as 20 % more torque can be applied.

Stainless L-keys



Stainless L-keys are hardened to the same strength as conventional (carbon) steel tools, and prevent extraneous rust forming.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Hex-Plus



Hexagon screws can endure a problem because the contact surfaces delivering the power from the conventional tool, is transferred to the screw via very small surface areas. The consequence: the screw can become damaged (rounding out). Hex-Plus tools have a greater contact surface that prevents this from happening! At the same time, as much as 20 % more torque can be applied. Good to know: Hex-Plus tools fit into every standard hexagon socket screw!

Ball tip



The spherical drive profile means that it is possible to swivel the axis of the tool to that of the screw, and therefore enable angled, "around-the-corner" screwdriving jobs.

Size identification



The size of each L-keys has been engraved by a laser. In addition Take it easy L-keys have a colour coding according to sizes - for simple and rapid accessing of the required tool. Making it easy to find the right tool.

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_9_hex-plus_imperial_stainless_1.html

Wera - 3950/9 Hex-Plus Imperial Stainless 1
05022721001 - 4013288117281

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

3950/9 Hex-Plus Imperial Stainless 1 L-key set, Imperial, stainless, 9 pieces

L-Keys for Hexagon Socket Screws



Set contents:

3950 PKL L-key, Imperial, stainless, 3/32" x 112 mm



05022710001	1x	3/32" x 112 mm
05022711001	1x	7/64" x 119 mm
05022712001	1x	1/8" x 123 mm
05022713001	1x	9/64" x 130 mm
05022714001	1x	5/32" x 137 mm
05022715001	1x	3/16" x 154 mm
05022716001	1x	1/4" x 185 mm
05022717001	1x	5/16" x 195 mm
05022718001	1x	3/8" x 224 mm

Web link

https://products.wera.de/en/l-keys_l-keys_for_hexagon_socket_screws_3950_9_hex-plus_imperial_stainless_1.html

Wera - 3950/9 Hex-Plus Imperial Stainless 1
05022721001 - 4013288117281

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de