











**Article number:** Bit-Check 7 PH BiTorsion 1 **Country of origin:** 

Customs tariff 82079030 number:

- Upright positionable, multi-component Bit-Check
- Universal holder with stainless sleeve and strong permanent magnet
- BiTorsion bits for long service life
- Extra-hard bits
- Take it easy tool finder: colour coding according to profile and size

Robust Bit-Checks by Wera. Bit-Checks provide a quick overview of the tools available. Bits not needed are simply reinserted into the set and do not get lost. Simple transportation e.g. in the shirt pocket. Extra-hard bits. BiTorsion bits with an elastic Torsion zone - where kinetic energy is diverted from peak loads - and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life. For the take-up of bits with 1/4" hexagon head drive as per DIN ISO 1173-C 6.3 and E 6.3. For insertion in the power screwdriver or for use in the chuck of an electric drill.



### At the workplace




The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

#### **BTH-Bits**




High quality bits with Torsion zone - where kinetic energy is diverted from peak loads - and softer BiTorsion zone to prevent the bit tip from twisting under peak loads. This greatly extends the product service life. Extra-hard design.

### Above-average service life



Even the service life of conventional bits is enhanced with the use of the BiTorsion holder and the BiTorsion bit also functions in a normal holder.

# "Take it easy" tool finder system



The "Take it easy" Bit-Checks have bits with a sleeve which - from its colour (e.g. red = Phillips) and size designation - make it simple to access the right bit quickly.

# Universal holder with stainless steel sleeve



With stainless steel sleeve and strong permanent magnet.



# Set contents:

893/4/1 K Universal Bit Holder, 1/4" x 50 mm

05134480001

1x 1/4" x 50 mm

Wera

851/1 BTH bits, PH 2 x 25 mm

05056412001 6x PH 2 x 25 mm



Web link