#### Kraftform Kompakt Turbo















EAN: 4013288214669 Size: 210x132x80 mm


805 g Part number: 05057485001 Weight: Country of origin: Article number: Kraftform Kompakt Turbo i CZ

Imperial 1

**Customs tariff** 

82054000

number:



- Activate and deactivate the turbo function by a simple push of a button
- Turbo function especially for smooth couplings
- · Can be used without the turbo function like a normal screwdriver for couplings with steadily increasing torque
- Robust, maintenance-free gear made of steel

Many users would like to be able to carry out screwdriving processes faster without compromise. With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver. A part-time universal gear is the solution: Integrated in the screwdriver handle, it quadruples the working speed with smooth couplings - purely mechanically. One hand holds the front part of the handle, the other hand turns the rear part of the handle. The turbo function can be switched on or off at the push of a button. Turning it off is recommended for tightening and loosening with high torque as well as for fine adjustments. Robust, maintenance-free gear made of steel with a maximum torque of 14Nm when the turbo function is deactivated. With the Wera VDE interchangeable blades individually tested as per IEC 60900, the VDE version of the Kraftform Turbo hand holder 827 T i guarantees fast and safe working even in live environments (up to 1,000 volts).















https://products.wera.de/en/kraftform\_kompakt\_kraftform\_kompakt\_turbo\_kraftform\_kompakt\_turbo\_i\_imperial\_1.html

#### Kraftform Kompakt Turbo








The construction of the Kraftform Turbo allows the speed of manual screwdriving to be quadrupled, especially for smooth couplings - without electricity!

# Robust, maintenance-free gear made of steel



The robust steel design is maintenance-free and ensures a long product life.

# Handle/interchangeable blade system




With its 9 mm mounting, the Kraftform Turbo is suitable for all Wera Kraftform Kompakt VDE interchangeable blades. The "holder/interchangeable blade system" stands for flexible working with many screw profiles.

# Individually tested



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

# VDE interchangeable blade with reduced shaft diameter




Reduced blade diameter with integrated protective insulation, allows sunken screws and spring elements to be accessed and actuated, individually tested as per IEC 60900.

## Kraftform



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

#### With and without Turbo



The turbo function can be switched on or off at the push of a button. Turning it off is recommended for tightening and loosening with high torque as well as for fine adjustments.

Web link

https://products.wera.de/en/kraftform\_kompakt\_kraftform\_kompakt\_turbo\_kraftform\_kompakt\_turbo\_i\_imperial\_1.html

# Kraftform Kompakt Turbo i Imperial 1, 16 pieces

#### Kraftform Kompakt Turbo



#### Set contents:

## 827 T i Kraftform Turbo blade-holding handle, 9 x 125 mm

05057481001 1x 9 x 125 mm



#### 817 VDE Kraftform blade-holding handle, 9 x 98 mm

05003990001 1x 9 x 98 mm



#### Kraftform Kompakt VDE 62 iS, PH 1 x 154 mm

05003413001<sup>1)</sup> 1x PH 1 x 154 mm 05003414001<sup>1)</sup> 1x PH 2 x 154 mm 1) Discontinued item

## Kraftform Kompakt VDE 62 i PH/S, # 1 x 154 mm

05003440001<sup>1)</sup> 1x # 1 x 154 mm 05003441001<sup>1)</sup> 1x # 2 x 154 mm 1) Discontinued item

## Kraftform Kompakt VDE 67 i TORX®, TX 10 x 154 mm

05003431001<sup>1)</sup> 1x TX 10 x 154 mm

## Kraftform Kompakt VDE 67 iS TORX®, TX 15 x 154 mm

05003437001<sup>1)</sup> 1x TX 15 x 154 mm 05003438001<sup>1)</sup> 1x TX 20 x 154 mm 05003439001<sup>1)</sup> 1x TX 25 x 154 mm 1) Discontinued item

## Kraftform Kompakt VDE 68 iS, # 1 x 154 mm

05003417001<sup>1)</sup> 1x # 1 x 154 mm 05003418001<sup>1)</sup> 1x # 2 x 154 mm 1) Discontinued item

Web link

 $https://products.wera.de/en/kraftform\_kompakt\_turbo\_kraftform\_kompakt\_turbo\_kraftform\_kompakt\_turbo\_i\_imperial\_1.html$ 

Wera - Kraftform Kompakt Turbo i Imperial 1 05057485001 - 4013288214669

# Kraftform Kompakt Turbo i Imperial 1, 16 pieces

## Kraftform Kompakt Turbo



## Kraftform Kompakt VDE 60 i, 0.4 x 2.5 x 154 mm

05003400001<sup>1)</sup> 1x 0.4 x 2.5 x 154 mm

## Kraftform Kompakt VDE 60 iS, 0.6 x 3.5 x 154 mm

05003406001<sup>1)</sup>
05003407001<sup>1)</sup>
05003408001<sup>1)</sup>
1) Discontinued item

1x 0.6 x 3.5 x 154 mm 1x 0.8 x 4 x 154 mm 1x 1 x 5.5 x 154 mm

## Hook and Loop Fastener Strip 120, 120 x 50 mm

1x 120 x 50 mm



Discontinued item