

867/4 Z TORX® B0 bits with bore hole, TX 10 x 89 mm

Bits for Tamper-proof TORX® B0 Screws with safety pin



| | | | |
|------------------------|------------------|-------------------------------|-----------|
| EAN: | 4013288094537 | Size: | 89x7x6 mm |
| Part number: | 05060050001 | Weight: | 12 g |
| Article number: | 867/4 Z TORX® B0 | Country of origin: | CZ |
| | | Customs tariff number: | 82079030 |

- For recessed TORX® screws with securing pin
- TORX® bit with bore hole on the output side
- Tough for hard materials
- 1/4" hexagon drive (Wera connecting series 4)

Premium bits for TORX® B0 socket screws. TORX® B0 screws have a protruding pin in their drive profile. This prevents unauthorized loosening, as these screws cannot be operated with "normal" TORX® tools. Only special TORX® B0 tools have a bore which can mount the pin. Tough, for universal use. 1/4" hexagonal, suitable for holders as per DIN ISO 1173-F 6.3.

Web link


https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060050001 - 4013288094537

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Bits for Tamper-proof TORX® B0 Screws with safety pin

TORX® with borehole (B0)







TORX® tools with a borehole prevent the unauthorised unfastening of safety screws. The screws contain a pin that protrudes into the drive profile so that "normal" TORX® tools cannot be used. This pin fits into the borehole of TORX® B0 tools allowing safety screws to be unfastened.

Tough-absorbing bits



Tough-absorbing Wera bits (Z) prevent any premature breakage of the drive tip.

Further versions in this product family:

| |  |  |  |  |
|--------------------|---|---|---|---|
| | | mm | inch | mm |
| 05060139001 | TX 8 | 70 | 2 3/4" | 3.0 |
| 05060048001 | TX 8 | 89 | 3 1/2" | 3.0 |
| 05060049001 | TX 9 | 89 | 3 1/2" | 3.0 |
| 05060140001 | TX 10 | 70 | 2 3/4" | 4.0 |
| 05060050001 | TX 10 | 89 | 3 1/2" | 4.0 |
| 05060141001 | TX 15 | 70 | 2 3/4" | 4.0 |
| 05060051001 | TX 15 | 89 | 3 1/2" | 4.0 |
| 05060142001 | TX 20 | 70 | 2 3/4" | 4.5 |
| 05060052001 | TX 20 | 89 | 3 1/2" | 4.5 |
| 05060143001 | TX 25 | 70 | 2 3/4" | 6.0 |
| 05060053001 | TX 25 | 89 | 3 1/2" | 6.0 |
| 05060144001 | TX 27 | 70 | 2 3/4" | 6.0 |
| 05060057001 | TX 27 | 89 | 3 1/2" | 6.0 |
| 05060145001 | TX 30 | 70 | 2 3/4" | 6.0 |
| 05060054001 | TX 30 | 89 | 3 1/2" | 6.0 |
| 05060146001 | TX 40 | 70 | 2 3/4" | - |
| 05060056001 | TX 40 | 89 | 3 1/2" | - |

Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060050001 - 4013288094537

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

867/4 Z TORX® B0 bits with bore hole, TX 10 x 89 mm

Bits for Tamper-proof TORX® B0 Screws with safety pin



Web link

https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_tamper-proof_torx_bo_screws_with_safety_pin_867_4_z_torx_bo.html

Wera - 867/4 Z TORX® B0
05060050001 - 4013288094537

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de