

Kraftform Kompakt VDE 16 Torque 1.2-3.0 Nm extra slim 1, 16 pieces

Series 7400 Insulated Kraftform Torque Screwdrivers



EAN:	4013288188335	Size:	230x120x82 mm
Part number:	05135906001	Weight:	845 g
Article number:	KK VDE 16 Torque 1,2-3,0 Nm	Country of origin:	CZ
		Customs tariff number:	82054000

- Kraftform Kompakt VDE torque screwdriver set with adjustable torque
- Adjustable Kraftform VDE torque holder exclusively for Wera VDE interchangeable blades
- VDE interchangeable blades 154 mm long
- In robust pouch
- 16-piece

16-piece torque VDE interchangeable blade set. Includes 14 blades (11 of which with a reduced diameter) with integrated insulation protection. Torque VDE holder with adjustable torque from 1.2-3.0 Nm and VDE holder 817 VDE. Kraftform Plus handle: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer.



Web link

https://products.wera.de/en/torque_tools_insulated_torque_tools_series_7400_insulated_kraftform_torque_screwdrivers_kk_vde_16_torque_1_2-3_0_nm.html

Wera - KK VDE 16 Torque 1,2-3,0 Nm
05135906001 - 4013288188335

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Individually tested




Kraftform adjustable torque handle for Electricians



Each Kraftform Kompakt VDE set has been tested individually at 10,000 volts, in accordance with IEC 60900. This ten-times-higher testing load guarantees safe working at their maximum permitted load of 1,000 volts.

Handle/interchangeable blade system – Kraftform Kompakt VDE



The handle/interchangeable blade system allows rapid exchange of the blades required for a wide range of applications.

Kraftform adjustable torque handle for Electricians




Easy-to-read scale value. Measurement accuracy is $\pm 6\%$ in accordance with the standard EN ISO 6789.

Kraftform adjustable torque handle for Electricians




Simple setting of the required torque by hand.

Excess-load signal




Distinctly audible and noticeable excess-load signal when the pre-set torque is reached.

Inserting the blade



According to the job, the insulated inter-changeable blade with the required tipstyle, or a switch cabinet key is inserted into the clamping mechanism.

Taking out the blade



By pulling and holding down the clamping sleeve the interchangeable screwdriver blade, or the switch cabinet key, is unlocked and can easily be taken out of the handle.

Web link

https://products.wera.de/en/torque_tools_insulated_torque_tools_series_7400_insulated_kraftform_torque_screwdrivers_kk_vde_16_torque_1_2-3_0_nm.html

Wera - KK VDE 16 Torque 1,2-3,0 Nm
05135906001 - 4013288188335

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt VDE 16 Torque 1.2-3.0 Nm extra slim 1, 16 pieces

Series 7400 Insulated Kraftform Torque Screwdrivers



Set contents:

Series 7400 VDE Kraftform adjustable torque handle (0.3-3.5 Nm), 7441 VDE x 1.2-3.0 Nm

05074750001 1x 7441 VDE x 1.2-3.0 Nm



817 VDE Kraftform blade-holding handle, 9 x 98 mm

05003990001 1x 9 x 98 mm



Kraftform Kompakt VDE 62 iS, PH 1 x 154 mm

05003413001¹⁾ 1x PH 1 x 154 mm

05003414001¹⁾ 1x PH 2 x 154 mm

¹⁾ Discontinued item

Kraftform Kompakt VDE 65 iS, PZ 1 x 154 mm

05003455001¹⁾ 1x PZ 1 x 154 mm

05003456001¹⁾ 1x PZ 2 x 154 mm

¹⁾ Discontinued item

Kraftform Kompakt VDE 65 iS PZ/S, # 1 x 154 mm

05003447001¹⁾ 1x # 1 x 154 mm

05003448001¹⁾ 1x # 2 x 154 mm

¹⁾ Discontinued item

Kraftform Kompakt VDE 67 i TORX®, TX 10 x 154 mm

05003431001¹⁾ 1x TX 10 x 154 mm

¹⁾ Discontinued item

Kraftform Kompakt VDE 67 iS TORX®, TX 15 x 154 mm

05003437001¹⁾ 1x TX 15 x 154 mm

05003438001¹⁾ 1x TX 20 x 154 mm

05003439001¹⁾ 1x TX 25 x 154 mm

¹⁾ Discontinued item

Web link

https://products.wera.de/en/torque_tools_insulated_torque_tools_series_7400_insulated_kraftform_torque_screwdrivers_kk_vde_16_torque_1_2-3_0_nm.html

Wera - KK VDE 16 Torque 1,2-3,0 Nm
05135906001 - 4013288188335

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt VDE 16 Torque 1.2-3.0 Nm extra slim 1, 16 pieces

Series 7400 Insulated Kraftform Torque Screwdrivers



Kraftform Kompakt VDE 60 i, 0.4 x 2.5 x 154 mm



05003400001¹⁾

1x 0.4 x 2.5 x 154 mm

1) Discontinued item



Kraftform Kompakt VDE 60 iS, 0.6 x 3.5 x 154 mm



05003406001¹⁾

1x 0.6 x 3.5 x 154 mm

05003407001¹⁾

1x 0.8 x 4 x 154 mm

05003408001¹⁾

1x 1 x 5.5 x 154 mm

1) Discontinued item



Hook and Loop Fastener Strip 70, 50 x 70 mm

1x 50 x 70 mm



Discontinued item

Web link

https://products.wera.de/en/torque_tools_insulated_torque_tools_series_7400_insulated_kraftform_torque_screwdrivers_kk_vde_16_torque_1_2-3_0_nm.html

Wera - KK VDE 16 Torque 1,2-3,0 Nm
05135906001 - 4013288188335

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de