



Arise Bioscience
 4855 Technology
 Way, Suite 500
 Boca Raton, FL,
 33431
 866-407-1164
 Order #: 76777
 Retail Batch #:
 58857

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

Batch Information

Order Information

Order #: 76777
 Order Name: New Sleep Capsules Full
 Spectrum with Chaga
 Retail Batch #: 58857
 Received: 02/10/2023 17:35:39
 Complete: 02/15/2023 18:16:21

Create Date:
 Exp. Date: 03/01/2025
 Size: 0

Total Qty.: 0
 Matrix: Capsule/Tablet
 Pickup Weight: N/A

CANNABINOID PROFILE TESTED	LABEL CLAIM PASS	MICROBIAL ANALYSIS PASS
RESIDUAL SOLVENTS PASS	AGRICULTURAL AGENTS PASS	HEAVY METAL ANALYSIS PASS
TERPENES NOT TESTED	MOISTURE ANALYSIS NOT TESTED	WATER ACTIVITY TESTED
FILTH & FOREIGN MATERIAL ANALYSIS PASS	HOMOGENEITY NOT TESTED	MYCOTOXIN ANALYSIS PASS



0.038 %
Total THC

1.619 %
Total CBD

1.739 %
Total Cannabinoids

Diana Asensio, M.S.

Lab Director

Florida
 4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Arise Bioscience
 4855 Technology
 Way, Suite 500
 Boca Raton, FL,
 33431
 866-407-1164
 Order #: 76777
 Retail Batch #:
 58857

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

Sample Prep

Tech: 4090
 SOP: 418
 Batch Number: 58492
 Batch Date: 02/10/2023 14:31:00

Sample Analysis

Date/Time: 02/14/2023 16:33:06
 Tech: 1012
 SOP: 417
 Final Weight: 0.2048 g
 Volume: 40 ml

CANNABINOID PROFILE

HPLC-DAD

0.038 % Total THC	0.272 mg THC Per Unit	16.322 mg THC Per Pkg
1.619 % Total CBD	11.563 mg CBD Per Unit	693.751 mg CBD Per Pkg
1.739 % Total Cannabinoids	12.419 mg Cannabinoids Per Unit	745.116 mg Cannabinoids Per Pkg

Cannabinoid Potency

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBC	0.064/0.1954	1	0.052	0.520	0.371	22.277	--	--
CBD	0.064/0.1954	1	1.619	16.194	11.563	693.751	750	7.5
CBDA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBDV	0.064/0.1954	1	<LOQ	<LOQ	<LOQ	<LOQ	--	--
CBG	0.064/0.1954	1	0.030	0.298	0.213	12.766	--	--
CBGA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBN	0.064/0.1954	1	<LOQ	<LOQ	<LOQ	<LOQ	--	--
d8-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	1	0.038	0.381	0.272	16.322	--	--
THCA	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	1	ND	ND	ND	ND	--	--

Additional Cannabinoids

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBDVA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBL	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBT	0.064/0.1954	1	<LOQ	<LOQ	<LOQ	<LOQ	--	--
d10-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THCP	0.064/0.1954	1	ND	ND	ND	ND	--	--
exo-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--

mg/unit = 0.714 (g) per unit x cannabinoid concentration (mg/g)
 For inhalation derivative products, Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	0.038	0.381	0.272	16.322
Total CBD	1.619	16.194	11.563	693.751
Total Cannabinoids	1.739	17.393	12.419	745.116

Diana Asensio, M.S.

Lab Director

Florida
 4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343



This COA is governed by the terms and conditions listed on: <https://www.greenscientifclabs.com/terms-of-use>



Arise Bioscience
4855 Technology
Way, Suite 500
Boca Raton, FL,
33431
866-407-1164
Order #: 76777
Retail Batch #:
58857

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 402
Batch Number: 58478
Batch Date: 02/09/2023 15:49:12

Sample Analysis

Date/Time: 02/13/2023 14:14:35
Tech: 2816
SOP: 402
Final Weight: 0.5069 g
Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cyfluthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 432
Batch Number: 58495
Batch Date: 02/10/2023 15:21:40

Sample Analysis

Date/Time: 02/13/2023 15:29:21
Tech: 3445
SOP: 424
Final Weight: 0.5301 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	2	20	ND
Aflatoxin B2	2/10	2	20	ND
Aflatoxin G1	2/10	2	20	ND
Aflatoxin G2	2/5	2	20	ND
Ochratoxin A	2/10	2	20	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Arise Bioscience
4855 Technology
Way, Suite 500
Boca Raton, FL,
33431
866-407-1164
Order #: 76777
Retail Batch #:
58857

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 4090
SOP: 432
Batch Number: 58495
Batch Date: 02/10/2023 15:21:40


Sample Analysis

Date/Time: 02/13/2023 15:29:21
Tech: 3445
SOP: 424
Final Weight: 0.5301 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	2	0.3	ND	Imazalil	0.002/0.01	2	0.1	ND
Acephate	0.002/0.04	2	3	ND	Imidacloprid	0.002/0.002	2	3	ND
Acequinocyl	0.002/0.002	2	2	ND	Kresoxim-methyl	0.002/0.002	2	1	ND
Acetamiprid	0.002/0.002	2	3	ND	Malathion	0.01/0.04	2	2	ND
Aldicarb	0.002/0.01	2	0.1	ND	Metalaxyl	0.002/0.004	2	3	ND
Azoxystrobin	0.002/0.04	2	3	ND	Methiocarb	0.002/0.01	2	0.1	ND
Bifenazate	0.002/0.002	2	3	ND	Methomyl	0.002/0.002	2	0.1	ND
Bifenthrin	0.002/0.002	2	0.5	ND	Mevinphos	0.009/0.036	2	0.1	ND
Boscalid	0.01/0.05	2	3	ND	Myclobutanil	0.002/0.04	2	3	ND
Carbaryl	0.002/0.004	2	0.5	ND	Naled	0.002/0.01	2	0.5	ND
Carbofuran	0.002/0.01	2	0.1	ND	Oxamyl	0.002/0.002	2	0.5	ND
Chlorantraniliprole	0.002/0.01	2	3	ND	Paclobutrazol	0.002/0.004	2	0.1	ND
Chloromequat chloride	0.002/0.004	2	3	ND	Permethrins	0.002/0.01	2	1	ND
Chlorpyrifos	0.002/0.01	2	0.1	ND	Phosmet	0.002/0.002	2	0.2	ND
Clofentezine	0.002/0.002	2	0.5	ND	Piperonyl Butoxide	0.002/0.002	2	3	ND
Daminozide	0.01/0.04	2	0.1	ND	Prallethrin	0.002/0.01	2	0.4	ND
Diazinon	0.002/0.01	2	0.2	ND	Propiconazole	0.002/0.04	2	1	ND
Dichlorvos	0.002/0.04	2	0.1	ND	Propoxur	0.002/0.01	2	0.1	ND
Dimethoate	0.002/0.002	2	0.1	ND	Pyrethrins	0.001/0.013	2	1	ND
Dimethomorph	0.001/0.002	2	3	ND	Pyridaben	0.002/0.002	2	3	ND
Ethoprophos	0.002/0.01	2	0.1	ND	Spinetoram	0.001/0.003	2	3	ND
Etofenprox	0.002/0.002	2	0.1	ND	Spinosad	0.001/0.001	2	3	ND
Etoxazole	0.002/0.002	2	1.5	ND	Spiromesifen	0.002/0.002	2	3	ND
Fenhexamid	0.01/0.04	2	3	ND	Spirotetramat	0.002/0.01	2	3	ND
Fenoxycarb	0.002/0.004	2	0.1	ND	Spiroxamine	0.002/0.04	2	0.1	ND
Fenpyroximate	0.002/0.002	2	2	ND	Tebuconazole	0.01/0.04	2	1	ND
Fipronil	0.002/0.004	2	0.1	ND	Thiacloprid	0.002/0.002	2	0.1	ND
Fonicamid	0.002/0.01	2	2	ND	Thiamethoxam	0.002/0.01	2	1	ND
Fludioxonil	0.002/0.004	2	3	ND	Trifloxystrobin	0.002/0.002	2	3	ND
Hexythiazox	0.002/0.004	2	2	ND					

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Arise Bioscience
4855 Technology
Way, Suite 500
Boca Raton, FL,
33431
866-407-1164
Order #: 76777
Retail Batch #:
58857

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 2816
SOP: 405
Batch Number: 58504
Batch Date: 02/10/2023 18:25:21

Sample Analysis

Date/Time: 02/13/2023 21:00:58
Tech: 3445
SOP: 405
Final Weight: 0.052 g
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	<LOQ	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	<LOQ	Methanol	6/100	1	250	<LOQ
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	200.948	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	<LOQ	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3396
SOP: 428
Batch Number: 58516
Batch Date: 02/13/2023 13:56:22

Sample Analysis

Date/Time: 02/13/2023 20:52:56
Tech: 3381
SOP: 428
Final Weight: 0.3029 g
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	<LOQ
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

FILTH & FOREIGN MATERIAL ANALYSIS

Result: **PASS**

Sample Prep and Analysis

Date/Time: 02/10/2023 22:16:26
Tech: 4245
SOP: 409
Final Weight: 6.0546 g

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Arise Bioscience
 4855 Technology
 Way, Suite 500
 Boca Raton, FL,
 33431
 866-407-1164
 Order #: 76777
 Retail Batch #:
 58857

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

MICROBIAL ANALYSIS
PASS

Sample Prep

Tech: 4090 Batch Number: 58496
 SOP: 406 Batch Date: 02/10/2023 15:27:34

Sample Analysis

Date/Time: 02/12/2023 17:54:35 Final Weight: 1.7181 g
 Tech: 3571
 SOP: 406

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total coliforms	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 4090 Batch Number: 58496
 SOP: 406 Batch Date: 02/10/2023 15:27:34

Sample Analysis

Date/Time: 02/12/2023 17:54:35 Final Weight: 1.7181 g
 Tech: 3571
 SOP: 406

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total enterobacteriaceae	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 4090 Batch Number: 58496
 SOP: 406 Batch Date: 02/10/2023 15:27:34


Sample Analysis

Date/Time: 02/12/2023 17:54:35 Final Weight: 1.7181 g
 Tech: 3571
 SOP: 406

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida
 4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Arise Bioscience
 4855 Technology
 Way, Suite 500
 Boca Raton, FL,
 33431
 866-407-1164
 Order #: 76777
 Retail Batch #:
 58857

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

MICROBIAL ANALYSIS
PASS

Sample Prep

Tech: 4090 Batch Number: 58496
 SOP: 406 Batch Date: 02/10/2023 15:27:34

Sample Analysis

Date/Time: 02/12/2023 17:54:35 Final Weight: 1.7181 g
 Tech: 3571
 SOP: 406

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total aerobic count	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 4090 Batch Number: 58491
 SOP: 406 Batch Date: 02/10/2023 14:10:18

Sample Analysis

Date/Time: 02/13/2023 18:09:00 Final Weight: 1.5933 g
 Tech: 3571
 SOP: 406

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Aspergillus flavus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus fumigatus	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus niger	qPCR	< 1 CFU/g	NOT DETECTED	PASS
Aspergillus terreus	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Prep

Tech: 4090 Batch Number: 58491
 SOP: 406 Batch Date: 02/10/2023 14:10:18

Sample Analysis

Date/Time: 02/13/2023 18:09:00 Final Weight: 1.5933 g
 Tech: 3571
 SOP: 406

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida
 4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Arise Bioscience
 4855 Technology
 Way, Suite 500
 Boca Raton, FL,
 33431
 866-407-1164
 Order #: 76777
 Retail Batch #:
 58857

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

WATER ACTIVITY

Water Activity Meter
Water: 0.472 Aw

Sample Prep and Analysis

Date/Time: 02/10/2023 22:03:36
Tech: 4245
SOP: 407
Final Weight: 1.0025 g



Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343



