



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30907016-003
Harvest/Lot ID: 54654
Batch#: 54654
Sample Size Received: 30 ml
Total Amount: 1 units
Retail Product Size: 30 gram
Sample Density: 0.94 g/mL
Ordered: 09/06/23
Sampled: 09/06/23
Completed: 09/09/23
Sampling Method: SOP.T.20.010.FL

PASSED

Sep 09, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



Pages 1 of 1

PRODUCT IMAGE




SAFETY RESULTS

 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtth NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED
---	---	---	---	---	--	---	---	---

MISC.

 **Cannabinoid** **PASSED**



Analyzed by: 3335, 1665, 585 Weight: 2.9638g Extraction date: 09/08/23 11:55:57 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA064151POT Reviewed On : 09/09/23 13:45:54
Instrument Used : DA-LC-007 Batch Date : 09/08/23 08:40:05
Analyzed Date : 09/08/23 12:00:04

Dilution : 400
Reagent : 080823.01; 090123.R02; 060723.50; 061623.02; 083023.R03
Consumables : 947.109; 1852142; 266969; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
09/09/23