



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30907016-009

Harvest/Lot ID: 56268

Batch#: 56268

Sample Size Received: 60 units

Total Amount: 60 units

Retail Product Size: 60 units

Sample Density: 1.0 g/mL

Ordered: 09/06/23

Sampled: 09/06/23

Completed: 09/09/23

Sampling Method: SOP.T.20.010.FL

PASSED

Sep 09, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US




Pages 1 of 1

PRODUCT IMAGE




SAFETY RESULTS



MISC.

Cannabinoid **PASSED**



Analyzed by: 3335, 1665, 585 Weight: 2.6522g Extraction date: 09/08/23 11:55:58 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 09/09/23 13:46:03
 Analytical Batch : DA064151POT Batch Date : 09/08/23 08:40:05
 Instrument Used : DA-LC-007
 Analyzed Date : 09/08/23 12:00:04

Dilution : 400
 Reagent : 080823.01; 090123.R02; 060723.50; 061623.02; 083023.R03
 Consumables : 947.109; 1852142; 266969; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
09/09/23