

# We're looking forward



6 Illumination Series

8 ArchitecturalBlock

SandStone Panels 12 KuraStone Panels

74
FieldStone
QuarryStone Panels

VintageWood/Empire Block Panels Brick Panels



### At Nichiha we think the future is bright

Every day more and more people are discovering the beauty and the performance of Nichiha fiber cement cladding products. Once you've seen or used a Nichiha product, you'll be looking for ways to use it again.

Your projects come in all shapes, markets and styles... at Nichiha we make an attractive fiber cement cladding solution for most of them. Our products help you capture the look of metal, brick, fieldstone, sandstone, block and cedar in considerably less time and at a fraction of the cost. Our ever-expanding offering of textures and finishes lifts buildings of all kinds to new and unexpected places.

20 Sierra Premium

Smooth/NichiBoard

22 Sierra

Premium Shake

NichiFrontier


26 NichiShake, Staggered, Straight 28

NichiPanel


NichīTrim,

29 30
ichiTrim, Accessories
Soffit Support






# The look you're after the performance we insist on



individual shake. Regardless of what kind of look you're envisioning, Nichiha fiber cement products all perform to the same high level.

No rotting - No warping - No pest concerns - No delamination



#### Sustainability comes naturally

Fiber cement products are by their very nature essentially green products. Comprised mostly of FSC wood pulp and fly ash, our products divert waste from landfills and put it to practical use. Sustainability, however, goes far beyond ingredients. Nichiha has a long history of conserving resources and employing manufacturing best practices that make as much sense for our planet as they do for our customers.

We keep it local. 90% of all materials used in our manufacturing process are sourced within 200 miles of our facility. We watch our water. 95% of the water used in making our products is recaptured, processed and used again. We do not waste. Period. 100% of our pre-cured fiber cement scrap is reused.

We don't add silica. Silica is a naturally occurring compound, while our products are not silica free – we do not use additional silica in our manufacturing process.

# It's not what you think, it's Illumination Series

Some people see metal, others see masonry... all we see is stunning



## Nichiha's Illumination Series delivers sleek sophistication with a custom flair

Sleek, bold, vibrant. These are the words industry professionals are using to describe Nichiha's Illumination Series line of fiber cement panels. Its smooth satin finish, easy installation and a virtually limitless color pallet give you a degree of design freedom that most cladding products simply can't match; at a price your budget can always accommodate. Delivering sleek sophistication comes naturally for the Illumination Series. But don't let the pretty face fool you. There's more than meets the eye. Its fiber-cement construction is backed by Nichiha's 50-year warranty. And when compared to traditional aluminum composite and phenolic panels, it delivers significantly more bang for far fewer bucks. Illumination Series panels add a splash of color and style to a wide array of projects:

National franchises - Schools - Healthcare - Retail - Hospitality





Adding color and style to your projects has never been easier. Nichiha's Color Xpressions System for Illumination Series panels opens up a nearly limitless world of possibilities, backed by a 15-year color finish guarantee.

#### ILLUMINATION SERIES

PROFILE	LARGE 18" x 6" WITHOUT SCORE SMALL 18" x 6" WITH SCORE		
DIMENSIONS (NOM. FT. ~ ACTUAL MM)	18" [н] x 6' [L] (455мм [н] x 1,818мм [I])		
THICKNESS (NOM. IN. ~ ACTUAL MM)	5/8 (16мм)		
WEIGHT (LBS. PER PANEL)	37.9		
Weight (LBS. PER SQ. FT.)	4.2		
COVERAGE (SQ. FT. PER PANEL)	9		
EXPOSED COVERAGE (SQ. FT. PER PANEL)	9		
PACKAGING (PIECES PER BUNDLE)	2 [18 sq. Ft.]		

### The look you envisioned...


## Performance you hoped for

When you're looking for clean lines... take a look at ArchitecturalBlock



#### Contemporary good looks, space-age performance

The clean, linear look of Nichiha ArchitecturalBlock™ is a versatile choice for residential and commercial projects alike. Its cool modern tones and subtle seams are the perfect partner for gleaming glass, stainless steel or even a splash of neon. ArchitecturalBlock is a handsome, durable and cost effective solution. The ease of installation and wide variety of corner options make it as popular with contractors





ArchitecturalBlock is also available with an optional score in the middle of the panel. The distinctive deep score mark gives the impression of 3-ft panels for decidedly different appearance from the standard panel.



## ARCHITECTURALBLOCK™ SERIES LARGE AND SMALL


Gray	73
Мосна	
Tuscan	20135

#### ARCHITECTURALBLOCK™ SERIES

PROFILE	LARGE 18" x 6" WITHOUT SCORE SMALL 18" x 6" WITH SCORE			
DIMENSIONS (NOM, FT, ~ ACTUAL MM)	18" [н] x 6' [L] (455мм [н] x 1,818мм [I])			
THICKNESS (NOM. IN. ~ ACTUAL MM)	5/8 (16мм)			
WEIGHT (LBS. PER PANEL)	37.9			
WEIGHT (LBS. PER SQ. FT.)	4.2			
COVERAGE (SQ. FT. PER PANEL)	9			
EXPOSED COVERAGE (SQ. FT. PER PANEL)	9			
PACKAGING (PIECES PER BUNDLE)	2 [18 sq. ft.]			

# The look of sandstone is never out of reach

The grandeur of stone is more attainable than you might think



# Nichiha SandStone™ II, as thrifty as it is elegant

With its subtle color and deep texture, our SandStone™ begs to be touched and examined more closely.

Even after seeing it with their eyes and even touching it with their hands, your clients will wonder how you ever managed to stay on budget. We call that a trade secret.



#### SANDSTONE" II



#### SANDSTONE™ II

DIMENSIONS (NOM. FT. ~ ACTUAL MM)	18" [н] x 6' [L] (455мм [н] x 1,818мм [L])			
THICKNESS (NOM. IN. ~ ACTUAL MM)	3/4 (18мм)			
WEIGHT (LBS. PER PANEL)	41.8			
WEIGHT (LBS. PER SQ. FT.)	4.6			
COVERAGE (SQ. FT. PER PANEL)	9			
EXPOSED COVERAGE (SQ. FT. PER PANEL)	9			
PACKAGING (PIECES PER BUNDLE)	2 [18 sq. ft.]			

# A cure for the the common project

KuraStone adds the look of stacked stone – without piling on cost



## Achieving the look of stacked stone is now easier than ever

Nichiha KuraStone™ reduces material costs and simplifies installation for a double-dose of budget help. It's rugged texture and color variation adds interest and charm as an accent or as the main attraction. Available in three panel sizes, StackedStone is a popular adaptable solution both for interior and exterior projects.



#### STACKEDSTONE



DESERT



#### MOUNTAIN

#### STACKEDSTONE

DIMENSIONS (NOM. IN. ~ ACTUAL MM)	Nominal: 6" [h] x (available in 3 lengths): 25-5/8" [l], 15-3/8" [l], 10-1/4" [l] Actual: 150mm [h] x (available in 3 lengths): 650mm [l], 390mm [l], 260mm [l]		
THICKNESS (NOM. IN. ~ ACTUAL MM)	1-3/8 (35мм)		
WEIGHT (KGS/M2)	3.84		
WEIGHT (LBS. PER SQ. FT.)	8.46		
COVERAGE (SQ. FT. PER PIECE)	1.05 (LARGE), .63 (MED.), .43 (SMALL)		
PACKAGING (SQ. FT. PER PACK)	5.35		
PACKAGING (PIECES PER BUNDLE)	3 LARGE, 2 MED., 2 SMALL		


# Nichiha FieldStone and QuarryStone are rock solid solutions

## The look of stone has never been this quick or affordable



## Nichiha's FieldStone™ and QuarryStone™ products are two economical time-saving solutions

Perfect for those situations when the look of tumbled stone, travertine or marble is desired. Covering 9 square feet per panel, both products go up in a fraction of the time required by a crew of masonry contractors. Both add a touch of stately elegance to whatever you're building. They're also perfect for retail settings, fireplace mantels and all kinds of interior environments.



#### FIELDSTONE TM

DIMENSIONS (NOM. FT. ~ ACTUAL MM)	18" [н] x 6' [L] (455мм [н] x 1,818мм [L])		
THICKNESS (NOM, IN. ~ ACTUAL MM)	5/8 (16мм)		
WEIGHT (LBS. PER PANEL)	32		
WEIGHT (LBS. PER SQ. FT.)	3.6		
COVERAGE (SQ. FT. PER PANEL)	9		
EXPOSED COVERAGE (SQ. FT. PER PANEL)	9		
PACKAGING (PIECES PER BUNDLE)	2 [18 sq. ft.]		

#### QUARRYSTONE<sup>TM</sup>

DIMENSIONS (NOM. FT. ~ ACTUAL MM)	18" [н] x 6' [L] (455мм [н] x 1,818мм [L])			
THICKNESS (NOM. IN. ~ ACTUAL MM)	5/8 (16мм)			
WEIGHT (LBS. PER PANEL)	32			
WEIGHT (LBS. PER SQ. FT.)	3.6			
COVERAGE (SQ. FT. PER PANEL)	9			
EXPOSED COVERAGE (SQ. FT. PER PANEL)	9			
PACKAGING (PIECES PER BUNDLE)	2 [18 sq. ft.]			

#### FIELDSTONE THE





DUSTED COPPER



PEPPER SAND

#### QUARRYSTONE TO





GRAY MIST



Speckled Brown



### VintageWood and EmpireBlock are leading a

## brand new industrial revolution

### A fresh new take on vintage thinking

When your project calls for something more than the ordinary, consider VintageWood™ and EmpireBlock™. Both offer singularly unique looks and the performance strengths of fiber cement. EmpireBlock lets you infuse a touch of industrial chic to interiors and exteriors alike. VintageWood's warm colors can be interpreted as modern or vintage, depending on how you decide to use them. Both products install vertically or horizontally giving you even more design flexibility.



#### VINTAGEWOOD™



#### CEDAR

EMPIREBLOCK\*\*



\*Can be installed horizontal or vertical

#### VINTAGEWOOD™ AND EMPIREBLOCK™

DIMENSIONS (NOM. FT. ~ ACTUAL MM)	18" [н] x 10' [L] (455мм [н] x 3,030мм [L]			
THICKNESS (NOM. IN. ~ ACTUAL MM)	5/8 (16мм)			
WEIGHT (LBS. PER PANEL)	52.5			
WEIGHT (LBS. PER SQ. FT.)	3.5			
COVERAGE (SQ. FT. PER PANEL)	15			
EXPOSED COVERAGE (SQ. FT. PER PANEL)	15			
PACKAGING (PIECES PER BUNDLE)	2 [30 sq. ft.]			

17


# All the things you love about brick

The look you want... without the cost; without the hassle



### Nichiha's brick panel products offer the look and timeless appeal of traditional brickwork


The slight variations in color, the stately good looks, even the grout lines; it's all there. And thanks to a proprietary multi-layered coating process the beauty of Nichiha is guaranteed to last. We did leave out two things: the tons of weight and the extra time required to see your project to completion... but we figured they wouldn't be missed.






SHALE BROWN

#### NEWPORTBRICK™



Rose-Red

#### VINTAGEBRICK™



#### РьумоитнВкіск™



CRIMSON

#### CANYON BRICK™

DIMENSIONS (NOM. FT. ~ ACTUAL MM)	18" [н] x 6' [L] (455мм [н] x 1,818мм [L])		
THICKNESS (NOM. IN. ~ ACTUAL MM)	5/8 (16мм)		
WEIGHT (LBS. PER PANEL)	32		
WEIGHT (LBS. PER SQ. FT.)	3.6		
COVERAGE (SQ. FT. PER PANEL)	9		
EXPOSED COVERAGE (SQ. FT. PER PANEL)	9		
PACKAGING (PIECES PER BUNDLE)	2 [18 sq. FT.]		

#### NewportBrick™

DIMENSIONS (NOM. FT. ~ ACTUAL MM)	18 3/8" [н] x 6' [L] (467мм [н] x 1,829мм [L])		
THICKNESS (NOM. IN. ~ ACTUAL MM)	3/4 (18мм)		
WEIGHT (LBS. PER PANEL)	40.9		
WEIGHT (LBS. PER SQ. FT.)	4.5		
COVERAGE (SQ. FT. PER PANEL)	9		
EXPOSED COVERAGE (SQ. FT. PER PANEL)	9		
PACKAGING (PIECES PER BUNDLE)	2 [18 sq. Ft.]		

#### VINTAGEBRICK™ AND PLYMOUTHBRICK™

DIMENSIONS (NOM. FT. ~ ACTUAL MM)	18" [н] х 6' [L] (455мм х 1,818мм)
THICKNESS (NOM. IN. ~ ACTUAL MM)	VB-3/4 (18мм)/ PB-5/8 (16мм)
WEIGHT (LBS. PER PANEL)	40.8
WEIGHT (LBS. PER SQ. FT.)	4.5
COVERAGE (SQ. FT. PER PANEL)	9
EXPOSED COVERAGE (SQ. FT. PER PANEL)	9
PACKAGING (PIECES PER BUNDLE)	2 [18 sq. ft.]



## Meet modern lap siding

#### Nichiha has reinvented a look that has endured for centuries

The look of traditional lap siding has been popular for centuries. Nichiha's engineered Sierra Premium Smooth provides a performance quantum leap from the original. Although the look of traditional wood lap may date back centuries. Traditional lap siding simply can't compete with the science of Nichiha fiber cement. Our Sierra Premium™ Smooth is a full half-inch thick. Its beefy construction translates into gorgeous shadow lines and a high-end curb appeal that's guaranteed to retain its beauty for decades.

NichiBoard delivers the look of lap and the performance of fiber cement at a price that makes it an outstanding value and an easy choice. Both products are resistant to warping, rotting, or falling victim to pests. Every single piece is perfectly uniform and guaranteed to stay that way.



#### SIERRA PREMIUM™ SMOOTH

SIERRA PREMIUM M SMOOTH



20.1		-					TM
N	ICH	B	0	A	R	D	

NICHIBOARD™



PROFILE			1		8-1/4	
HEIGHT (NOM. IN. ~ ACTUAL MM)			7 (1	78мм)	8-1/4 (	209.55мм)
LENGTH (NOM. FT. ~ ACTUAL MM)			10 (	3030мм)	9' 4" (2	2865мм)
THICKNESS (NOM. IN. ~ ACTUAL MM)			1/2	(12мм)	1/2 (12	(мм)
WEIGHT (LBS. PER BOARD)			18		19.9	
WEIGHT (LBS. PER SQ. FT.)			3.1		3.1	
COVERAGE (SQ. FT. PER BOARD)			6.42	2	6.41	
EXPOSED COVERAGE (SQ. FT. PER BOARD W	пн 1-1/4″	OVERLAP)	4.8		5.45	
PACKAGING (BOARDS PER PALLET)			250		200	
WIDTH (IN.)	5-1/4"	6-1/4"	7-1/4"	8-1/4"	9-1/4"	12"
LENGTH (FT.)	12	12	12	12	12	12
THICKNESS (NOM. IN.)	5/16	5/16	5/16	5/16	5/16	5/16
WEIGHT (LBS. PER BOARD)	12.1	14.5	16.8	19	21.4	27.8
WEIGHT (LBS. PER SQ. FT.)	2.2	2.2	2.2	2.2	2.2	2.2
COVERAGE (SQ. FT. PER BOARD)	5.25	6.25	7.25	8.25	9.25	12
EXPOSED COVERAGE (SQ. FT. PER BOARD)	4	5	6	7	8	10-3/4
PACKAGING (PIECES PER PALLET)	360	308	252	230	210	152

SMOOTH www.nichiha.com



# Nobody offers more shake options than Nichiha

### Sierra Premium Shake,™ simply classic

Sierra Premium™ puts it on thick…the shadows, the performance and the drama. It's no wonder Sierra Premium is the highest rated product of its kind. A house wrapped in Sierra Premium Shakes is a source of pride… and certain to stay that way with less fuss and less maintenance. At a half-inch thick, Sierra Premium's fiber cement construction stands up to whatever Mother Nature has to offer. Rot, pests and warping are a thing of the past… and Nichiha guarantees that better than anyone else in the industry.



# SIERRA PREMIUM™ SHAKE PRIMED

Nichiha Shake Collection gives you more choices to build on. We offer 5 distinct shake options.

0	D	TM	~
SIERRA	PREMIU	M	SHAKE

HEIGHT (NOM. IN ACTUAL MM)	9" (288.6мм)
LENGTH (NOM. IN ACTUAL MM)	9′ 4″ (2865мм)
THICKNESS (NOM. FT ACTUAL MM)	1/2" (12мм)
WEIGHT (LBS. PER BOARD)	21.7
WEIGHT (LBS. PER SQ. FT.)	3.1
COVERAGE (SQ. FT. PER PANEL)	7
EXPOSED (SQ. FT. PER PANEL) (SQ. FT. PER BOARD WITH 1-1/4" OVERLAP)	6.02
PACKAGING (BOARDS PER PALLET)	150




## NichiFrontier is taking shakes to a whole new place

## Performance and value have never looked this good

There's no need to settle for an unprimed shake, when you can experience a fully finished NichiFrontier™ shake for less. And that is the only thing less about NichiFrontier... the price. NichiFrontier is a beefy 7/16 of an inch thick, with deeply defined grooves and keyways that provide eye-popping shadows and the perfect canvas for our rich, lavish NichiStain (also available in factory primed). Made from 50% recycled content, NichiFrontier is a beautiful and sustainable choice for discerning builders and homeowners alike. And because it's backed by the best warranty in the business, NichiFrontier is always the easy choice.





NICHIFRONTIER™	
HEIGHT	9-1/4"
LENGTH	8'
THICKNESS	7/16"
WEIGHT (LBS. PER BOARD)	18.87
WEIGHT (LBS, PER SQ. FT.)	3.06
COVERAGE (SQ. FT. PER BOARD)	6.17
EXPOSED (SQ. FT. PER PANEL) (SQ. FT. PER BOARD WITH 1-1/4" OVERLAP)	5.33
PACKAGING (BOARDS PER PALLET)	150 (PRIMED); 160 (PRE-FINISHED)



### Go ahead, dream it.

## We'll make it happen

#### Whatever the look you're after, there's a NichiProduct to help you achieve it

Three more ways to love a shake... NichiShake™, NichiStaggered™ and NichiStraight™ Whether you're looking for more authenticity or convenience, Nichiha's core value products have a beautiful solution, NichiStaggered and NichiStraight panels. Like all our shake products they feature the deep contours of cedar grain, but let you choose between classic straight edges or the striking contrasts of staggered edges. Each 4-foot panel goes up quickly, helping to reduce labor costs and speed up installation.

NichiShakes are just like individual cedar shakes in almost every way... except the way they perform. NichiShakes individual shake boards are available in a variety of widths to create a visual effect that is indistinguishable from cedar. But, like all Nichiha fiber cement products, NichiShakes are made with more than 50% recycled content and are backed by the best warranty in the industry\*.




NICHISTAGGERED™

MEDIUM SMALL 81/4" 61/4" NICHISHAKE™

NICHISHAKE™

PROFILE	INDIVIDUALS			
WIDTH (IN.)	6-1/4"	8-1/4"	12"	
LENGTH (IN.)	18"	18"	18"	
THICKNESS (INCHES)	5/16"	5/16"	5/16"	
WEIGHT (LBS. PER SQ. FT.)	2.2	2.2	2.2	
Packaging	8 sq.	JARES PER PA	LLET	
BUNDLES PER EXPOSED SQUARE (11 PC/BUNDLE)	6	6	6	







#### NICHISTAGGERED™/NICHISTRAIGHT™

PROFILE	NichiStaggered™	NichiStraight™
HEIGHT (IN.)	16"	16"
LENGTH (FT.)	4'	4'
THICKNESS (NOM. IN.)	5/16"	5/16"
WEIGHT (LBS. PER PIECE)	12	12.5
WEIGHT (LBS. PER SQ. FT.)	2.2	2.2
PACKAGING (PIECES PER PALLET)	100	86
PACKAGING (PIECES PER EXPOSED SQ.	50	43
SQUARES PER PALLET	2	2

# Discover the performance and versatility of NichiPanel

### There's no end to what you can do



There's very little a solid building pro can't do with NichiPanel™. Available in three convenient sizes and four unique textures, this product can literally go anywhere and do just about anything. It's an obvious choice for covering big areas quickly and economically. But that's just one dimension. NichiPanel also work great for wrapping posts, creating wainscoting, as a ceiling and many more applications where performance and aesthetics collide head on with budget concerns.









GROOVED 8" O.C. CEDAR (4' x 8' ONLY)

#### NICHIPANEL\*\*

HEIGHT (FT.)	4	4	4
LENGTH (FT.)	8	10	12
THICKNESS (NOMINAL. IN.)	5/16	5/16	5/16
WEIGHT (LBS. PER SQ. FT.)	2.2	2.2	2.2
WEIGHT (LBS. PER PANEL)	74	92.5	111
COVERAGE (SQ. FT. PER PANEL)	32	40	48
PACKAGING (PANELS PER PALLET)	50	40	40

# Punctuate your project with Nichiha

# Finish the job with confidence and performance

Our fiber cement trim and soffits provide an attractive, trouble-free solution that's guaranteed to look great for many years to come.

NichiSoffit™ panels are factory primed and sealed assuring a long lasting, attractive appearance. The panels are available in smooth or in cedar texture and in vented and non-vented styles.

Trimming a home has never been easier than with NichiTrim™ boards. Available in a ultra smooth texture, NichiTrim boards offer the low maintenance façade homeowners desire. NichiTrim products are factory primed and sealed providing a beautiful and long-lasting appearance.

#### NICHISOFFIT™

PROFILE	N	ON-VE	NTED		V	ENTED	
LENGTH (FT.)	12	12	8	8	12	12	8
WIDTH (IN.)	12	16	24	48	12	16	24
THICKNESS (IN.)	1/4	1/4	1/4	1/4	1/4	1/4	1/4
WEIGHT (LBS. PER PANEL)	22.2	29.6	29.6	59.2	22.6	29.6	29.6
WEIGHT (LBS. PER SQ. FT.)	1.8	1.8	1.8	1.8	1.8	1.8	1.8
PACKAGING (PANELS PER PALLET)	180	135	120	60	180	135	120

#### NICHITRIM™

PROFILE		4	0	8	8	10	12	12
WIDTH	ACTUAL	3-1/2	5-1/2	7-1/4	7-1/2	9-1/4	11-1/4	11-1/2
THICKNESS (IN.)	7/16							
	3/4							
	1					•		
LENGTH (FT.)	7/16	12	12	12	12	12	12	12
	3/4	10	10	10	10	10	10	10
	1	10	10	10	10	10	10	10
WEIGHT								
(LBS. PER BOARD)	7/16	11.3	17.8		24.3			37.2
	3/4	13.7	21.6	28.4		35.2	44.1	
	1	18.1	28.5	37.4		47.5	58.1	
WEIGHT								
(LBS. PER SQ. FT.)	7/16	3.2	3.2		3.2			3.2
	3/4	4.7	4.7	4.7		4.7	4.7	
	1	6.2	6.2	6.2		6.2	6.2	
Packaging								
(BOARDS PER PALLET)	7/16	390	240		180			120
	3/4	344	215	168		129	100	
	1	256	160	124		96	74	






NICHITRIM™


Non-Vented Smooth






### Don't sweat the small stuff...we already have

Nichiha's unique installation hardware and accessories ensure that taking your vision from the drawing board to reality is a cinch.






### A closer look at installations

#### Quick and easy

A truly unique element of Nichiha fiber cement Brick, Stone and Block panels is the clip installation system. This patented installation system reduces installed costs, as no special tools or specific trade labor are needed to complete installation. The clip system also creates a pocket of air between the panels and substrate, reducing the potential for moisture build-up. No exposed fasteners mean a clean, beautiful look for any application. As versatile as they are convenient, Nichiha panels can be installed on all of the most common substrates:

- Traditional wood framing
- Concrete and masonry (CMU's)
- Structural insulated panels (SIP's) and metal frame construction

# Never underestimate the power of really good tools



Whether you're an architect, a builder, or a contractor, or a residential remodeler, Nichiha wants to see to it that you have all the information you need to make your project go as smoothly as possible. The way we see it, we're partners.

Our website offers a comprehensive collection of technical information, CAD details, in depth specifications and everything you'll ever need to know about installing Nichiha products. We invite and encourage you to visit our website at Nichiha.com.

And by all means, if you have a troublesome question or comment, our ears are always open. Call us at 1.866.424.4421 or visit us at nichiha.com



Nichiha offers a CEU course available at www.hanleywooduniversity.com.



The Nichiha panel system installs 9 square feet at a time utilizing our patented clip system to provide an air gap between the panels and the substrate of up to 10mm. Panels are installed over a starter track and attached to framing with short panel clips. A long joint clip is used at the top of all vertical joints, with a stabilizing clip at the bottom. The green shims act as a vented spacer to maintain the air gap behind the panels any time the panels must be face fastened, or when a clip cannot be used. The double-flange sealant backers take the place of traditional foam backers in areas where panels butt to trim, at expansion joints, windows, doors or inside corners. For more detailed installation instructions, please visit nichiha.com

#### NICHIHA WARRANTIES

- Illumination Series Panels 50-year limited warranty\* on panels, 15-year limited warranty\* on finish.
- Nichiha Brick, Stone, Block, VintageWood™ and EmpireBlock™ Panels – 50-year limited warranty\* on panels, 15-year limited warranty\* on finish.
- KuraStone™ Pieces 50-year limited warranty\* on pieces, 10-year limited warranty\* on finish.
- NichiBoard™, NichiFrontier™, NichiPanel™, NichiShake™, NichiStaggered™, NichiStraight™, Sierra Premium™ Shake and Sierra Premium™ Smooth – lifetime limited warranty\*.

- NichiTrim™ and NichiSoffit™ 25-year limited warranty\*.
- Stain finish (NichiStain™) 15-year limited warranty\*
- \* See Nichiha warranties for detailed information on terms, conditions and limitations. Visit nichiha.com for easy downloadable warranties or call toll-free 1.866.424.4421 for a copy.

Nichiha MSDS is available at nichiha.com, at your local NICHIHA dealer or call NICHIHA direct, toll-free 1.866.424.4421.

### Giving you the power of possibilities™

Nobody sees the world quite like you do. Your sense of style and vision knows no bounds. Nichiha fiber cement cladding products are a perfect match. Because we believe the potential for fiber cement is virtually limitless as well. And we're proving it everyday. Our ever-expanding offering of textures and finishes lifts buildings of all kinds to new and unexpected places. Nobody delivers the high performance of fiber cement like Nichiha. If you're planning on building or remodeling just about anything... we're confident that our wide range of product options will help you unleash a world of opportunities. We invite you to explore the power of possibilities.

Certification & testing:



No. EC-58 No. EC-59



Report No. FL12875 No. FL12098-R2



Report No. 13083-R No. 13205-R



No. ESR-1694 No. ESR-2894



50% Recycled



NOA No. 09-0511.01







NICHIHA USA, Inc. 6659 Peachtree Ind. Blvd. Suite AA Norcross, GA 30092

Toll Free: 1-86-NICHIHA-1 (1-866-424-4421) Phone: 770-805-9466 - Fax: 770-805-9467

nichiha.com









Sílica Dust Warning: NICHIHA products may contain some amounts of crystalline sílica (a.k.a. sand, sílicon dioxide), which is a naturally occurring mineral. The amount will vary from product to product. Inhalation of crystalline silica into the lungs and repeated exposure to silica can cause health disorders, such as silicosis, lung cancer, or death depending upon various factors. To be conservative, Nichiha recommends that whenever cutting, sawing, sanding, sniping or abrading the product, users observe the Safety Instructions above. For further information or questions, please consult the MSDS, your employer, or visit www.osha.gov/SLTC/ silicacrystalline/index.html and www.cdc.gov/niosh/topics/silica, The MSDS for Nichiha products are available at www.nichiha.com, at your local Nichiha dealer or through Nichiha directly at 1.866.424.4421. FAILURE TO ADHERE TO OUR WARNINGS. MSDS. AND OTHER INSTRUCTION MAY LEAD TO SERIOUS PERSONAL INJURY OR DEATH.

ARCHITECTURALBLOCK, CANYONBRICK, EMPIREBLOCK, FIELDSTONE, KURASTONE, NEWPORTBRICK, NICHIBOARD, NICHIFRONTIER, NICHIPANEL, NICHIPRODUCTS, NICHISHAKE, NICHISOFFIT, NICHISTAG-GERED, NICHISTRAIGHT, NICHITRIM, PLYMOUTHBRICK, QUARRYSTONE, SANDSTONE, SIERRA PREMIUM, VINTAGEBRICK, VINTAGEWOOD, POWER OF POSSIBILITIES are trademarks of Nichiha USA, Inc.

