

# Interstate

## *RV Metal & Supply*

13509 SE Johnson Rd. Milwaukie OR 97222  
Ph: 503.786.8860 | Fax: 503.786.9776

## *Aluminum Siding Order Form*

# *Content*

Basic information	(4)
Customer & RV Information	(5)
Color Choices	(6)
Quantity & Size	(7)
Seams & How You Measure	(8)
Pattern	(13)
Pattern Match	(14)
Contact Information	(18)



A large, teal-colored brushstroke graphic with a rough, hand-painted edge, serving as a background for the title text.


# *Aluminum Siding Order Form*

The purpose of this form is to be sure we have all the information we need to be able to build you the most correct piece of aluminum siding for your project. Because everything we do is custom, we request size, finish or seam, color and texture, and pattern.



# Customer and RV Information

Aluminum Siding Order/Quote Form    Quote:     Order:



Phone: 503-786-8880 Fax: 503-786-9778  
Email: kristin@interstatemetal.com  
k@interstatemetal.com

Company: \_\_\_\_\_

Ordered By: \_\_\_\_\_

PO: \_\_\_\_\_

Phone: \_\_\_\_\_

Email/Fax: \_\_\_\_\_

Date: \_\_\_\_\_

Year/Make: \_\_\_\_\_

Polar White		Black		Smooth 476 White (.024)		Champagne (.030)	
Smooth (.024)	4	Smooth (.030)	6	Sm. Dutchman White (.024)	58	Charcoal (.030)	16
Smooth (.030)	5	Stucco (.024)	54			Diamond Ice (.030)	17
Stucco (.024)	53	Tuff Coat (.030)	55	Sm. Mill (.024) (NO SEAM)	21		
Tuff Coat (.030)	52	Diamond Embossed (.030)	12	Mill Diamond Plate (.025)	10		
		Diamond Plate (.030)	11	Sm. Brite (.024) (NO SEAM)	13		

**Seams:** S—S-Lock    P—Pittsburg    A—Auto Mold    R—Raw Edge

**Show:** Material is measured to finish edge, installed.    **Finish:** Material is measured to raw edge, uninstalled.

Please Provide shipping address if applicable:

Qty.	Height (Inches)	Length (Inches)	Seam	Color Code	Show/Finish/Cut	Pattern	Pattern Match
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		

- The most basic information that we need is who and what we're working with. Please fill out as much as you can.
- There is a spot on the form to add your shipping address. Please include this unless you plan to will call your order. This is information that we need to be able to include freight costs on your estimate.










# Seams & How You Measure

How you measure your material matters!

We need to know how you measure your height to determine how much to add for your chosen finish.

Aluminum Siding Order/Quote Form    Quote:     Order:



Phone: 503-786-8868 Fax: 503-786-9778  
Email: kristin@interstatervmetal.com  
kc@interstatervmetal.com

Company:

Ordered By:

PO:

Phone:

Email/Fax:

Date:

Year/Make:


<b>Polar White</b>	<b>Black</b>	<b>Smooth 476 White (.024)</b>	<b>Champagne (.030)</b>
Smooth (.024)    4	Smooth (.030)    6	Sm. Dutchman White (.024)    7	Charcoal (.030)    15
Smooth (.030)    5	Stucco (.024)    54		Diamond Ice (.030)    17
Stucco (.024)    53	Tuff Coat (.030)    55	Sm. Mill (.024) (NO SEAM)    21	
Tuff Coat (.030)    52	Diamond Embossed (.030)    12	Mill Diamond Plate (.025)    10	
	Diamond Plate (.030)    11	Sm. Brite (.024) (NO SEAM)    13	

**Seams:** S—S-Lock    P—Pittsburg    A—Auto Mold    R—Raw Edge    *Please Provide shipping address if applicable:*

**Show:** Material is measured to finish edge, installed.    **Finish:** Material is measured to raw edge, uninstalled.

Qty.	Height (Inches)	Length (Inches)	Seam	Color Code	Show/Finish/Cut	Pattern	Pattern Match
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		

# Seams & How You Measure



## Show Size


The “show” measurement is taken while material is **installed**. This is what you see, from seam to seam.

In the example to the left, the tape measure reads the show size as 6-3/4”.

This is the dimension that you will record on your order form when you choose “S” for show.

We will add for the seam that you’ve chosen when we write up your order.

# Seams & How You Measure



## Finish Size

The “finish” measurement is taken while material is **uninstalled**. This is what you see, from nose of seam to raw edge.


In the example to the left, the tape measure reads the finish size as 7-1/4”.

This is the dimension that you will record on your order form when you choose “F” for finish.

*Do not include the tail behind the nose in your measurement.*

We will add for the seam that you've chosen when we write up your order.

# Seams & How You Measure



## Cut Size


The “cut” measurement is taken from raw edge to raw edge when there is no seam present.

In the example to the left, the tape measure reads the cut size as 9-3/4”.

This is the dimension that you will record on your order form when you choose “C” for cut.

We will **not add** anything to this option.



A large, teal-colored brushstroke graphic that serves as a background for the text. The stroke is thick and has a textured, hand-painted appearance with irregular, feathered edges. It starts from the top right and sweeps across the page towards the bottom left.

*This is also your opportunity to provide us with a pattern match (sometimes known as a butt match) if needed. This would be in the case of requiring a pattern to start in the same place that the original manufacturer started their pattern. Machines run the same, or very similar, patterns, but rollers may not be identical from one manufacturer to another. This process allows us to come as close to the original as possible.*

# *Pattern Match*

## **Any Pattern with “R”**

- You will measure up from the nose of the seam.
- Measure to the first “R” line.
- “R” will be the center line in the raised “Mesa” portion of the pattern.

## **Pattern with no “R”, “D” only**

- You will measure up from the nose of the seam.
- Measure to the center “D” line.
- “D” lines are in the lower “Valley” portion of the pattern.

## **Pattern with no “R” and no “D”**

- You will measure up from the nose of the seam.
- Measure to a defining line.

# *Pattern Match*




## **Pattern With “R”**

- The line in the center of the raised portion of the pattern (or mesa) is the line used for this pattern match.
- In this example, The R line is marked and shows a pattern match of 2-1/2”.



## **Pattern With “D” Only**

- The line in the center of the lower portion of the pattern (or valley) is the line used for this pattern match.
- In this example, the center D line is marked and shows a pattern match of 3”.



## **Pattern With No “R” or “D”**

- Any defining line in this pattern can be used for this pattern match. Which line is used to measure the pattern match must be communicated.
- In this example, the first line at the base of the rise shows a pattern match of 3”.



# Pattern Match

To see a video explaining how to measure for a pattern match, click the link below.

[https://cdn.shopify.com/s/files/1/0076/3543/5620/files/Pattern\\_Match.mp4?19](https://cdn.shopify.com/s/files/1/0076/3543/5620/files/Pattern_Match.mp4?19)

## Aluminum Siding Order/Quote Form

Quote:  Order:



Company:   
 Ordered By:   
 PO:   
 Phone:   
 Email/Fax:   
 Date:   
 Year/Make:

<b>Polar White</b>		<b>Black</b>		Smooth 476 White (.024)	7	Champagne (.030)	15
Smooth (.024)	4	Smooth (.030)	6	Sm. Dutchman White (.024)	58	Charcoal (.030)	16
Smooth (.030)	5	Stucco (.024)	54			Diamond Ice (.030)	17
Stucco (.024)	53	Tuff Coat (.030)	55	Sm. Mill (.024) (NO SEAM)	21		
Tuff Coat (.030)	52	Diamond Embossed (.030)	12	Mill Diamond Plate (.025)	10		
		Diamond Plate (.030)	11	Sm. Brite (.024) (NO SEAM)	13		

Seams: S—S-Lock P—Pittsburg A—Auto Mold R—Raw Edge *Please Provide shipping address if applicable:*  
 Show: Material is measured to finish edge, installed. Finish: Material is measured to raw edge, uninstalled.

Qty.	Height (Inches)	Length (Inches)	Seam	Color Code	Show/Finish/Cut	Pattern	Pattern Match
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		
			S / P / A / R		S / F / C		



## *Contact Us!*

Feel free to contact us for help at any time.

Phone: 503-786-8860

Email:

[Kristin@insterstateRVmetal.com](mailto:Kristin@insterstateRVmetal.com)

[KC@interstateRVmetal.com](mailto:KC@interstateRVmetal.com)



Photo Courtesy of Ron Stracener

# Interstate RV Metal & Supply

13509 SE Johnson Rd. Milwaukie OR 97222

Ph: 503.786.8860 | Fax: 503.786.9776

