





**2015-2021 WRX BASE / PREMIUM
2015-2017 STI
(HALOGEN HEADLIGHTS)**

SEQUENTIAL C-LIGHT INSTALLATION GUIDE



**INSTALLATION REQUIRES OPENING
YOUR HEADLIGHT. TO LEARN MORE,
PLEASE WATCH THIS VIDEO:**




WHAT'S INCLUDED

- Both driver and passenger LED boards (3 pieces each).
- Wiring and pre-programmed Gholt V5 sequencer
- T-taps for factory inputs
- Show mode remote

INSTALLATION

C-LIGHT, RUNNING LIGHT, AND DRL INPUTS

- Locate the wiring harness. It is a black box with wires coming out of it. This box will mount below the passenger side headlight.
- You'll find 2 clusters of 3 wires, each labeled 1-6. These wires plug into the corresponding plug on the C-Light's LED Boards.
- Here you'll also find a cluster of 4 wires; White/Red/Blue and Green. These are the input wires.
- All wires will run to the driver's side, with an extension running to the passenger side.
- The Red wire is for the DRL feature. It will plug into a silver ridged box located under the passenger side light. Simply unplug the OEM connector and replace it with this.



C-LIGHT, RUNNING LIGHT, AND DRL INPUTS

- The Green wire and Blue wire will both tap into the corresponding headlight in order to control either side's turn signal.
- You'll find 2 clusters of 3 wires, each labeled 1-6. These wires plug into the corresponding plug on the C-Light's LED Boards.

WIRE	RED	WHITE	GREEN	BLUE
FUNCTION	DRL	PARKING LIGHT	PASSENGER TURN SIGNAL	DRIVER TURN SIGNAL
PLUG / TAP LOCATION	SILVER RIDGED BOX	RED WIRE ON DRIVER	BLUE WIRE ON HEADLIGHT	BLUE WIRE ON HEADLIGHT

WIRE ROUTING

ROUTING THE WIRES OUT OF THE HEADLIGHT

- There is a wire grommet on each C-Light bundle.
- Drill a 3/4" hole on the back or bottom of the headlight backing shell
- Route the wires through the hole and ensure the grommet is straddling the backing shell.



QUESTIONS, COMMENTS, CONCERNS?

Don't be shy! Feel free to shoot us an email or give us a call, we're more than happy to answer any questions you may have!

SALES@CIRCUITDEMON.COM

5854206920