



How to switch to Amber (Yellow color) DRL & Parking Lights for ALPHAREX 2010-13 Toyota 4Runner Headlights

ALPHAREX specializes in designing and producing superior and uniquely stylish aftermarket automotive performance lighting with unrival innovative technology. The following instruction guide we take you through on the topic: **How to switch to Amber (Yellow color) DRL & Parking lights for the new ALPHAREX HEADLIGHTS** for your 2010-13 Toyota 4Runner step by step.

THIS INSTRUCTION GUIDE APPLIES FOR THE FOLLOWING ALPHAREX HEADLIGHT PRODUCT MODELS:

10-13 Toyota 4Runner LUXX-Series LED Projector Headlights (Alpha-Black) / SKU: 880756

10-13 Toyota 4Runner LUXX-Series LED Projector Headlights (Black) / SKU: 880757

10-13 Toyota 4Runner NOVA-Series LED Projector Headlights (Alpha-Black) / SKU: 880758

10-13 Toyota 4Runner NOVA-Series LED Projector Headlights (Black) / SKU: 880759



Table of Contents



- **STEP 1.** Amber switch plugs location
- **STEP 2.** Connect the Amber switch plugs
- **STEP 3.** Complete switching into Amber DRL & Parking lights

Disclaimer: This article is a tutorial guide. By reading this article, you agree it is for reference only and AlphaRex USA and its distributors make no guarantee on the finished results. Under no circumstances whatsoever shall AlphaRex USA nor its distributors be liable for any damage, misuse or personal injuries. If you do not fully understand the instruction procedure, it is highly recommended that you seek help from professional mechanics to do the instruction.


From **The product models list**, the **LUXX-Series** and **NOVA-Series** headlights for 2010-13 Toyota 4Runner come with optional switch plugs for Amber (Yellow color) DRL & Parking lights. **By default the DRL & Parking lights color are White from factory.**

CUSTOMERS CAN CHOOSE TO SWITCH INTO AMBER (YELLOW COLOR) BASED ON THEIR PREFERENCE. PLEASE NOTE: once you PLUGGED & switched into Amber, the DRL & Parking lights color will remain (Yellow color) at all times.



STEP 1. AMBER SWITCH PLUGS LOCATION

Open the rectangular cover from the back of each ALPHAREX headlights.



STEP 2. CONNECT THE AMBER SWITCH PLUGS

Inside you will find plug connectors for switching into Amber.
Connect the amber DRL plugs directly for each of the headlights.



STEP 3. COMPLETE SWITCHING INTO AMBER DRL & PARKING LIGHTS

After plug-in the connections, please install the headlights to the vehicle.

Congratulations! You have switched into Amber (Yellow color) DRL & Parking lights.

