













Bench scales

9055/9056/9057

- Extra-slim, ergonomic stainless steel platform
- ▶ Separate display unit the weighed goods do not blind the display
- Quick and easy 1-button operation
- ▶ Battery operation allows flexible application in different places
- Large LCD display, digit height: 20 mm





Features

- Extra-slim, ergonomic stainless steel platform; only a slight effort required to lift the goods onto the platform
- Separate display unit the weighed goods do not blind the display
- ▶ High-resolution single-range scales, not approvable
- Quick and easy 1-button operation with extra-large button
- ▶ Battery operation allows flexible application in different places
- ▶ Energy-efficient with integrated Auto Off battery function and timer programmable from 1 to 30 minutes or continuous operation
- Internal user calibration for location based adjustment
- Switchable units between kg and lb
- Weighing functions: weighing, taring, adding, plus/minus weighing, hold function
- Includes wall bracket
- Large LCD display, digit height: 20 mm, not approvable
- Weighing platform: Stainless steel 1.4301, substructure: Painted or galvanized steel sheet
- ▶ Integrated battery with power supply 100–240 V / 50–60 Hz, operating time: 50 h, charging time: 5.5 h, UK plug adapter
- Protection Class IP 42
- ▶ Nominal operating temperature: -10°C to 40°C



Products

Order number Variation	Approvable	Division g	Maximum load kg	Model substructure	Platform size mm
9055.01.002 Bench scale	No	5	15	Galvanized steel sheet	310 x 275
9055.02.002 Bench scale	No	10	30	Galvanized steel sheet	310 x 275
9055.03.002 Bench scale	No	20	60	Galvanized steel sheet	310 x 275
9056.02.002 Bench scale	No	10	30	Painted anthracite grey	520 x 400
9056.03.002 Bench scale	No	20	60	Painted anthracite grey	520 x 400
9056.04.002 Bench scale	No	50	150	Painted anthracite grey	520 x 400
9057.04.002 Bench scale	No	50	150	Painted anthracite grey	660 x 545
9057.05.002 Bench scale	No	100	200	Painted anthracite grey	660 x 545



Accessories

Order number Variation		Description
2563.21.004	(a)	RS232 IT interface, 9 pin (not decoupled, must be included in the purchase order, no retrofit possible)
2550.03.014		IT data cable for Basic and Standard 3 m, 9 pin, data cable for Professional 2 m, 5-9 pin (for not decoupled interface)
2564.20.005		Scale Connecting Plus, extensive software for transferring scale data to PC-based software (with activation code)
2557.25.002		UK power adapter