SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: STRATA SERIES FLUSH SOLUTION

Other means of identification:

UFI: WTQ6-205D-X00K-KCFQ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Flushing solution
Uses advised against: For industrial use only

1.3 Details of the supplier of the safety data sheet

Supplier

LogoJET Inc.
301 Prides Crossing
Lafayette, LA
70508
USA

Telephone: +1 337-330-8471
E-mail: supplies@logojet.com

1.4 Emergency telephone number:

Emergency telephone number (Chemtrec): 1-800-424-9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards		
Skin irritation	Category 2	H315: Causes skin irritation.
Serious eye damage	Category 1	H318: Causes serious eye damage.
Skin sensitizer	Category 1	H317: May cause an allergic skin reaction.
Toxic to reproduction	Category 2	H361d: Suspected of damaging the unborn child.
Environmental Hazards		
Chronic hazards to the aquatic environment	Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label Elements

Contains: Oxybis(methyl-2,1-ethanediyl) diacrylate
2-Phenoxyethyl acrylate
Propylidynetrimethanol, ethoxylated, esters with acrylic acid

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

2-phenoxyethyl prop-2-enoate

Signal Word: Danger

Hazard Statement(s):
H315: Causes skin irritation.
H318: Causes serious eye damage.
H317: May cause an allergic skin reaction.
H361d: Suspected of damaging the unborn child.
H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention:
P201: Obtain special instructions before use.
P261: Avoid breathing dust/fume/gas/mist/vapors/spray.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:
P302+P352: IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor/ physician.

Disposal:
P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine Disruption-Toxicity
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine Disruption-Ecotoxicity
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	Concentration	CAS-No.	EC No.	REACH Registration No.	M-Factor:	Notes
Oxybis(methyl	20 - <50%	57472-68-1	260-754-3	01-	No data	

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

-2,1-ethanediyl) diacrylate				2119484629-21-XXXX;	available.	
2-Phenoxyethyl acrylate	25 - <50%	48145-04-6	256-360-6	01-2119980532-35-XXXX;	No data available.	
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	20 - <50%	28961-43-5	500-066-5	01-2119489900-30-XXXX;	No data available.	
2-phenoxyethyl prop-2-enoate	2,5 - <5%	56641-05-5	500-133-9	01-2120752382-57-XXXX;	No data available.	
2-phenoxyethanol	1 - <3%	122-99-6	204-589-7	01-2119488943-21-XXXX;	No data available.	#
2,6-di-tert-Butyl-p-cresol	0,1 - <0,25%	128-37-0	204-881-4	01-2119565113-46-XXXX;	Aquatic Toxicity (Acute): 1; Aquatic Toxicity (Chronic): 1	#

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
# This substance has workplace exposure limit(s).
This substance is listed as SVHC.

Classification

Chemical name	Classification	Notes
Oxybis(methyl-2,1-ethanediyl) diacrylate	Classification: Skin Sens.: 1: H317; Eye Dam.: 1: H318; Skin Irrit.: 2: H315;	No data available.
2-Phenoxyethyl acrylate	Classification: Skin Sens.: 1A: H317; Repr.: 2: H361d; Aquatic Chronic: 2: H411;	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Classification: Eye Irrit.: 2: H319; Skin Sens.: 1B: H317;	No data available.
2-phenoxyethyl prop-2-enoate	Classification: Skin Sens.: 1A: H317; Aquatic Chronic: 2: H411;	No data available.
2-phenoxyethanol	Classification: Acute Tox.: 4: H302; STOT SE: 3: H335; Eye Dam.: 1: H318; Acute toxicity, oral: LD 50: 1.840 mg/kg	No data available.
2,6-di-tert-Butyl-p-cresol	Classification: Aquatic Chronic: 1: H410; Aquatic Acute: 1: H400;	No data available.

CLP: Regulation No. 1272/2008.
The full text for all H-statements is displayed in section 16.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

SECTION 4: First aid measures

4.1 Description of necessary first-aid measures

General information: Get medical attention if symptoms occur.

Inhalation: Move to fresh air.

Skin Contact: Get medical attention. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately.

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Personal Protection for First-aid Responders: CAUTION! First aid personnel must be aware of own risk during rescue! See Section 8 of the SDS for Personal Protective Equipment.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: See section 11 of the SDS for additional information on health hazards.

Hazards: See section 11 of the SDS for additional information on health hazards.

4.3 Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

SECTION 5: Firefighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

5.1 Extinguishing media

Suitable extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or mixture:

During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special fire-fighting procedures: No data available.

Special protective equipment for fire-fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures: See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. Avoid breathing dust/fume/gas/mist/vapors/spray. Provide adequate ventilation.

6.1.1 For non-emergency personnel: Use personal protective equipment.

6.1.2 For emergency responders: Warn everybody of potential hazards and evacuate if necessary. Use personal protective equipment.

6.2 Environmental Precautions: Avoid release to the environment. Prevent entry into waterways, sewer, basements or confined areas. Contact local authorities in case of spillage to drain/aquatic environment. Do not contaminate water sources or sewer.

6.3 Methods and material for containment and cleaning up: Prevent further leakage or spillage if safe to do so. Stop the flow of material, if this is without risk. Small Spillages: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Clean surface thoroughly to remove residual contamination. Large Spillages: Dike far ahead of larger spill for later recovery and disposal.

6.4 Reference to other sections: See Section 8 of the SDS for Personal Protective Equipment. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage:

7.1 Precautions for safe handling

Technical measures (e.g. Local and general ventilation): Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Safe handling advice: Do not get in eyes. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Avoid contact with skin. Avoid contact with eyes, skin, and clothing.

Contact avoidance measures: Contact with incompatible materials.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage conditions: Store locked up. Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials.

Safe packaging materials: Suitable materials**:** Keep in original container.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

7.3 Specific end use(s): For industrial use only

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	Type	Exposure Limit Values	Source
2-phenoxyethanol	MAK CEIL	20 ppm 110 mg/m3	Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001, as amended (12 2011)
2-phenoxyethanol	MAK	20 ppm 110 mg/m3	Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001, as amended (12 2011)
2,6-di-tert-Butyl-p-cresol	MAK	10 mg/m3	Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001, as amended (12 2011)

Please refer to the latest edition of the appropriate source text and consult an industrial hygienist or similar professional, or local agencies, for further information.

Biological Limit Values

No biological exposure limits noted for the ingredient(s).

DNEL-Values

Critical component	Type	Route of Exposure	Health Warnings	Remarks
Oxybis(methyl-2,1-ethanediyl) diacrylate	Workers	Inhalation	Systemic, long-term; 24,48 mg/m3	Repeated dose toxicity
	General population	Inhalation	Systemic, long-term; 7,24 mg/m3	Repeated dose toxicity
	Workers	Dermal	Systemic, long-term; 2,77 mg/kg	Repeated dose toxicity
	General population	Oral	Systemic, long-term; 2,08 mg/kg	Repeated dose toxicity
	General population	Dermal	Systemic, long-term; 1,66 mg/kg	Repeated dose toxicity
2-Phenoxyethyl acrylate	Workers	Inhalation	Local, long-term; 77 mg/m3	Repeated dose toxicity
	Workers	Inhalation	Systemic, long-term; 12 mg/m3	Repeated dose toxicity
	Workers	Dermal	Systemic, long-term; 3,5 mg/kg	Repeated dose toxicity
	Workers	Eyes	Local effect;	No hazard identified
	General population	Eyes	Local effect;	No hazard identified
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Workers	Dermal	Systemic, long-term; 0,8 mg/kg	Repeated dose toxicity
	General population	Oral	Systemic, long-term; 1,4 mg/kg	Repeated dose toxicity
	Workers	Inhalation	Systemic, long-term; 16,2 mg/m3	Repeated dose toxicity
	General population	Inhalation	Systemic, long-term; 4,9 mg/m3	Repeated dose toxicity
	General population	Dermal	Systemic, long-term; 0,5 mg/kg	Repeated dose toxicity
2-phenoxyethyl prop-2-enoate	General population	Eyes	Local effect;	No hazard identified
	Workers	Eyes	Local effect;	No hazard identified
	Workers	Inhalation	Local, long-term; 97 mg/m3	Repeated dose toxicity
	Workers	Dermal	Systemic, long-term; 3,5 mg/kg	Repeated dose toxicity
	Workers	Inhalation	Systemic, long-term; 12 mg/m3	Repeated dose toxicity
2-phenoxyethanol	Workers	Inhalation	Local, long-term; 5,7 mg/m3	
	General population	Dermal	Systemic, long-term; 10,42 mg/kg	Repeated dose toxicity
	General population	Oral	Systemic, short-term; 9,23 mg/kg	Repeated dose toxicity

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

	General population	Oral	Systemic, long-term; 9,23 mg/kg	Repeated dose toxicity
	Workers	Eyes	Local effect;	Low hazard (no threshold derived)
	General population	Eyes	Local effect;	Low hazard (no threshold derived)
	Workers	Inhalation	Systemic, long-term; 5,7 mg/m3	
	Workers	Dermal	Systemic, long-term; 20,83 mg/kg	Repeated dose toxicity
	General population	Inhalation	Systemic, long-term; 2,41 mg/m3	Repeated dose toxicity
	General population	Inhalation	Local, long-term; 2,41 mg/m3	Repeated dose toxicity
2,6-di-tert-Butyl-p-cresol	Workers	Eyes	Local effect;	No hazard identified
	General population	Inhalation	Systemic, long-term; 0,86 mg/m3	Repeated dose toxicity
	Workers	Inhalation	Systemic, long-term; 3,5 mg/m3	Repeated dose toxicity
	Workers	Dermal	Systemic, long-term; 0,5 mg/kg	Repeated dose toxicity
	General population	Dermal	Systemic, long-term; 0,25 mg/kg	Repeated dose toxicity
	General population	Eyes	Local effect;	No hazard identified

PNEC-Values

Critical component	Environmental compartment	PNEC-Values	Remarks
Oxybis(methyl-2,1-ethanediyl) diacrylate	Aquatic (freshwater)	0,003 mg/l	
	Aquatic (marine water)	0 mg/l	
	soil	0,001 mg/kg	
	Sewage treatment plant	100 mg/l	
	freshwater sediment	0,009 mg/kg	
2-Phenoxyethyl acrylate	Sewage treatment plant	1,77 mg/l	
	Aquatic (marine water)	0,2 µg/l	
	freshwater sediment	0,02 mg/kg	
	Marine sediments	0,002 mg/kg	
	Aquatic (freshwater)	2 µg/l	
Propylidynetrimethanol, ethoxylated, esters with acrylic acid		0,002 mg/l	
	Aquatic (marine water)	0 mg/l	
	Predator	5,6 mg/kg	Oral
	soil	0,006 mg/kg	
	Sewage treatment plant	10 mg/l	
	Marine sediments	0,001 mg/kg	
	freshwater sediment	0,008 mg/kg	
2-phenoxyethyl prop-2-enoate		0,053 mg/kg	
	Aquatic (freshwater)	2 µg/l	
	soil	0,009 mg/kg	
	Sewage treatment plant	1,77 mg/l	
	Aquatic (marine water)	0,2 µg/l	
	Marine sediments	0,005 mg/kg	
2-phenoxyethanol	soil	1,31 mg/kg	
	Marine sediments	0,724 mg/kg	
	freshwater sediment	7,237 mg/kg	
	Aquatic (freshwater)	0,943 mg/l	
	Sewage treatment plant	36 mg/l	
	Aquatic (marine water)	0,094 mg/l	
2,6-di-tert-Butyl-p-cresol		0,02 µg/l	
	soil	0,04769 mg/kg	
	Marine sediments	0,00996 mg/kg	
	Aquatic (freshwater)	0,199 µg/l	
	freshwater sediment	0,0996 mg/kg	
	Predator	8,33 mg/kg	Oral
	Sewage treatment plant	0,17 mg/l	

8.2 Exposure controls

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Appropriate Engineering Controls: Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Monitoring methods: BS EN 14042:2003: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Individual protection measures, such as personal protective equipment

General information: Follow training instructions when handling this material. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection: Safety goggles. EN 166.

Hand Protection: Protective gloves should be used if there is a risk of direct contact or splash.(EN374), Chemical resistant gloves required for prolonged or repeated contact., Butyl rubber (EN374), Glove thickness: > 0.70 mm, Break-through time: > 480 min, Glove thickness: > 0.35 mm, Break-through time: > 60 min, Risk of splashes:, Nitrile rubber., Nitrile gloves are recommended, but be aware that the liquid may penetrate the gloves. Frequent change is advisable., The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Skin and Body Protection: Safety clothes : long sleeved clothing EN13688

Respiratory Protection: Under normal conditions of use, respirator protection is not required.

Hygiene measures: Do not get in eyes. Observe good industrial hygiene practices. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Wash contaminated clothing before reuse. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

Environmental Controls: Do not empty into drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	liquid
Form:	liquid
Color:	Pale yellow

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Odor:	acrylic odor
Odor Threshold:	No data available.
Freezing point:	< 32 °F/< 0 °C
Boiling Point:	> 212 °F/> 100 °C
Flammability:	Not flammable.
Upper/lower limit on flammability or explosive limits	
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Flash Point:	> 212 °F/> 100 °C
Autoignition Temperature:	> 392 °F/> 200 °C
Decomposition Temperature:	No data available.
pH:	substance/mixture is non-soluble (in water)
Viscosity	
Dynamic viscosity:	No data available.
Kinematic viscosity:	Not determined.
Flow Time:	No data available.
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Dissolution Rate:	No data available.
Partition coefficient (n-octanol/water):	Not applicable Mixture
Dispersion Stability:	No data available.
Vapor pressure:	0,0022 hPa (68 °F/20 °C)
Relative density:	1,08 (77 °F/25 °C)
Density:	No data available.
Bulk density:	No data available.
Relative vapor density:	No data available.
Particle characteristics	
Particle Size:	No data available.
Particle Size Distribution:	No data available.
Dustiness:	No data available.
Specific surface area:	No data available.
Surface charge/Zeta potential:	No data available.
Assessment:	No data available.
Shape:	No data available.
Crystallinity:	No data available.
Surface treatment:	No data available.

9.2 Other information

VOC Content:	EC Directive 1999/13: 15,28 g/l ~1,53 % (calculated)

SECTION 10: Stability and reactivity

10.1 Reactivity: Material is stable under normal conditions.

10.2 Chemical Stability: Material is stable under normal conditions.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

10.3	**Possibility of hazardous reactions:**	Not known.
10.4	**Conditions to avoid:**	Avoid heat or contamination.
10.5	**Incompatible Materials:**	None known.
10.6	**Hazardous Decomposition Products:**	By heating and fire, harmful vapors/gases may be formed.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation:	Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	Causes skin irritation. May cause an allergic skin reaction.
Eye contact:	Causes serious eye damage.
Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Oral

Product:	ATEmix: 120.387,33 mg/kg
Components:	
Oxybis(methyl-2,1-ethanediyl) diacrylate	LD 50 (Rat): 4.270 mg/kg Experimental result, Key study
2-Phenoxyethyl acrylate	LD 50 (Rat): 5.000 mg/kg Experimental result, Key study
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	LD 50 (Rat): > 2.000 mg/kg Experimental result, Key study
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	LD 50 (Rat): 1.840 mg/kg Experimental result, Key study
2,6-di-tert-Butyl-p-cresol	LD 50 (Rat): > 6.000 mg/kg Experimental result, Key study

Dermal

Product:	Not classified for acute toxicity based on available data.
Components:	
Oxybis(methyl-2,1-ethanediyl) diacrylate	LD 50 (Rabbit): > 2.000 mg/kg Experimental result, Key study
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	LD 50 (Rabbit): > 13.200 mg/kg Experimental result, Key study
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	LD 50: > 2.214 mg/kg

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

2,6-di-tert-Butyl-p-cresol	No data available.

Inhalation

Product:	Not classified for acute toxicity based on available data.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	LC 0 (Rat, 7 h): 0,41 mg/l Vapor, Read-across from supporting substance (structural analogue or surrogate), Key study
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	LC 50 (Rat, 6 h): > 1.000 mg/m3 Experimental result, Key study, Aerosol
2,6-di-tert-Butyl-p-cresol	No data available.

Repeated dose toxicity

Product:	No data available.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	NOAEL (Rat(Female, Male), Oral, 28 - 52 d): 250 mg/kg
2-Phenoxyethyl acrylate	NOAEL (Rat(Female, Male), Oral, 43 - 53 d): 300 mg/kg
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	NOAEL (Rat(Female, Male), Oral, 28 - 52 d): 250 mg/kg
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	NOAEL (Rat(Male), Oral, 76 - 110 Weeks): 70 mg/kg

Skin Corrosion/Irritation:

Product:	Causes skin irritation.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	in vivo Category 2 Experimental result, Supporting study
2-Phenoxyethyl acrylate	Not irritant Experimental result, Supporting study
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	in vivo Not irritant Experimental result, Key study
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	in vivo Not irritant Experimental result, Key study
2,6-di-tert-Butyl-p-cresol	in vivo Not irritant Experimental result, Key study

Serious Eye Damage/Eye Irritation:

Product:	Causes serious eye damage.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	in vivo Category 1 OECD GHS

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	in vivo Irritating in vivo Category 2A EU
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	in vivo Not irritating EU

Respiratory or Skin Sensitization:

Product: May cause an allergic skin reaction.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Skin sensitization:, in vivo (Guinea pig): Sensitising
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	Skin sensitization:, in vivo (Guinea pig): Non sensitising
2,6-di-tert-Butyl-p-cresol	Skin sensitization:, in vivo (Guinea pig): Non sensitising

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

In vitro

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

In vivo

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Carcinogenicity

Product: Based on available data, the classification criteria are not met.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

Reproductive toxicity

Product: Suspected of damaging the unborn child.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

2,6-di-tert-Butyl-p-cresol	No data available.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

11.2 Information on health hazards

Endocrine Disruption

Product: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.;

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

SECTION 12: Ecological information

General information: Contains a substance which causes risk of hazardous effects to the environment.

12.1 Toxicity

Acute toxicity

Remarks:

Based on available data, the classification criteria are not met.

Fish

Product: No data available.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	LC 50 (Leuciscus idus, 96 h): 2,2 - 4,64 mg/l (Static) Experimental result, Key study
2-Phenoxyethyl acrylate	LC 50 (Leuciscus idus, 96 h): 10 mg/l (Static) Experimental result, Key study

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Propylidynetrimethanol, ethoxylated, esters with acrylic acid	LC 50 (Danio rerio, 96 h): 1,95 mg/l (Static) Experimental result, Key study
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	LC 50 (Pimephales promelas, 96 h): 344 mg/l (flow-through) Experimental result, Key study LC 50 (Oncorhynchus nerka, 8 h): 333 mg/l Experimental result, Not specified
2,6-di-tert-Butyl-p-cresol	LC 50 (96 h): 0,199 mg/l QSAR, Key study QSAR

Aquatic Invertebrates

Product: No data available.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	EC 50 (Daphnia magna, 48 h): 22,3 mg/l (Static) Experimental result, Key study
2-Phenoxyethyl acrylate	EC 50 (Daphnia magna, 48 h): 1,21 mg/l (Static) Experimental result, Key study
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	EC 50 (Daphnia magna, 48 h): 70,7 mg/l (Static) Experimental result, Key study
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	LC 50 (Daphnia magna, 48 h): 488 mg/l (Static) Experimental result, Supporting study
2,6-di-tert-Butyl-p-cresol	EC 50 (Daphnia magna, 48 h): 0,48 mg/l (Static) Experimental result, Key study

Toxicity to Aquatic Plants

Product: No data available.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

Toxicity to microorganisms

Product: No data available.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	EC10 (3 h): 292 mg/l (OECD-Guideline No.209; 88/302/EEC C.11)
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	EC50 (waste sludge, 17 h): > 880 mg/l (OECD-Guideline No.209; 88/302/EEC C.11)
2,6-di-tert-Butyl-p-cresol	No data available.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Chronic Toxicity

Remarks:

Toxic to aquatic life with long lasting effects.

Fish

Product:	No data available.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	NOAEL (Pimephales promelas, 34 d): 23 mg/l (flow-through) Experimental result, Key study
2,6-di-tert-Butyl-p-cresol	No data available.

Aquatic Invertebrates

Product:	No data available.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

Toxicity to Aquatic Plants

Product:	No data available.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

12.2 Persistence and Degradability

Biodegradation

Product:	No data available.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	(28 d): 90 - 100 % Detected in water. Experimental result, Key study
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	(28 d): 58 - 61 % Experimental result, Key study Detected in water.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	90 % Experimental result, Key study Detected in water.
2,6-di-tert-Butyl-p-cresol	No data available.

BOD/COD Ratio

Product No data available.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

12.3 Bioaccumulative potential

Product: No data available.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	Estimated by calculation, Not specified Aquatic sediment Estimated by calculation, Key study Aquatic sediment
2,6-di-tert-Butyl-p-cresol	No data available.

12.4 Mobility in soil

Product: No data available.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

12.5 Results of PBT and vPvB assessment

Product: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

12.6 Endocrine disrupting properties

Product: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

Oxybis(methyl-2,1-ethanediyl) diacrylate	No data available.
2-Phenoxyethyl acrylate	No data available.
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	No data available.
2-phenoxyethyl prop-2-enoate	No data available.
2-phenoxyethanol	No data available.
2,6-di-tert-Butyl-p-cresol	No data available.

12.7 Other adverse effects: Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Disposal considerations (including disposal of contaminated containers or packaging) Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Disposal methods:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.
Contaminated Packaging:	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1 UN number or ID number:	UN 3082
14.2 UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Acrylate)
14.3 Transport Hazard Class(es)	
Class:	9
Label(s):	9
Hazard No. (ADR):	90
Tunnel restriction code:	(-)
14.4 Packing Group:	III
Limited quantity	5,00L
Excepted quantity	E1
14.5 Environmental Hazards:	Yes
14.6 Special precautions for user:	SPECIAL PROVISION 375 (<= 5kg/<= 5L)

RID

14.1 UN number or ID number:	UN 3082
14.2 UN Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Acrylate)
14.3 Transport Hazard Class(es)	
Class:	9
Label(s):	9
14.4 Packing Group:	III
14.5 Environmental Hazards:	Yes
14.6 Special precautions for user:	–

ADN

14.1 UN number or ID number:	UN 3082
14.2 UN Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Acrylate)
14.3 Transport Hazard Class(es)	
Class:	9
Label(s):	9
14.4 Packing Group:	III
14.5 Environmental Hazards:	Yes
14.6 Special precautions for user:	SPECIAL PROVISION 375 (<= 5kg/<= 5L)

IMDG

14.1 UN number or ID number:	UN 3082
14.2 UN Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Acrylate)
14.3 Transport Hazard Class(es)	
Class:	9
Label(s):	9
EmS No.:	F-A, S-F

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

14.4 Packing Group:	III
<03EHS_L_TEXT(ZAGFA-ARI-S-100017321)[D:Limited quantity]>	5,00L
Excepted quantity	E1
14.5 Environmental Hazards:	Environmentally Hazardous
14.6 Special precautions for user:	CODE 2.10.2.7 if packaging <= 5L or <= 5kg

IATA

14.1 UN number or ID number:	UN 3082
14.2 Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s.(Acrylate)
14.3 Transport Hazard Class(es):	
Class:	9
Label(s):	9MI
14.4 Packing Group:	III
Excepted quantity	E1
14.5 Environmental Hazards:	Yes
14.6 Special precautions for user:	SPECIAL PROVISION A197 if packaging <= 5L or <= 5kg

Other information

Passenger and cargo aircraft:	Allowed.
Cargo aircraft only:	Allowed.

14.7 Maritime transport in bulk according to IMO instruments: not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

EU. REACH Candidate List of Substances of Very High Concern for Authorization (SVHC): None present or none present in regulated quantities.

EU. REACH Annex XIV, Substances Subject to Authorization: None present or none present in regulated quantities.

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use:

Chemical name	CAS-No.
2-phenoxyethanol	122-99-6
Mequinol	150-76-5

Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled Substances: None present or none present in regulated quantities.

EU. Regulation 2019/1021/EU on persistent organic pollutants (POPs) (recast), as amended: None present or none present in regulated quantities.

EU. Directive 2010/75/EU on Industrial Emissions (IPPC), Annex II, L 334/17: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended: None present or none present in regulated quantities.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended: None present or none present in regulated quantities.

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens and mutagens at work.: None present or none present in regulated quantities.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breast feeding.: None present or none present in regulated quantities.

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I:

Classification	Lower-tier Requirements	Upper-tier Requirements
E2. Hazardous to the aquatic environment	200 t	500 t

EU. Regulation No. 166/2006 PRTR (Pollutant Release and Transfer Registry), Annex II: Pollutants: None present or none present in regulated quantities.

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	**CAS-No.**	**Concentration**
2-phenoxyethanol	122-99-6	1,0 - 10%
Mequinol	150-76-5	0 - <0,1%

15.2 Chemical safety assessment: Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms:

ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route
ADNR	Accord européen relatif au transport international des marchandises Dangereuses par la Rhin
AGW	Arbeitsplatzgrenswerte (DE)
ATEmix	Acute toxicity estimate of the mixture
CLP	Classification, Labelling and Packaging of substances and mixtures
CMR	carcinogenicity, mutagenicity and toxicity for reproduction
DNEL	Derived No Effect Level
EC0	Effective Concentration 0%
EC5	Effective Concentration 5%
EC10	Effective Concentration 10%
EC50	Median Effective Concentration
EC100	Effective Concentration 100%
EH40 WEL	Workplace Exposure Limit (GB)
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IC50	inhibitory concentration 50%
IMDG	International Maritime Dangerous Goods

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

IMO	International Maritime Organization
IUCLID	International Uniform ChemicaL Information Database
LC50	Lethal Concentration 50%
LC100	Lethal Concentration 100%
LOAEL	Lowest Observed Adverse Effect Level
LDL0	Lethal Dose (minimum found to be lethal)
LD50	Lethal Dose 50%
MAC	Maximaal Aanvaardbare Concentratie (NL)
MAK	Maximale Arbeitsplatz-Konzentration
NOAEL	No Observed Adverse Effect Level
NOEL	No Observed Effect Level
NOEC	No Observed Effect Concentration
OEL	Occupatianal Exposure Limit
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Transport of Dangerous Goods by Rail
STEL	Short Term Exposure Limit
TLV	Treshold Limit Value
TRGS900	Arbeitsplatzgrenswerte (DE)
TWA	Time Weighted Average
VOC	Volatile Organic Compound
vPvB	very Persistent and very Bioaccumulative substance

Key literature references and sources for data: Safety Data Sheet from the supplier.
ECHA

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 as amended.	**Classification procedure**
Skin irritation, Category 2	Calculation method
Serious eye damage, Category 1	Calculation method
Skin sensitizer, Category 1	Calculation method
Toxic to reproduction, Category 2	Calculation method
Chronic hazards to the aquatic environment, Category 2	Calculation method

Wording of the statements in section 2 and 3

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Training information: Follow training instructions when handling this material.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Safe Use of Mixtures Information (SUMI)

UV Inks

Disclaimer	
This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation.This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product Safety Data Sheet (SDS), the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions foremployees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.The REACH registration numbers, where applicable, complete an extended product SDS.	
Operational conditions	
Max Duration	Up to 8 h/d
Frequency of exposure	< 240 d/y
Physical state	liquid
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provided so that exposure limits are not exceeded. As a rule, at least 10 air changes per hour are recommended at the workplace. Avoid contact with skin and eyes. Regular cleaning of equipment, work area and clothing. Supervision in place to check that Risk Management Measures (RMM's) in place are being correctly used and Occupational Conditions (OC's) followed.
Risk management measures	
Conditions and measures related to Personal Protection Equipment (PPE), hygiene and health evaluation	People working with this product should get instructions before use. This product should only be used in an industrial workplace. Wear safety glasses with side shields (or goggles). Chemical goggles are recommended. Wear chemical-resistant gloves and protective clothing. See Section 8 of the SDS for Personal Protective Equipment. Eye wash station and emergency showers are recommended. Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Training of worker in relation to proper use and maintenance of the PPE must be ensured.
	
Good practice advice	

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Use personal protective equipment as required. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation. Do not eat, drink or smoke when using the product. Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store at room temperature in the original container.	

Environmental Precautions

Do not allow to enter drains, sewers or watercourses.
Dispose of waste and residues in accordance with local authority requirements.
Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Use descriptors

IS - Use at industrial sites.
SU7 - Printing and reproduction media.
PC18 - Inks and toners
PROC3 - Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition.
PROC10 - Roller application or brushing.
PROC28 - Manual maintenance (cleaning and repair) of machinery
ERC5 - Use at industrial site leading to inclusion into/onto article.

Additional information on product composition

In section 2 of the SDS as well as on the label,the classification of the mixture is provided.
All ingredients contributing to the classification are stated in Section 3 of the SDS.
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.