CABINET SUPPORT & LIFT MECHANISMS

Your Builders' Hardware Partner

Magnificent
MARKETING

• DIRECT IMPORTER •WHOLESALER •RETAILER

ADDRESS: 531 T.ALONZO ST., STA. CRUZ MANILA
HOURS: MONDAY-SATURDAYS, 8AM - 5PM
CONTACT: 8 - 733 5738 ; 7 - 000 5295

EMAIL: magnificenthardware@gmail.com
WEBSITE: www.magnificenthardware.com
FACEBOOK: @magnificentmarketing

VIBER: 0936 979 2353

CABINET SUPPORT & LIFT MECHANISM

STAY HINGE

Material: Steel | Finish: Chrome | Type: Left & Right handed

#S20

Size Length: 9”



#S21

Size Length: 5”



PNUEMATIC LID STAY GAS STRUTS

- Material: Steel
- Suitable for wood & aluminum-framed door
- Pneumatic feature means that once the door is opened, it will continue to open effortlessly by itself
- Up open doors: Can be installed in 75°, 90° or 110°

#001-80N

80N = 8KG

#001-100N

100N = 10KG

#001-120N

120N = 12KG





TAJIMA

#006 HYDRAULIC / SOFT CLOSE LID STAY

- Material: Zinc alloy/Steel
- Finish: Chrome plated
- Max Door weight: 8kg
- Closing speed adjustable
- Built-in damper causes flap to close gently preventing slamming
- Built-in catch holds flap in fully opened position position
- Up open doors: Can be installed in 75°, 90° or 100°
- Down open doors: Can be installed in 90°







TAJIMA

CABINET SUPPORT & LIFT MECHANISM

#123

HEAVY DUTY LIFT UP MECHANISM

- Cabinet Height: 360-500mm
- Cabinet Length: 600-900mm
- Weight Capacity: Until 5kg
- Built-in damping system
- Maximum opening angle is 110° angle
- When closing, soft closes at 25° angle
- Free stop function available
- Force adjustable function available
- No hinge needed for the cabinet

force of opening or closing is adjustable.



panel can make 3D adjustment
- up & down
- left right
- front back

decoration covers



INSTALLATION GUIDE
YOUTUBE LINK:

https://youtu.be/GZUFQzBySSs

TAJIMA

CABINET SUPPORT & LIFT MECHANISM

#225

UPWARD FOLD BIFOLD / DOUBLE DOOR LIFT UP MECHANISM

- Applicable only for bi-fold doors that fold in the center when opening
- Used for wooden or aluminum frame doors
- Aluminum Bar Length: 300mm
- Cabinet Height: 700-850mm
- Cabinet Length: Below 1000mm
- Weight Capacity: Until 8kg
- Soft closing & free stop function available



INSTALLATION GUIDE

YOUTUBE LINK: https://youtu.be/PGWC2jmZjwU



Tajima Upward Lift Up Mechanism for Bifolding Door Installation Guide



Upward Folding Door Lift System

Cabinet Height: H	600	650	700	750	800	850	900	950	1000
Installation Size: M	100	150	100	120	200	250	200	250	250
Installation Size: B	163	188	213	208	263	288	263	288	313
Alu. Bar Length: K	200	200	300	300	300	300	350	350	400

NOTE: The above data should be used with installation card
Unit:mm

TAJIMA

CABINET SUPPORT & LIFT MECHANISM

#127

TABLE LIFT MECHANISM

- Material: Steel
- Force: 130N
- Max Weight Capacity: 13kg
- Thickness of lift: 2.5mm and 4mm.
- Size: 6.77" x 8.94" x 9.45"/ 17.2 x 22.7 x 24(cm)
- Angle range: (125 degree angle).
- Length of the bottom section: approx.6.77"/17.2cm.





TAJIMA

CABINET SUPPORT & LIFT MECHANISM

#129

BED LIFT MECHANISM

- Material: Steel
- Thickness: 3.5mm
- Capacity: 80 kg per set
- Bed size: 1800x2000mm
- It maximizes utilization of space by the creation of a hidden storage.

TAJIMA