



POCKET NC V2-10


SPECIFICATIONS

MAX TRAVEL

X: 4.55 in (115.5mm)
Y: 5.05 in (128.3 mm)
Z: 3.55 in (90.1mm)
A: -25° to 135°
B: Continuous Rotation
(-9999° to 9999°)

► Tested on G5 titanium,
6061 aluminum, 303
stainless, machinable
wax, acetal

Accepts standard
G Code. Test G Code
at sim.pocketnc.com



www.pocketnc.com
info@pocketnc.com
Phone: +1.406.451.3799



[pocket_nc](https://www.instagram.com/pocket_nc)

AXIS	MAXIMUM TRAVEL	SPEED
X	4.55 in (115.5 mm)	60 in/min (1524 mm/min)
Y	5.05 in (128.3 mm)	60 in/min (1524 mm/min)
Z	3.55 in (90.1 mm)	60 in/min (1524 mm/min)
A	-25° to 135°	40°/second
B	Continuous rotation (-9999° to 9999°)	40°/second

AXIS	BACKLASH
X & Y	0.0005 in (12.7 μm) at tool base
Z	Backlash at 18 pound (8.16 kg) load: 0.0005 in (12.7 μm)
A & B	0.01°

AXIS	RESOLUTION AND REPEATABILITY
XYZ	Resolution: 0.00024 in (6.10μm) Homing Repeatability: ±0.0005 in (12.7μm) Repeatability: ±0.002 in (50.8μm) at 0% load
A & B	Resolution: 0.01° Homing Repeatability: ±0.05° Repeatability: ±0.05° at 0% load Runout: < 0.002 in (50.8 μm)

SPINDLE	
Spindle Speed	2,000–10,000 RPM
Power	200 W
Spindle Motor	BLDC 3 Phase with Hall Feed-back
Spindle Runout	~0.0005 in (12.7 μm)
Tool Change	3mm Hex Key ER11 Collet

MACHINE CONTROL	
Texas Instruments Arm Cortex A8 running Machinekit/Rockhopper	
Accepts Standard Gcode	
Features	Spindle Override Feed Override Stop, Start, Pause Jog while pause 5 axis simultaneous movement
Connectivity	Ethernet, USB, and mini USB
Power Source	90–264 VAC, 127–370 VDC, 47–63Hz

COMPONENTS	
6061 Aluminum Frame, ±0.001 in (50.8 μm) squareness in all axes	
Machine Footprint: 17.5 in (444.5 mm) x 12.5 in (279.3 mm)	
5 NEMA 17 Motors	3 linear lead screws with preloaded nuts 2 Rotary Worm Drives
Linear Bearings	9 and 42mm, 10% preload
Integrated angular contact rotary bearings	

PURCHASE INCLUDES:

- One extended reach tool holder
- 1/8 inch ER11 collet and nut
- 1/8 inch square end mill, single flute
- Pocket NC vise and hardware
- Pocket NC limited 1-year warranty

www.pocketnc.com
info@pocketnc.com
Phone: +1.406.451.3799

