# Honeywell | Safety Products



# PRODUCT NUMBER: 1013934 Airvisor 2 chemical kit

Full kit : AIRVISOR 2 with acetate chemical resistant visor, 2 disposable visor covers, fabric hood and neck cover, waistbelt complete, carry bag. For applications exposed to chemicals.

# Honeywell

#### **Overview**

Reference Number 1013934

Product Type Respiratory Protection

Range Supplied Air Respirators

Line Loose fitting visors

**Brand** Honeywell

# Brand formerly known as WILLSON

#### Industry

- Automotive and Part Manufacturer
  Aviation
  Chemical Industries
  Iron and steel industry
  Laboratory
  Medical and Pharmaceutical
  - Industrial Cleaning
    - Metal steel
      Ship Building

Utilities
 Wood Industries

#### **Product Use**

For use in the general chemical industry where the respirator is intended for use without any auxillary air tool or spraygun connected to it.

### **Features & Benefits**

#### Feature Lightweight product

Benefit Comfort and pleasure in use

Feature Wild field of vision

Benefit

Limited falls and trips

#### Feature

Single use head and neck protection

Benefit Hygienic

#### Feature

Visor keeps its original appearance due to visor cover

# Benefit

Clarity and better field of vision

### Feature

Carbon filter element

# Benefit

Removes odors

# **Technical Description**

#### Mask

Headpiece Visor

Material

Main shell components - Polyprolylene Face Seal - Non-woven polypropylene

Visor Screen Chemical resistant

Visor Screen Material Cellulose acetate

Visor Screen Covers Polyester (anti-static coating)

#### Head and Neck Cover Non-woven polypropylene

Air Diffuser Silencer (open cell foam in rigid casing)

### **Belt**

Belt or Harness Waistbelt

Material Woven Polyester

Hose

Hose Food grade PVC material, complete with High Flow Quick Release connectors

#### Length Hose Selection from 3.5m to 10m

# **Compressed Airline Infiltration System**

Wall Model Selection from range (Clearflow 3)

Floor Model Selection from range (Clearflow 3)

Supply Pressure 4,2 (58 psi) to 7 bars (102 psi)

Airflow Rate 290 l/min

## Certifications

EC Category PPE 3

# EC Certificate Number 2582

#### **EC** Attestation

CE Certificate Airvisor 2

# EC Attestation Number 2582

# Certifications

• EN 14594

# Additional Information

#### User Manual

Airvisor 2 user manual - Multi languages

Packaging

Quantity per Box/Pack/Case

Quantity per Carton

Quantity for Minimum Order

C Honeywell International Inc.