

# BABY LOVE

Lampada ornamentale dallo stilizzato profilo di rosa che può assumere diverse forme:

piantana in due altezze, lampada da tavolo, lampadario a soffitto, applique a parete e lampada da esterno nelle versioni waterproof e giardino, dove il suo disegno è pensato per favorire il più rapido e completo smaltimento dell'acqua piovana.


Ornamental stylized lamp with a rose profile that can take several forms:

floor lamp available in two heights, elegant table lamp, ceiling lamp, wall lamps and outdoor lamp in waterproof and garden version, where its design is thought to facilitate the more rapid and complete disposal of rainwater.





### Waterproof



CE IP66

**Material:**  
Poleasy  
Stainless steel base

**Net weight:**  
2,6 kg

**Volume packaging:**  
0,10 mc

**Finishing e colours:**  
IL: 110 trasparente

**Cable length:**  
1,5 mt cable rechargeable

**Switch:**  
Remote control

CE IP20

**Power Input:**  
Adaptor: AC: 100-240V 50/60Hz  
DC: 5V

**Power Consumption:**  
3,8W

**Light source:**  
RGBW Led

**Characteristic:**  
2700K - 65lm




**Recharging method:**  
Lithium electric induction

**Recharging time:**  
6 h.

**Duration time:**  
8-10 h.



**Garden**



⊕ IP44 IP66 — IP20

**Material:**  
 Poleasy  
 White metal structure

**Net weight:**  
 8,5 kg

**Volume packaging:**  
 0,30 mc

**Finishing e colours:**  
 IL: 110 trasparente

**Cable length:**  
 3 mt trasparente cable with plug (IP20)  
 2 mt black cable with plug (IP44)

**Switch:**  
 - ON/OFF switch fitted on the power cord (IP20)  
 - Plug (IP44)  
 - Connector box (IP66)

**Power Input:**  
 110-240V - 50/60Hz




**Power Consumption:**  
 1x 32W E27

**Light source:**  
 Bulb

**Characteristic:**



### Standing lamp



CE IP20

IP44

**Material:**  
Poleasy  
White metal structure

**Finishing e colours:**  
IL: 110 trasparente

**Net weight:**  
8,5 kg

**Cable length:**  
3 mt trasparente cable with plug (IP20)  
2 mt black cable with plug (IP44)

**Power Input:**  
110-240V - 50/60Hz

**Volume packaging:**  
0,30 mc

**Switch:**  
- ON/OFF switch fitted on the power cord (IP20)  
- Plug (IP44) or connector box (IP66)




**Power Consumption:**  
1x 32W E27

**Light source:**  
Bulb

**Characteristic:**



Wall / Ceiling



CE IP66

**Material:**  
Poleasy

**Net weight:**  
1,9 kg

**Volume packaging:**  
0,10 mc

**Finishing e colours:**  
IL: 110 trasparente

**Cable length:**

**Switch:**

**Power Input:**  
110-240V - 50/60Hz




**Power Consumption:**  
1x 32W E27

**Light source:**  
Bulb

**Characteristic:**



### Suspension



CE IP20

**Material:**  
Polycarbonate  
White metal structure

**Net weight:**  
2,6 kg

**Volume packaging:**  
0,10 mc

**Finishing e colours:**  
IL: 110 transparent

**Cable length:**  
1,8 mt transparent cable with plug  
(version table)  
2 mt transparent cable (version  
suspension)

**Switch:**

**Power Input:**  
110-240V - 50/60Hz

**Power Consumption:**  
1x 32W E27

**Light source:**  
Bulb


**Characteristic:**



Indoor rose ceiling detail



### Table





CE IP20 

**Material:**  
Polycarbonate  
White metal structure

**Net weight:**  
2,6 kg

**Volume packaging:**  
0,10 mc



**Finishing e colours:**  
IL: 110 trasparente

**Cable length:**  
1,8 mt trasparente cable with plug (version table)  
2 mt trasparente cable (version suspension)

**Switch:**  
- ON/OFF switch fitted on the power cord (IP20)

**Power Input:**  
110-240V - 50/60Hz

**Power Consumption:**  
1x 32W E27

**Light source:**  
Bulb

**Characteristic:**