MOSAIC GLUE PASTE

Mandala Art

Chemwatch Hazard Alert Code: 0

Issue Date: **21/06/2022** Print Date: **21/06/2022** L.GHS.AUS.EN.E

Chemwatch: **5257-39**Version No: **4.1**Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier				
Product name	MOSAIC GLUE PASTE			
Chemical Name	Not Applicable			
Synonyms	Not Available			
Chemical formula	Not Applicable			
Other means of identification	Not Available			

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Adhesive for craft/ mosiac.
	Use according to manufacturer's directions.

Details of the supplier of the safety data sheet

Registered company name	Mandala Art			
Address	Factory 8, 50-52 Malvern Street Bayswater VIC 3153 Australia			
Telephone	+61 3 9729 0248			
Fax	+61 3 9720 1431			
Website	www.mandalaart.com.au			
Email	art@mandalaart.com.au			

Emergency telephone number

Association / Organisation	Poisons Information Centre
Emergency telephone numbers	13 1126
Other emergency telephone numbers	Not Available

SECTION 2 Hazards identification

Classification	of the	euhetance	۸r	mivtura

olassification of the substance of mixture		
Poisons Schedule	Not Applicable	
Classification [1]	Not Applicable	

Label elements

Hazard pictogram(s)	Not Applicable
Signal word	Not Applicable
Signal word	Not Applicable

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable Not Applicable

SECTION 3 Composition / information on ingredients

Substances

Chemwatch: **5257-39** Version No: **4.1** Page 2 of 8

MOSAIC GLUE PASTE

Issue Date: **21/06/2022**Print Date: **21/06/2022**

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name			
471-34-1	30	calcium carbonate			
14807-96-6	25	talc			
Not Available	10-30	acrylic polymer			
Not Available	1	dispersant			
Not Available	1	thickener			
7732-18-5	10-30 <u>water</u>				
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available				

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with eyes: Wash out immediately with water. If irritation continues, seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- ▶ Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Non combustible. Not considered to be a significant fire risk. Expansion or decomposition on heating may lead to violent rupture of containers. Decomposes on heating and may produce toxic fumes of carbon monoxide (CO). May emit acrid smoke. Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2)
HAZCHEM	Not Applicable

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12


Methods and material for containment and cleaning up

Minor Spills

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Avoid bleating vapours and contact with skin and eyes.
 Control personal contact with the substance, by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.

MOSAIC GLUE PASTE

Issue Date: 21/06/2022 Print Date: 21/06/2022



Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. When handling DO NOT eat, drink or smoke. Safe handling Always wash hands with soap and water after handling. Avoid physical damage to containers. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. ▶ Keep dry. Store under cover. Other information Protect containers against physical damage. ▶ Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container	Plastic container
Storage incompatibility	None known

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	calcium carbonate	Calcium carbonate	10 mg/m3	Not Available	Not Available	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	talc	Talc, (containing no asbestos fibres)	2.5 mg/m3	Not Available	Not Available	Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2	TEEL-3
calcium carbonate	45 mg/m3	210 mg/m3	1,300 mg/m3

Ingredient	Original IDLH	Revised IDLH
calcium carbonate	Not Available	Not Available
talc	1,000 mg/m3	Not Available
water	Not Available	Not Available

MATERIAL DATA

Exposure controls

Appropriate engineering controls	General exhaust is adequate under r

normal operating conditions.

Personal protection







No special equipment for minor exposure i.e. when handling small quantities. OTHERWISE:

Eye and face protection

Safety glasses with side shields.

Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]

Chemwatch: 5257-39

Version No: 4.1

Page 4 of 8 **MOSAIC GLUE PASTE**

Issue Date: 21/06/2022 Print Date: 21/06/2022

Skin protection	See Hand protection below
Hands/feet protection	No special equipment needed when handling small quantities. OTHERWISE: Wear chemical protective gloves, e.g. PVC.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities. OTHERWISE: Overalls. Barrier cream. Eyewash unit.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection:

MOSAIC GLUE PASTE

Material	СРІ
BUTYL	A
NEOPRENE	Α
VITON	A
NATURAL RUBBER	С
PVA	С

^{*} CPI - Chemwatch Performance Index

A: Best Selection

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	White paste with slight odour; dispersible in water.		
Physical state	Free-flowing Paste	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Partly miscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Applicable

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

^{*} Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

MOSAIC GLUE PASTE

Issue Date: 21/06/2022 Print Date: 21/06/2022

Information on toxicological effects

formation on toxicological e		- d.,_s		
Inhaled	Not normally a hazard due to non-volatile nature of pro		parmful by ingestion." This is because of the lack of	
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.			
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.			
Еуе	Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may cause transient discomfort characterised by tearing or conjunctival redness (as with windburn). Slight abrasive damage may also result. The material may produce foreign body irritation in certain individuals.			
Chronic	Long-term exposure to the product is not thought to pr models); nevertheless exposure by all routes should b		th (as classified by EC Directives using animal	
	тохісіту	IRRITATION		
MOSAIC GLUE PASTE	Not Available	Not Available		
	TOXICITY	IRRITATION		
	dermal (rat) LD50: >2000 mg/kg ^[1]		5 mg/24h - SEVERE	
calcium carbonate	Inhalation(Rat) LC50; >3 mg/l4h ^[1]	Eye: no adverse	effect observed (not irritating) ^[1]	
	Oral (Rat) LD50; >2000 mg/kg ^[1]	Skin (rabbit): 50) mg/24h-moderate	
		Skin: no adverse	e effect observed (not irritating) ^[1]	
	TOXICITY	IRRITATION		
	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse	effect observed (not irritating) ^[1]	
talc	Inhalation(Rat) LC50; >2.1 mg/l4h ^[1]	Skin (human): 0	3 mg/3d-I mild	
	Oral (Rat) LD50; >5000 mg/kg ^[1]	Skin: no adverse effect observed (not irritating) ^[1]		
	TOXICITY	IRRITATION		
water				
Legend:	Nalue obtained from Europe ECHA Registered Subspecified data extracted from RTECS - Register of Tox		nined from manufacturer's SDS. Unless otherwise	
	specified data extracted from NTECS - Negister of Tox	RC Elect of Chemical Substances		
	No evidence of carcinogenic properties. No evidence of mutagenic or teratogenic effects.			
CALCIUM CARBONATE	The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling the epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.			
	For talc (a form of magnesium silicate) The overuse of talc in nursing infants has resulted in pulmonary oedema, pneumonia and death within hours of inhaling talcum powder. The powder dries the mucous membranes of the bronchioles, disrupts pulmonary clearance, clogs smaller airways. Victims display wheezing, rapid or difficult breathing, increased pulse, cyanosis, fever. Mild exposure may cause relatively minor inflammatory lung disease. Long term exposure may show wheezing, weakness, productive cough, limited chest expansion, scattered rales, cyanosis. The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.			
TALC	The overuse of talc in nursing infants has resulted in p powder dries the mucous membranes of the bronchiol difficult breathing, increased pulse, cyanosis, fever. Mi Long term exposure may show wheezing, weakness, p The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.	ulmonary oedema, pneumonia and d es, disrupts pulmonary clearance, clo ld exposure may cause relatively min productive cough, limited chest expar	eath within hours of inhaling talcum powder.The gs smaller airways. Victims display wheezing, rapid or inflammatory lung disease.	
TALC CALCIUM CARBONATE & TALC	The overuse of talc in nursing infants has resulted in p powder dries the mucous membranes of the bronchiol difficult breathing, increased pulse, cyanosis, fever. Mi Long term exposure may show wheezing, weakness, p The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.	ulmonary oedema, pneumonia and des, disrupts pulmonary clearance, clot ld exposure may cause relatively min productive cough, limited chest expanded in animal testing. The en years after exposure to the material possible which can occur after exposure to revious airways disease in a non-atogumented exposure to the irritant. Offerer bronchial hyperreactivity on methor (or asthma) following an irritating inhinitating substance. On the other handing substance (often particles) and is	eath within hours of inhaling talcum powder. The gs smaller airways. Victims display wheezing, rapid or inflammatory lung disease. Ision, scattered rales, cyanosis. al ends. This may be due to a non-allergic condition or high levels of highly irritating compound. Main ici individual, with sudden onset of persistent er criteria for diagnosis of RADS include a reversible archoline challenge testing, and the lack of minimal alation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a	
CALCIUM CARBONATE &	The overuse of talc in nursing infants has resulted in p powder dries the mucous membranes of the bronchiol difficult breathing, increased pulse, cyanosis, fever. Mi Long term exposure may show wheezing, weakness, p The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limit Asthma-like symptoms may continue for months or evidence of carcinogenicity may be inadequate or limit Asthma-like symptoms may continue for months or evidence of carcinogenicity may be inadequate or limit Asthma-like symptoms within minutes to hours of a documentum of diagnosing RADS include the absence of properties of the content of the interval of the concentration of and duration of exposure to the irresult of exposure due to high concentrations of irritating the concentration of a documentum of the concentration of irritating the concentrat	ulmonary oedema, pneumonia and des, disrupts pulmonary clearance, clot dexposure may cause relatively min productive cough, limited chest expanded in animal testing. The service of the materical services are to the materical services and an on-atop cumented exposure to the irritant. Other bronchial hyperreactivity on method (or asthma) following an irritating inhiritating substance. On the other handing substance (often particles) and is and mucus production.	eath within hours of inhaling talcum powder. The gs smaller airways. Victims display wheezing, rapid or inflammatory lung disease. Ision, scattered rales, cyanosis. al ends. This may be due to a non-allergic condition or high levels of highly irritating compound. Main ici individual, with sudden onset of persistent their criteria for diagnosis of RADS include a reversible archoline challenge testing, and the lack of minimal alation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a	
CALCIUM CARBONATE & TALC	The overuse of talc in nursing infants has resulted in p powder dries the mucous membranes of the bronchiol difficult breathing, increased pulse, cyanosis, fever. Mi Long term exposure may show wheezing, weakness, p The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limit Asthma-like symptoms may continue for months or even known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of prasthma-like symptoms within minutes to hours of a doc airflow pattern on lung function tests, moderate to sevel lymphocytic inflammation, without eosinophilia. RADS the concentration of and duration of exposure to the irresult of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough	ulmonary oedema, pneumonia and des, disrupts pulmonary clearance, clot dexposure may cause relatively min productive cough, limited chest expanded in animal testing. The service of the materical services are to the materical services and an on-atop cumented exposure to the irritant. Other bronchial hyperreactivity on method (or asthma) following an irritating inhiritating substance. On the other handing substance (often particles) and is and mucus production.	eath within hours of inhaling talcum powder. The gs smaller airways. Victims display wheezing, rapid or inflammatory lung disease. Ision, scattered rales, cyanosis. al ends. This may be due to a non-allergic condition or high levels of highly irritating compound. Main ici individual, with sudden onset of persistent their criteria for diagnosis of RADS include a reversible archoline challenge testing, and the lack of minimal alation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a	
CALCIUM CARBONATE & TALC	The overuse of talc in nursing infants has resulted in p powder dries the mucous membranes of the bronchiol difficult breathing, increased pulse, cyanosis, fever. Mi Long term exposure may show wheezing, weakness, p The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limit Asthma-like symptoms may continue for months or evidence of carcinogenicity may be inadequate or limit Asthma-like symptoms may continue for months or evidence of carcinogenicity may be inadequate or limit Asthma-like symptoms within minutes to hours of a documentation of diagnosing RADS include the absence of properties of the concentration of limit minutes to hours of a document of the concentration of and duration of exposure to the irr result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough	ulmonary oedema, pneumonia and des, disrupts pulmonary clearance, clot ld exposure may cause relatively min productive cough, limited chest exparted in animal testing. The series of the material series of	eath within hours of inhaling talcum powder. The gs smaller airways. Victims display wheezing, rapid or inflammatory lung disease. Ision, scattered rales, cyanosis. all ends. This may be due to a non-allergic condition or high levels of highly irritating compound. Main play individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal alation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. The	
CALCIUM CARBONATE & TALC TALC & WATER Acute Toxicity Skin Irritation/Corrosion	The overuse of talc in nursing infants has resulted in p powder dries the mucous membranes of the bronchiol difficult breathing, increased pulse, cyanosis, fever. Mi Long term exposure may show wheezing, weakness, p The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limit Asthma-like symptoms may continue for months or even known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of properties of a doctor of the continuation of the continuation of a doctor inflow pattern on lung function tests, moderate to seve lymphocytic inflammation, without eosinophilia. RADS the concentration of and duration of exposure to the irresult of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough No significant acute toxicological data identified in liter.	ulmonary oedema, pneumonia and d es, disrupts pulmonary clearance, clot de exposure may cause relatively min productive cough, limited chest expanted in animal testing. The en years after exposure to the materical ways disease in a non-atogounented exposure to the irritant. Officere bronchial hyperreactivity on methor (or asthma) following an irritating inhinitating substance. On the other handing substance (often particles) and is and mucus production. Carcinogenicity	eath within hours of inhaling talcum powder. The gs smaller airways. Victims display wheezing, rapid or inflammatory lung disease. Ision, scattered rales, cyanosis. all ends. This may be due to a non-allergic condition to high levels of highly irritating compound. Main icic individual, with sudden onset of persistent her criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal alation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. The	
CALCIUM CARBONATE & TALC TALC & WATER Acute Toxicity	The overuse of talc in nursing infants has resulted in p powder dries the mucous membranes of the bronchiol difficult breathing, increased pulse, cyanosis, fever. Mi Long term exposure may show wheezing, weakness, p The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limit Asthma-like symptoms may continue for months or even known as reactive airways dysfunction syndrome (RAI criteria for diagnosing RADS include the absence of prasthma-like symptoms within minutes to hours of a doc airflow pattern on lung function tests, moderate to seve lymphocytic inflammation, without eosinophilia. RADS the concentration of and duration of exposure to the irr result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough No significant acute toxicological data identified in liter	ulmonary oedema, pneumonia and des, disrupts pulmonary clearance, clot dexposure may cause relatively min productive cough, limited chest expanded in animal testing. en years after exposure to the matericus inways disease in a non-atop cumented exposure to the irritant. Othere bronchial hyperreactivity on methor (or asthma) following an irritating inhinitating substance. On the other handing substance (often particles) and is and mucus production. Carcinogenicity Reproductivity	eath within hours of inhaling talcum powder. The gs smaller airways. Victims display wheezing, rapid or inflammatory lung disease. Ision, scattered rales, cyanosis. all ends. This may be due to a non-allergic condition or high levels of highly irritating compound. Main ici individual, with sudden onset of persistent rer criteria for diagnosis of RADS include a reversible acholine challenge testing, and the lack of minimal alation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a completely reversible after exposure ceases. The	

- X − Data either not available or does not fill the criteria for classification
 ✓ − Data available to make classification

Page 6 of 8

MOSAIC GLUE PASTE

Issue Date: 21/06/2022 Print Date: 21/06/2022

SECTION 12 Ecological information

Toxicity

	Endpoint	Test Duration (hr)	Species	Value	Source
MOSAIC GLUE PASTE	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	1h	Fish	4-320mg/l	4
calcium carbonate	EC50	72h	Algae or other aquatic plants	>14mg/l	2
	LC50	96h	Fish	>165200mg/L	4
	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	720h	Algae or other aquatic plants	918.089mg/l	2
talc	EC50	96h	Algae or other aquatic plants	7202.7mg/l	2
	LC50	96h	Fish	89581.016mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
water	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Ecotox databas		HA Registered Substances - Ecotoxicological Inform Aquatic Hazard Assessment Data 6. NITE (Japan) -		

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal	 Recycle wherever possible or consult manufacturer for recycling options. Consult State Land Waste Management Authority for disposal. Bury residue in an authorised landfill. Recycle containers if possible, or dispose of in an authorised landfill.
------------------------------	--

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

·	
Product name	Group
calcium carbonate	Not Available
talc	Not Available
water	Not Available

Page 7 of 8 MOSAIC GLUE PASTE

Issue Date: **21/06/2022**Print Date: **21/06/2022**

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
calcium carbonate	Not Available
talc	Not Available
water	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

calcium carbonate is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

talc is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)
Chemical Footprint Project - Chemicals of High Concern List
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans
International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory Status

Monographs

National Inventory	Status			
Australia - AIIC / Australia Non-Industrial Use	Yes			
Canada - DSL	Yes			
Canada - NDSL	No (talc; water)			
China - IECSC	Yes			
Europe - EINEC / ELINCS / NLP	Yes			
Japan - ENCS	Yes			
Korea - KECI	Yes			
New Zealand - NZIoC	Yes			
Philippines - PICCS	Yes			
USA - TSCA	Yes			
Taiwan - TCSI	Yes			
Mexico - INSQ	Yes			
Vietnam - NCI	Yes			
Russia - FBEPH	Yes			
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.			

SECTION 16 Other information

Revision Date	21/06/2022
Initial Date	27/06/2017

SDS Version Summary

Version	Date of Update	Sections Updated
3.1	01/11/2019	One-off system update. NOTE: This may or may not change the GHS classification
4.1	21/06/2022	Classification, Use

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard OSF: Odour Safety Factor

Chemwatch: 5257-39 Page 8 of 8 Version No: 4.1

MOSAIC GLUE PASTE

Issue Date: 21/06/2022 Print Date: 21/06/2022

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China
EINECS: European INventory of Existing Commercial chemical Substances
ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.