



SHOPBVV.COM

Safety Data Sheet

HYDROGEN PEROXIDE 35% FOOD GRADE

Revision Date: 08/29/2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : HYDROGEN PEROXIDE 35% FCC (ACTUAL 34.6%)

Recommended use of the chemical and restrictions on use

Recommended use : Oxidizing agent.

Manufacturer or supplier's details

Company : BVV
Address : 1251 Frontenac Rd. Suite 150
Naperville, IL 60563

Emergency telephone number:
CHEMTEL (1-800-255-3924)

Additional Information: : Responsible Party: Product Support
E-mail: support@shopbv.com
SDS Requests: 1-331-281-0154
Website: www.shopbv.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing liquids : Category 3
Acute toxicity (Oral) : Category 4
Serious eye damage : Category 1
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.
H302 Harmful if swallowed.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary statements : **Prevention:**
P210 Keep away from heat.
P220 Keep/ Store away from clothing/ combustible materials.
P221 Take any precaution to avoid mixing with combustibles.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ eye protection/ face protection.



Safety Data Sheet

HYDROGEN PEROXIDE 35% FOOD GRADE

Revision Date: 08/29/2023

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| CAS-No. | Chemical name | Weight percent |
|-----------|--|----------------|
| 7722-84-1 | Hydrogen peroxide (H ₂ O ₂) | 25 - 34 |

Actual concentration is withheld as a trade secret

Any Concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

- General advice : Consult a physician.
Do not leave the victim unattended.
- If inhaled : If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
- In case of eye contact : Take victim immediately to hospital.
Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.



SHOPBVV.COM

Safety Data Sheet

HYDROGEN PEROXIDE 35% FOOD GRADE

Revision Date: 08/29/2023

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Neutralize with chalk, alkali solution or ammonia.
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot



SHOPBVV.COM

Safety Data Sheet

HYDROGEN PEROXIDE 35% FOOD GRADE

Revision Date: 08/29/2023

- surfaces and sources of ignition. Keep away from combustible material.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Prevent unauthorized access.
No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| CAS-No. | Components | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-----------|--|-------------------------------|--|-----------|
| 7722-84-1 | Hydrogen peroxide (H ₂ O ₂) | TWA | 1 ppm | ACGIH |
| | | TWA | 1 ppm 1.4 mg/m ³ | NIOSH REL |
| | | TWA | 1 ppm 1.4 mg/m ³ | OSHA Z-1 |
| | | TWA | 1 ppm 1.4 mg/m ³ | OSHA P0 |
| | | PEL | 1 ppm 1.4 mg/m ³ (H ₂ O ₂) | CAL PEL |

Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Hand protection
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles



SHOPBVV.COM

Safety Data Sheet

HYDROGEN PEROXIDE 35% FOOD GRADE

Revision Date: 08/29/2023

| | |
|--|---|
| Wear face-shield and protective suit for abnormal processing problems. | |
| Skin and body protection | : Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hygiene measures | : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|--|
| Appearance | : liquid |
| Colour | : colourless |
| Odour | : odorless |
| Odour Threshold | : No data available |
| pH | : 2 - 4 @ 20 °C (68 °F) |
| Freezing Point (Melting point/freezing point) | : -27 °C (-17 °F) |
| Boiling Point (Boiling point/boiling range) | : 106 °C (223 °F) |
| Flash point | : does not flash |
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : No data available |
| Upper explosion limit | : No data available |
| Lower explosion limit | : No data available |
| Vapour pressure | : 17.4 - 25 mmHg |
| Relative vapour density | : No data available |
| Relative density | : 1.12 @ 20 - 25 °C (68 - 77 °F) Reference substance: (water = 1) |
| Density | : 1.11 g/cm ³ |
| Solubility(ies) | |
| Water solubility | : completely soluble |
| Solubility in other solvents | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature | : No data available |
| Thermal decomposition | : No data available |
| Viscosity | |
| Viscosity, dynamic | : 1.25 mPa.s |
| Oxidizing properties | : The substance or mixture is classified as oxidizing with the category 3. |

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------|---|
| Reactivity | : No dangerous reaction known under conditions of normal use. |
|------------|---|



SHOPBVV.COM

Safety Data Sheet

HYDROGEN PEROXIDE 35% FOOD GRADE

Revision Date: 08/29/2023

| | |
|------------------------------------|--|
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : Product will not undergo hazardous polymerization. Stable under recommended storage conditions. |
| Conditions to avoid | : Heat, flames and sparks. |
| Incompatible materials | : Reducing agents Bases Alcohols Flammable materials organic solvent Metals |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 1,471 mg/kg

Components:

7722-84-1:

Acute oral toxicity : LD50 (Rat, male and female): 1,193 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.

Skin corrosion/irritation

Product:

Remarks: Extremely corrosive and destructive to tissue.

Components:

7722-84-1:

Species: Rabbit
Exposure time: 4 h
Result: Causes severe burns.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Components:

7722-84-1:

Species: Rabbit
Result: Risk of serious damage to eyes.
Exposure time: 20 s
Test substance: Hydrogen peroxide



SHOPBVV.COM

Safety Data Sheet

HYDROGEN PEROXIDE 35% FOOD GRADE

Revision Date: 08/29/2023

Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

7722-84-1:

Effects on foetal development

: Species: Rat
Application Route: Oral
Dose: 0, 0.02, 0.1, 2, 10 %diet
Duration of Single Treatment: 7 d
Teratogenicity: NOAEL: 0.02 % diet
Developmental Toxicity: NOAEL: 0.02 % diet
Symptoms: Skeletal malformations, Reduced number of viable fetuses
Result: Embryotoxic effects and adverse effects on the offspring were detected.

STOT - single exposure

Components:

7722-84-1:

Target Organs: Respiratory system

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

7722-84-1:

Toxicity to daphnia and other aquatic invertebrates

: LC50 (Daphnia pulex (Water flea)): 2.4 mg/l
Exposure time: 48 h
Test Type: semi-static test
Test substance: hydrogen peroxide



SHOPBVV.COM

Safety Data Sheet

HYDROGEN PEROXIDE 35% FOOD GRADE

Revision Date: 08/29/2023

Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Test substance: hydrogen peroxide

Chronic aquatic toxicity- Assessment : Harmful to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
: Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.



SHOPBVV.COM

Safety Data Sheet

HYDROGEN PEROXIDE 35% FOOD GRADE

Revision Date: 08/29/2023

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation):

UN2014, Hydrogen peroxide, aqueous solutions, 5.1 (8), II

IATA (International Air Transport Association):

UN2014, Hydrogen peroxide, aqueous solution, 5.1 (8), II

IMDG (International Maritime Dangerous Goods):

UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1, (8), II

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|--------------------------|-----------|--------------------|-----------------------------|
| Hydrogen peroxide (H2O2) | 7722-84-1 | 1000 | 2941 |

SARA 311/312 Hazards : Oxidiser (liquid, solid or gas)
 Acute toxicity (any route of exposure)
 Serious eye damage or eye irritation
 Specific target organ toxicity (single or repeated exposure)

SARA 302 :
 7722-84-1 Hydrogen peroxide (H2O2)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.



SHOPBVV.COM

Safety Data Sheet

HYDROGEN PEROXIDE 35% FOOD GRADE

Revision Date: 08/29/2023

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

7722-84-1 Hydrogen peroxide (H2O2)

Pennsylvania Right To Know

7732-18-5 Water

7722-84-1 Hydrogen peroxide (H2O2)


California Prop 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- NZIoC : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

| | |
|-----------------|----|
| HEALTH | 3/ |
| FLAMMABILITY | 0 |
| PHYSICAL HAZARD | 1 |

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 =Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become



SHOPBVV.COM

Safety Data Sheet**HYDROGEN PEROXIDE 35% FOOD GRADE**

Revision Date: 08/29/2023

available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by BVV Product Engineering Department.

Revision Date : 08/29/2023

| Key or legend to abbreviations and acronyms used in the safety data sheet | | | |
|--|--|-------|--|
| ACGIH | American Conference of Government Industrial Hygienists | LD50 | Lethal Dose 50% |
| AICS | Australia, Inventory of Chemical Substances | LOAEL | Lowest Observed Adverse Effect Level |
| DSL | Canada, Domestic Substances List | NFPA | National Fire Protection Agency |
| NDSL | Canada, Non-Domestic Substances List | NIOSH | National Institute for Occupational Safety & Health |
| CNS | Central Nervous System | NTP | National Toxicology Program |
| CAS | Chemical Abstract Service | NZIoC | New Zealand Inventory of Chemicals |
| EC50 | Effective Concentration | NOAEL | No Observable Adverse Effect Level |
| EC50 | Effective Concentration 50% | NOEC | No Observed Effect Concentration |
| EGEST | EOSCA Generic Exposure Scenario Tool | OSHA | Occupational Safety & Health Administration |
| EOSCA | European Oilfield Specialty Chemicals Association | PEL | Permissible Exposure Limit |
| EINECS | European Inventory of Existing Chemical Substances | PICCS | Philippines Inventory of Commercial Chemical Substances |
| MAK | Germany Maximum Concentration Values | PRNT | Presumed Not Toxic |
| GHS | Globally Harmonized System | RCRA | Resource Conservation Recovery Act |
| >= | Greater Than or Equal To | STEL | Short-term Exposure Limit |
| IC50 | Inhibition Concentration 50% | SARA | Superfund Amendments and Reauthorization Act. |
| IARC | International Agency for Research on Cancer | TLV | Threshold Limit Value |
| IECSC | Inventory of Existing Chemical Substances in China | TWA | Time Weighted Average |
| ENCS | Japan, Inventory of Existing and New Chemical Substances | TSCA | Toxic Substance Control Act |
| KECI | Korea, Existing Chemical Inventory | UVCB | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <= | Less Than or Equal To | WHMIS | Workplace Hazardous Materials Information System |
| LC50 | Lethal Concentration 50% | | |