

# **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: PRODUCT SYNONYM(s): CAS NUMBER: **RECOMMENDED USE:** 

SUPPLIER/MANUFACTURER'S NAME: ADDRESS: **BUSINESS PHONE: EMERGENCY PHONE:** 

Gas Plug Mix #01 Bentonite and Silica Mixture Adsorbent, filter aid, food oil purification **OG INC** 581 lancaster Dr #254 Salem OR 97317 +1 (503) 519 2154 24 HR. EMERGENCY TELEPHONE NUMBERS +1 (503) 519 2154 APR 23, 2019 New

DATE OF PREPARATION: DATE OF LAST REVISION:

# **SECTION 2 - HAZARDS IDENTIFICATION**

### **Classification of the mixture**

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 and WHMIS 2015.

#### Component(s) Contributing to Classification(s) Silica

GHS Label elements, including precautionary statements Pictogram(s):



Signal Word: Danger! GHS Hazard Classification(s):

Carcinogenicity Category 1

Specific Target Organ Toxicity - Repeated Exposure Category 1 (Inhalation)

Hazard Statement(s):

H350: May cause cancer

H372: Causes damage to organs through prolonged or repeated exposure.

## **Prevention Statement(s):**

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P260: Do not breathe dust/fume/gas/mist/vapours/sprav.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

## Response Statement(s):

P308+P313: IF exposed or concerned: Get medical advice/attention.

P314: Get medical advice/attention if you feel unwell.

#### Storage Statement(s):

P405: Store locked up.

#### **Disposal Statement(s):**

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other Hazards

None applicable.





# GasPlug

# SAFETY DATA SHEET

# **SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENTS:	CAS#	WT %	EC #	
SILICA CRYSTALINE	14808-60-7	< 5%	238-878-4	
BENTONITE	1302-78-9	30-40%	215-108-5	
SILICA	7631-86-9	55-65%	231-545-4	

Additional Information: See SECTION 16 for full classification phrases. Exact concentrations are withheld as trade secret.

# SECTION 4 - FIRST-AID MEASURES

## Description of first aid measures

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and SDS to health professional with contaminated individual.

- EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.
- SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.
- INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional

advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

#### Most important symptoms and effects, both acute and delayed

Dust may cause mechanical eye irritation. Contains a chemical which is documented as a cancer hazard.

#### Medical conditions aggravated by exposure:

This material or its emissions may aggravate pre-existing disorders involving any target organs mentioned in this Safety Data Sheet as being at risk.

## Indication of immediate medical attention and special treatment needed

Treat symptoms and reduce over-exposure

# SECTION 5 - FIRE-FIGHTING MEASURES

#### **Extinguishing media**

Water, Dry powder / dry sand, alcohol-resistant foam, dry chemical or CO2.

#### Specific hazards arising from the chemical

None known.

Explosion Sensitivity to Mechanical Impact: Explosion Sensitivity to Static Discharge: Minimum Ignition Energy (M I.E.)

Not Sensitive. Not Sensitive. No Data at this time

#### **Special firefighting Procedure**

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

# SECTION 6 - ACCIDENTAL RELEASE MEASURES

#### Small Spill:

Sweep or vacuum material. Transfer to secondary container to be properly disposed. Large Spill:

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source. Dike area of spill to prevent spreading. Pump liquid to salvage tank. Remaining liquid may be taken up on sand, clay, earth, floor absorbent, or other absorbent material and shoveled into containers. Notify proper authorities that a spill has occurred.



#### **Environmental precautions**

Do not let product enter drains, do not allow to sewers/surface or ground water. See Section 12, Ecological information. **Methods and material for containment and cleaning up** 

Pick up released product with appropriate implements & return to original container if reusable, or dispose. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

## **SECTION 7 - HANDLING and STORAGE**

#### **General Procedures:**

Do not eat, drink or smoke when using this product. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feeding stuffs.

#### Handling:

Avoid dust formation. Provide sufficient air exchange and/or exhaust in work rooms. In case of insufficient ventilation, wear suitable respiratory equipment. For personal protection see section 8. Handle and open container with care. If you require advice on safe handling techniques or specific uses, please contact your supplier or check the further information referred to in section 16.

#### Storage:

Keep only in the original container. Keep containers tightly closed in a cool, well-ventilated place.

#### **Specific end uses**

Adsorbent, filter aid, food oil purification

## **SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION**

## **Control parameters**

#### EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	EC#	ACGIH	OSHA
Silica, crystalline	14808-60-7	238-878-4	0.025 mg/m <sup>3</sup>	0.05 mg/m <sup>3</sup>

PEL-TWA (Inhalation): 10 mg/m3 / (% Silica + 2) respirable 3 0 mg/m3 / (% Silica + 2) total (OSHA) OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 0.05 mg/m3 (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): Ca 0.05 mg/m3 (NIOSH) OSHA Annotated Table Z-1, www.osha.gov ETLV® (Inhalation): 0.025 mg/m3 (resp.) for α-guartz and cristobalite (ACGIH)

Chemical Name	CAS#	EC#
Silica	7631-86-9	231-545-4

PEL-TWA (Inhalation): 20 Million particles per cubic foot (OSHA) Table Z-3 Mineral Dusts.

PEL-TWA (Inhalation): 80mg/m3 / %SiO2 (OSHA) Table Z-3 Mineral Dusts

PEL-TWA (Inhalation): 6 mg/m3 (Total); 3 mg/m3 (Res) (Cal/OSHA)

REL-TWA (Inhalation): 6 mg/m3 (NIOSH)

#### Exposure Controls

Currently, International exposure limits are established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable.

If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Solid (powder) Odorless Not Available Beige powder

EYE PROTECTION: Safety glasses are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

HAND PROTECTION: Use protective gloves as appropriate to minimize skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

BODY PROTECTION: Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to

appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

## **SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES**

Information on basic physical and cl	nemical properties
PHYSICAL STATE:	
ODOR:	
ODOR THRESHOLD (PPM):	
APPEARANCE / COLOR:	Page 3 of 6



pH:

6-7 Not Applicable **MELTING / FREEZING POINT (F°): BOILING POINT (F°):** Not Applicable Not Applicable FLASH POINT (F°): **EVAPORATION RATE (nBuAc = 1):** Not Available FLAMMABILITY (solid, gas): Not Applicable FLAMMABLE LIMITS (in air by volume, %): Not Applicable VAPOR PRESSURE (mmHg): Not Applicable VAPOR DENSITY (AIR=1): Not Applicable Not Available **RELATIVE DENSITY SOLUBILITY IN WATER (%)** 0.9 g/l (at 20 °C) PARTITION COEFFICIENT: N-OCTANOL/WATER: Not Applicable Not Applicable AUTOIGNITION TEMPERATURE: Not Applicable **DECOMPOSITION TEMPERATURE:** Not Applicable VISCOSITY: **EXPLOSIVE PROPERTIES:** Not Applicable **OXIDISING PROPERTIES:** Not Applicable **Other Information** SPECIFIC GRAVITY 4°C: (Water = 1) Not Avaialble 0.5 - 0.7 g/cm3 **DENSITY:** Not Applicable VOC: WEIGHT PER GALLON: Not Applicable

## SECTION 10 - STABILITY and REACTIVITY

Reactivity: No data is available.

Chemical Stability: Product is stable under recommended storage conditions.

Possibility of Hazardous Reactions: No data available.

Conditions to avoid: No data available.

Incompatible materials: Not data available.

Hazardous Decomposition Products: No data available.

# **SECTION 11 - TOXICOLOGICAL INFORMATION**

Information on Toxicological Effects

TOXICITY DATA: LD50 Oral - Rat > 5000 mg/kg

POTENTIAL HEALTH HAZARDS OR RISKS FROM EXPOSURE:

**IRRITANCY OF PRODUCT:** Exposure with this product can be irritating to exposed skin and eyes.

SENSITIZATION OF PRODUCT: This product is not considered a skin sensitizer.

CARCINOGENICITY: Ingredients within this product are found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be, or suspected to be, cancer-causing agents by these agencies.

GERM CELL MUTAGENICITY INFORMATION: This product does not contain components which are documented as Germ Cell Mutagenicity hazards.

REPRODUCTIVE TOXICITY INFORMATION: This product does not contain components which are documented as reproductive hazards.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE: No specific data available for this product. SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE: No specific data available for this product. ASPIRATION HAZARD This product is not anticipated to be an aspiration hazard.

# **SECTION 12 - ECOLOGICAL INFORMATION**

## ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

Toxicity

LC50 - Oncorhynchus mykiss (Rainbow trout) - 8000 - 16,000 mg/l - 96h

EC50 - Daphnia magna (Water flea) - >100 mg/l - 48 h

## Persistence and degradability

No specific data available on this product.



### **Bioaccumulative potential**

No specific data available on this product.

Mobility in soil

No specific data available on this product.

Results of PBT and vPvB assessment

No specific data available on this product.

## Other adverse effects

No specific data available on this product.

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

**PRODUCT DISPOSAL**: Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

**COMMENTS:** The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional/local authority requirements.

## SECTION 14 - TRANSPORTATION INFORMATION

US DOT/IMDG/IATA:

PROPER SHIPPING NAME: Not Regulated HAZARD CLASS NUMBER and DESCRIPTION: N/A **UN IDENTIFICATION NUMBER: N/A** PACKING GROUP: N/A DOT LABEL(S) REQUIRED: N/A NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2016): N/A MARINE POLLUTANT: Ingredients are not classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B) **SECTION 15 - REGULATORY INFORMATION** Safety, health and environmental regulations/legislation specific for the substance or mixture UNITED STATES REGULATIONS SARA REPORTING REQUIREMENTS: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act. TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals. SARA 311/312: Acute Health: Yes Chronic Health: No Yes Fire: Reactivity: No U.S. CERCLA REPORTABLE QUANTITY (RQ): CERCLA Reportable Quantity RQ: None **CLEAN WATER ACT:** None of the chemicals in this product are listed as Hazardous Substances under the CWA. STATE REGULATIONS: None. CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):

WARNING! This product can expose you to Quartz, which is known to the State of California to be a to cause cancer. For more information, go to WWW.P65Warning.ca.gov.

#### **CANADIAN REGULATIONS:**

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** This product is categorized as per WHMIS 2015 Controlled Product Regulations.




# **SECTION 16 - OTHER INFORMATION**

HMIS RATING

HEALTH	2	
FLAMMABILITY	0	Į
PHYSICAL HAZARD	0	
PERSONAL PROTECTION	X	

NFPA RATING



Caution: HMIS and NFPA ratings are based on a 0-4 rating scale 0= Minimal Hazard, 1= Slight, 2= Moderate, 3= High, 4= Extreme

### **GENERAL STATEMENTS:**

Key or Legend to abbreviations and acronyms

AIHA - American Industrial Hygiene Association ACGIH - American Conference of Governmental Industrial Hygienists CASRN - Chemical Abstract Services Registry Number - Code of Federal Regulations CFR D.O.T. - United States Department of Transportation - International Agency for Research on Cancer IARC - Occupational Safety and Health Administration OSHA - National Institute for Occupational Safety and Health NIOSH NTP - National Toxicology Program PPM - Parts per million mg/m3 - milligram per cubic meter kilogram kg - Liter L or I - not otherwise specified n.o.s. - Pounds Lbs. mm2/s - millimeters squared per second PMCC - Pensky-Martens Closed Cup - Lethal Concentration 50 (concentration in water having a 50% chance of causing death to aquatic life) LC50 - Effective Concentration that causes 50% inhibition in growth or mobilization EC50 OECD - Organization for Economic Cooperation and Development SOCMI - Synthetic Organic Chemical Manufacturing Industry VOC Volatile Organic Compound

## PREPARED BY Caleb Mata

MSDS to GHS Compliance (www.msdstoghs.com)

**Disclaimer:** Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for her/his particular purpose(s).

END OF SDS

