

SAFETY DATA SHEET

1. Identification

Product Name: Pineapple Express - Enhanced Terpene Blend
Product Code:
Use: Flavours

Address: BVV
 1251 Frontenac Rd. Ste 150
 Naperville IL 60563
Phone: (331) 281-0154
Email: support@shopbvv.com

CHEMTEL: (800) 255-3924

2. Hazard(s) Identification

GHS Classification

Flammable Liquid, Hazard Category 3
 Skin Corrosion/Irritation Category 2
 Eye Damage/Irritation Category 2
 Sensitization- Skin Category 1
 Aspiration Hazard Category 1
 Hazardous to the Aquatic Environment- Acute Hazard Category 1
 Hazardous to the Aquatic Environment- Long-term Hazard Category 1

Pictogram



Signal Word

Danger

Hazard Statement

H226: Flammable liquid and vapour.
H304: May be fatal if swallowed and enters airways.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H410: Very toxic to aquatic life long lasting effects.

Precautionary

P210 Keep away from heat, sparks, open flames and hot surfaces. -No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical, ventilating and lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing vapour or dust.
P264 Wash hands and other contacted skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.

P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue to rinsing.
P331	Do not induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collection spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.

Hazards Not Otherwise Classified:

None

3. Composition/Information On Ingredients

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
Myrcene	123-35-1	204-622-5		10-20%	FL 3-SCI 2-EDI 2-AH 1; H226-H304-H315-H319
Terpinolene	586-62-9	209-578-0		10-20%	SS 1B-AH 1-EH C1; H304-H317-H410
Beta-Caryophyllene	87-44-5	201-746-1		10-20%	AH 1; H304
D-Limonene	5989-27-5	227-813-5		10-20%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1; H226-H304-H315-H317-H410
Linalool	78-70-6	201-134-4		10-20%	SCI 2-EDI 2; H315-H319
3, 7-Dimethyl-1,3,6-octatriene	13877-91-3	237-641-2		1-5%	FL 3-AH 1; H266-H304
Benzyl Alcohol	100-51-6	202-859-9		1-10%	ATO 4-ATI 4-EDI 2; H302-H319-H332
Valencene	4630-07-3	225-047-6		1-10%	AH 1; H304
Alpha-Pinene	80-56-8	201-291-9		1-10%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1; H226-H304-H315-H317-H410
Beta-Pinene	127-91-3	204-872-5		1-10%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1; H226-H304-H315-H317-H410

Substance with community workplace exposure limits:

Name	CAS	EC	%
Ethyl Acetate	141-78-6	205-500-4	<0.1%

4. First-aid Measures

In Case of Skin Contact:

Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

In Case of Eye Contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

If Swallowed:

Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects, Both Acute and Delayed:

May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause an allergic reaction.
Causes serious eye irritation.

Indications of Any Immediate Medical Attention and Special Treatment Needed:

None expected.

5. Fire-fighting Measures

Extinguishing Media:

Carbon dioxide, Dry chemical, Foam.

Special Hazards:

Carbon monoxide, Unidentified organic compounds.

Advice for Firefighters

In case of insufficient ventilation, wear suitable respiratory equipment.

6. Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8

Environmental Precautions:

Keep away from drains, surface and ground water, and soil.

Methods and Materials for Containment and Clean Up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours.
Contain spillage immediately by use of sand or inert power. Dispose of according to local regulations.

7. Handling and Storage

Safe Handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Do not eat, drink or smoke when using the product.

Safe Storage:

Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Specific End Use(s):

Flavours: Use in accordance with good manufacturing and industrial hygiene practices.

8. Exposure Controls/Personal Protection

Name	CAS	EC	Description	Value
Ethyl Acetate	141-78-6	205-500-4	UK WEL Long Term PPM	200
			UK WEL Short Term PPM	400

Eye/Skin Protection:

Wear protective gloves/eye protection/face protection.

Respiratory Protection:

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

9. Physical and Chemical Properties

Appearance:	Not determined
Odour:	Not determined
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	Not determined
Flash point:	42 °C
Evaporation rate:	Not determined
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	Not determined
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined

Explosive properties:	Not expected
Oxidising properties:	Not expected

10. Stability and Reactivity

Reactivity:	Presents no significant reactivity hazard, by itself or in contact with water.
Chemical Stability:	Good stability under normal storage conditions.
Possibility of Hazardous Reactions:	Not expected under normal conditions of use.
Conditions to Avoid:	Avoid extreme heat.
Incompatible Materials:	Avoid contact with strong acids, alkalis or oxidising agents.
Hazardous Decomposition Products:	Not expected.

11. Toxicological Information

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).		
Name:	CAS:	EC:
Benzyl Alcohol	100-51-6	202-859-9
LD50/ATE Oral: 1620		
LD50/ATE Inhalation: 11		
LD50/ATE Dermal: 2500		
LD50 Route: Vapour		
Acute Toxicity:	Acute Toxicity - Oral Category 4	
Acute Toxicity Oral	>5000	
Acute Toxicity Dermal	>5000	
Acute Toxicity Inhalation	Not Available	
Skin corrosion/irritation:	Skin Corrosion / Irritation Category 2	
Serious eye damage/irritation:	Eye Damage / Irritation Category 2	
Respiratory or skin sensitisation:	Sensitization - Skin Category 1	
Germ cell mutagenicity:	Based on available data the classification criteria are not met.	
Carcinogenicity:	Based on available data the classification criteria are not met.	
Reproductive toxicity:	Based on available data the classification criteria are not met.	
STOT-single exposure:	Based on available data the classification criteria are not met.	
STOT-repeated exposure:	Based on available data the classification criteria are not met.	
Aspiration hazard:	Aspiration Hazard Category 1	

12. Ecological Information

Name	CAS	Toxicity
Benzyl Alcohol	100-51-6	Very toxic to aquatic life with long lasting effects.
Toxicity:		Very toxic to aquatic life with long lasting effects.

Persistence and degradability:	Not available
Bioaccumulative potential:	Not available
Mobility in soil:	Not available
Results of PBT and vPvB assessment:	This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.
Other adverse effects:	Not available

13. Disposal Considerations

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transportation Information

Proper Shipping Name:	EXTRACTS, FLAVOURING, LIQUID
Hazard Class	3
Identification Number:	UN1197
Packing Group:	III
Ship:	UN1197 EXTRACTS, FLAVOURING, LIQUID CLASS 3 PG III
Environmental hazards:	This is an environmentally hazardous substance.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

None additional

Chemical Safety Assessment:

A Chemical Safety Assessment has not been carried out for this product.

16. Other Information, Including Date of Preparation or Last Revision

SDS Date:	1/1/2020
Concentration % Limits:	EH A1=62.50% EH C1=62.50% EH C2=6.25% EH C3=0.62500000% EH C4=62.50% SCI 2=18.21% EDI 2=28.65% SS 1=6.67% AH 1=12.50%
Total Fractional Values:	EH A1=1.60 EH C1=1.60 EH C2=16.00 EH C3=160.00 EH C4=1.60 SCI 2=5.49 EDI 2=3.49 SS 1=15.00 AH 1=8.00

Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof. BVV,

however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will BVV be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY BVV HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof. This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.