



# BVV Space Saver Mobile Oven Cart With 3 ECO Ovens and 1 Pump



# BVV Space Saver Mobile Oven Cart With 3 ECO Ovens and 1 Pump

(\*\*NOTE: We Recommend taping all NPT threads to minimize vacuum loss.)

## Instructions

### I. KF-25 Extension to Pump

- a. Assemble the KF-25 extension using the parts shown below.
  - i. (In order left to right: 1/2" Pipe Nipple, 1/2" Reducer Bushing, 1/2" Reducer Bushing, 1/2" Female NPT to KF-25 adapter)




Image 1: KF-25 Extension Fittings



- b. Once the KF-25 Extension is assembled, replace the preinstalled tee fitting on the pump with the KF-25 Extension.
  - i. The tee fitting on the pump may be tight and can be difficult to take off.





Image 2: KF-25 Extension Next to Tee Fitting





**II. KF-25 Cross Fittings**

- a. Assemble the rest of the fittings using the Appendix Image A.



*Image 3: Fully Assembled KF-25 Cross*

- b. Attach the purple HVAC hoses to the 1/4" JIC ports from the KF-25 adapter and plug the other end of the hose to the back of the ECO Ovens.



### III. HVAC Hose Extension

- a. If the Hose isn't long enough to attach to the ovens, the 1/4" JIC Union fitting can be used to join two hoses together.




Image 4: 1/4" JIC Union Fitting with Two HVAC Hoses





## Appendix



Image A: KF-25 Cross Disassembled



