

Date:

05/08/2018

Product Code:

**BVV-PN-WC** 

### **SAFETY DATA SHEET**

| 4        |    |          |     |    | . • |                     |   |
|----------|----|----------|-----|----|-----|---------------------|---|
| 1.       |    | $\Delta$ | nti | ヘコ | +1  | $\boldsymbol{\cap}$ | n |
| <b>-</b> | ıu | C        |     | La | u   | u                   |   |

**Product Name:** Wedding Cake Terpenes

Product Code: BVV-PN-WC

SDS Date: 05/08/2018

BVV

Address: 1251 Frontenac Rd. Ste 150

Naperville IL 60563

**Phone:** (331) 281-0154

**CHEMTEL:** (800) 255-3924

# 2. Hazard(s) Identification

### 2.1 Classification of the Substance or mixture

Class and category of danger

Flammable Liquid Hazard Category 3

Acute Toxicity Oral Category 4

**Skin corrosion** Irritation Category 2

Eye Damage Irritation Category 2

Sensitization Skin Category 1

Hazardous to the

Aquatic Environment Acute Hazard Category 1

Hazardous to the Long-term Hazard Category 1

Aquatic Environment

Aspiration Hazards Category 1

| H226 | Flammable liquid and vapour.                          |
|------|---|
| H302 | Harmful if swallowed.                                 |
| H304 | May be fatal if swallowed and enters airways.         |
| H315 | Causes skin irritation.                               |
| H317 | May cause an allergic skin reaction.                  |
| H319 | Causes serious eye irritation.                        |
| H410 | Very toxic to aquatic life with long lasting effects. |

### **Pictogram**









### **Signal Word**

### Danger

#### **Hazard Statement:**

H226, Flammable liquid and vapour

H302, Harmful if swallowed.

H304, May be fatal if swallowed and enters airways.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction

H319, Causes serious eye irritation.

H410, Very toxic to aquatic life with long lasting effects.

#### Other Hazards:

#### None

# Supplemental Information:

### None

# Precautionary statements:

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233, Keep container tightly closed.

P240, Ground/bond container and receiving equipment.

P241, Use explosion-proof electrical, ventilating and lighting equipment.

P242, Use only non-sparking tools.

P243, Take precautionary measures against static discharge.

P264, Wash hands and other contacted skin thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection

P301/310, IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P304/340, IF INHALED: Remove victim to fresh air and keep at rest in a position

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330, Rinse mouth.

P331, Do not induce vomiting

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/233/235, Store in a well-ventilated place. Keep container tightly closed. Keep

P405, Store locked up.

P501, Dispose of contents/container to approved disposal site, in accordance with

# 3. Composition/Information on Ingredients

#### 3.2 Mixtures

#### **Contains:**

| Name    | CAS      | EC        | REACH<br>Registration No. | %      | Classification for<br>Name CAS EC REACH<br>Registration No. %<br>(CLP) 1272/2008 |
|---------|----------|-----------|---------------------------|--------|--|
| Myrcene | 123-35-3 | 204-622-5 |                           | 30-50% | FL 3-SCI 2-EDI 2-AH 1;<br>H226-H304-H315-<br>H319,-                              |

| Terpinolene        | 586-62-9  | 209-578-0 | 20-30% | SS 1B-AH 1-EH A1-EH<br>C1;H304-H317-<br>H410,-                          |
|--------------------|-----------|-----------|--------|---|
| cis-beta-Ocimene   | 3338-55-4 | 222-081-3 | 10-20% | FL 3-AH 1;H226-H304   |
| d-Limonene         | 5989-27-5 | 227-813-5 | 10-20% | FL 3-SCI 2-SS 1B-AH<br>1-EH A1-EH C1;H226-<br>H304-H315-H317-<br>H410,- |
| alpha-Pinene       | 80-56-8   | 201-291-9 | 1-10%  | FL 3-SCI 2-SS 1B-AH<br>1-EH A1-EH C1;H226-<br>H304-H315-H317-<br>H410   |
| beta-Caryophyllene | 87-44-5   | 201-746-1 | 1-10%  | AH 1;H304,-   |
| beta-Pinene        | 127-91-3  | 204-872-5 | 1-10%  | FL 3-SCI 2-SS 1B-AH<br>1-EH A1-EH C1;H226-<br>H304-H315-H317-<br>H410,- |

**Substances with Community workplace exposure limits:** 

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

### 4. First-aid Measures

### 4.1 Description of first aid measures:

In Case of Skin (or hair) Contact:

Remove/take off immediately all contaminated clothing.
Rinse skin with water/shower

In Case of Eye Contact: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue

rinsing.

**If Swallowed:** Immediately call a POISON CENTER or doctor/physician.

### 4.2 Most Important Symptoms and Effects, Both Acute and delayed:

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

### 4.3 Indications of Any Immediate Medical Attention and Special Treatment

None expected, see Section 4.1 for further information.

### 5. Fire-fighting Measures

**5.1 Extinguishing media** Suitable media: Carbon dioxide, Dry chemical, Foam.

**5.2 Special Hazards:** In case of fire, may be liberated: Carbon monoxide,

**Unidentified organic Compounds** 

**5.3 Special Firefighting** 

**Procedure:** 

In case of insufficient ventilation, wear suitable respiratory equipment.

### 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

**6.2 Environmental precautions:** 

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

### 7. Handling and Storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Flavours: Use in accordance with good manufacturing and industrial

### 8. Exposure Controls/Personal Protection

**8.1 Control parameters** 

Workplace exposure limits: Not Applicable

**Eye/Face Protection:** 

Wear protective gloves/eye protection/face protection

**Respiratory Protection:** 

Ensure adequate and ongoing ventilation is maintained in order to prevent buildup of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

## 9. Physical and Chemical Properties

| Appearance: | Not determined |  |  |
|-------------|----------------|--|--|
| Odor:       | Not determined |  |  |

**Odor Threshold:** Not determined pH: Not determined Melting point / freezing Not determined **Initial boiling point / range:** Not determined 32 °C Flash point: **Evaporation rate:** Not determined Flammability (solid, gas): Not determined **Upper Explosion Limit:** Product does not present an explosion hazard **Lower Explosion Limit:** Product does not present an explosion hazard **Vapor Pressure:** Not determined **Vapor Density:** Not determined **Explosive properties:** Not expected **Oxidising properties:** Not expected **Partition Coefficient:** Not determined **Auto Ignition Temp:** Not determined **Decomposition Temp:** Not determined Viscosity: Not determined

### 9.2 Other information:

None available

## 10. Stability and Reactivity

Presents no significant reactivity hazard, by itself or in Reactivity: contact with water

**Chemical Stability:** Good stability under normal storage conditions.

**Possibility of Hazardous** 

Not expected under normal conditions of use. Reactions:

Conditions to Avoid: Avoid extreme heat.

**Incompatible Materials:** Avoid contact with strong acids, alkalis or oxidizing

agents.

**Hazardous Decomposition** 

**Products:** 

Not expected.

## 11. Toxicological Information

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Acute Toxicity - Oral Category 4

Acute Toxicity Oral >5000

Acute Toxicity Dermal Not Applicable

Acute Toxicity Inhalation Not Applicable

**Skin Corrosion/Irritation:** Skin Corrosion / Irritation Category 2

**Serious eye damage/irritation:** Eye Damage / Irritation Category 2

**Respiratory or skin sensitisation:** Sensitization - Skin Category 1

**Germ cell mutagenicity:**Based on available data the classification criteria are not met

**Carcinogenicity:**Based on available data the classification criteria are not met

**Reproductive toxicity:**Based on available data the classification criteria are not met

STOT-single exposure: Specific Target Organ Toxicity (Single Exposure) Category 3

**STOT-repeated exposure:** Based on available data the classification criteria are not met.

Aspiration hazard: Aspiration Hazard Category 1

Information about hazardous ingredients in the mixture

Not Applicable

### 12. Ecological Information

12.1 Toxicity:

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

**12.4 Mobility in soil:** Not available

12.5 Results of PBT and vPvB

This substance does not meet the PBT/vPvB criteria of

REACH, annex XIII.

**12.6 Other adverse effects:** Not available

## 13. Disposal Considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transportation Information

| 14.1 UN number: | UN1197 |
|-----------------|--------|
|-----------------|--------|

14.2 UN Proper Shipping Name: EXTRACTS, FLAVOURING, LIQUID

14.3 Transport hazard class(es): 3

14.4. Packing Group: |||

**14.5 Environmental hazards:** This is an environmentally hazardous substance.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not Applicable

### 15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### 16. Other Information

**Concentration % Limits:** EH A1=52.08% EH C1=52.08% EH C2=5.21% EH C3=0.52083333% EH

C4=52.08% SCI 2=17.86% EDI 2=32.26% SS 1=4.35% AH 1=10.00%

Concentration % Limits: EH A1=1.92 EH C1=1.92 EH C2=19.20 EH C3=192.00 EH C4=1.92 SCI

2=5.60 EDI 2=3.10 SS 1=23.00 AH 1=10.00

**SDS Date:** 02/06/2018

Key to revisions: Not available

#### Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof. BVV, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will BVV be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY BVV HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof. This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.