

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier**Product Name:** HALO ACRYLIC LIQUID**Product Code:** N3304-05-06-07**1.2 Relevant identified uses of the substance or mixture and uses advised against****Use of substance / mixture:****1.3 Details of the supplier of the safety data sheet****Company Name:** Pure NailsUnit 10 Saracen Close
Gillingham Business Park
Gillingham, Kent
ME8 0QN**Telephone:** 01634 671122**Website:** www.purenails.co**E-mail:** marketing@purenails.co**1.4 Emergency telephone number**

01634 671122

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture**Classification under CLP:** STOT SE 3: H335; Eye Irrit. 2: H319; Flam. Liq. 2: H225; Skin Irrit. 2: H315; Skin Sens. 1: H317**Most important adverse effects:** Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation.**2.2 Label Elements****Label elements:****Hazard statements:** H225: Highly flammable liquid and vapour.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H335: May cause respiratory irritation.**Hazard pictograms:** GHS02: Flame
GHS07: Exclamation mark**Signal words:** Danger**Precautionary statements:** P280: Wear protective gloves/protective clothing/eye protection/face

protection.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see instruction on this label).

2.3 Other Hazards**Other hazards:** In use, may form flammable / explosive vapour-air mixture.**PBT:** This product is not identified as a PBT/vPvB substance.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

NDA

3.2 Mixtures**Hazardous ingredients:**

ETHYL METHACRYLATE

EINECS	CAS	PBT/WEL	CLP Classification	Percent
202-597-5	97-63-2	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Skin Sens. 1: H317	>75%

HYDROXY PROPYL METHACRYLATE

248-666-3	27813-02-1	-	Eye Irrit. 2: H319; Skin Sens. 1: H317	10-25%
-----------	------------	---	--	--------

GLYCEROL DIMETHACRYLATE

-	1830-78-0	-	STOT SE 3: H335; Eye Irrit. 2: H319; Skin Irrit. 2: H315	1-5%
---	-----------	---	--	------

TETRA ETHYLENE GLYCOL DIMETHACRYLATE

-	109-17-1	-	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; STOT SE 3: H335	1-5%
---	----------	---	--	------

N,N-DIMETHYL-P-TOLUIDINE – REACH registered number(s): 01-2119956633-31-0000

202-805-4	99-97-8	-	Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT RE 2: H373; Aquatic Chronic 3: H412	1-5%
-----------	---------	---	--	------

DIPENTAERYTHRITYL HEXAACRYLATE

1. -	TRADE SECRET	-	Eye Irrit. 2: H319; Skin Sens. 1B: H317; Aquatic Chronic 3: H412	0.1-1%
------	--------------	---	--	--------

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.**4.2 Most important symptoms and effects both acute and delayed****Skin contact:** There may be irritation and redness at the site of contact.**Eye contact:** There may be irritation and redness. The eyes may water profusely.**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.**4.3 Indication of any immediate medical attention and special treatment needed****Immediate / special treatment:** Not applicable.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Extinguishing media: Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers

5.2 Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. Vapour may travel considerable distance to source of ignition and flash back.

5.3 Advice for firefighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition

6.2 Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3 Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4 Reference to other sections

Refer to section 8 of SDS.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from direct sunlight. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

7.3 Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters****Hazardous ingredients:**

ETHYL METHACRYLATE

Workplace exposure limits:

Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	250 mg/m ³	-	-	-

DNEL/PNEC

No data available

8.2 Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and

electrical equipment are not a source of ignition.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on physical and chemical properties

State: Liquid

Colour: Various

Odour: Characteristic odour

Evaporation rate: Fast

Solubility in water: Slightly soluble

Viscosity: Non-viscous

Boiling point/range°C: 200

Flash point°C: 16.0

Relative density: 0.96

9.2 Other information

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under recommended transport or storage conditions.

10.2 Chemical stability

Stable under normal conditions. Stable at room temperature.

10.3 Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below. Polymerisation may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid

Direct sunlight. Heat. Hot surfaces. Sources of ignition. Flames.

10.5 Incompatible materials

Strong oxidising agents. Strong acids.

10.6 Hazardous decomposition products

In combustion emits toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Hazardous ingredients:

ETHYL METHACRYLATE

IPR	RAT	LD50	1223	mg/kg
ORL	MUS	LD50	7836	mg/kg
ORL	RAT	LD50	14800	mg/kg

HYDROXY PROPYL METHACRYLATE

ORL	RAT	LD50	11600	mg/kg
-----	-----	------	-------	-------

GLYCEROL DIMETHACRYLATE

ORAL	RAT	OECD423	>2000	mg/kg
------	-----	---------	-------	-------

TETRA ETHYLENE GLYCOL DIMETHACRYLATE

ORAL	RAT	LD50	10837	mg/kg
------	-----	------	-------	-------

N,N-DIMETHYL-P-TOLUIDINE

IPR	MUS	LD50	212	mg/kg
-----	-----	------	-----	-------

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-single exposure	INH	Hazardous: calculated

Symptoms/routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity****Hazardous ingredients:**

HYDROXY PROPYL METHACRYLATE

GOLDEN IDE	48H EC50	493	mg/l
------------	----------	-----	------

GLYCEROL DIMETHACRYLATE

FISH	96H LC50	43.2	mg/l
------	----------	------	------

N,N-DIMETHYL-P-TOLUIDINE

Daphnia magna	48H LC50	15.259	mg/l
Fish Pimephales promelas	96H LC50	46	mg/l

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

No bioaccumulation potential

12.4 Mobility in soil

Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance

12.6 Other adverse effects

Harmful to aquatic organisms.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14: TRANSPORT INFORMATION**14.1 UN Number**

UN1993

14.2 UN Proper Shipping Name

Shipping name: FLAMMABLE LIQUID, N.O.S.

(ETHYL METHACRYLATE MONOMER, HYDROXY PROPYL METHACRYLATE MIXTURE)

14.3 Transport hazard class(es)

3

14.4 Packing group

II

14.5 Environmental Hazards**Environmentally hazardous:** No**Marine pollutant:** No**14.6 Special precautions for user**

No special precautions.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

NDA

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

NDA

15.2 Chemical safety assessment

NDA

SECTION 16: OTHER INFORMATION

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.
H301: Toxic if swallowed.
H311: Toxic in contact with skin.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H331: Toxic if inhaled.
H335: May cause respiratory irritation.
H373: May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H412: Harmful to aquatic life with long lasting effects.

Disclaimer/Statement of Liability:

All information appearing herein is based upon data obtained from the manufacturers and/or recognised technical sources. While the information is believed to be accurate, Pure Nails, makes no representation as to its accuracy or sufficiency. Judgement as to the suitability of information herein for purchasers purposes are necessarily purchasers responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Pure Nails, extends no warranties, makes no representations or assumes no responsibility as to accuracy or suitability of such information for application to purchasers intended purpose or for consequences of its use.