

HuaKe

SHENZHEN HUAKE LIGHT ELECTRONICS CO., LTD.



Tel.: +86-755 8306 6884

Email: info@ledlightsworld.com

Website: <http://www.ledlightsworld.com>

Mob./Wechat/Whatsapp: +86-189 26556539

Add.: 5F/1#, ChaXi SanWei Industrial Zone, GuShu, XiXiang, BaoAn,
ShenZhen, 518126, GuangDong, China.

INDOOR LIGHTING

室内照明



High CRI > Ra80
高显色护眼光源



High lumen > 140LM/Watt
高亮高流明




Patented Design
专利产品设计



30000Hours Life time
5年超长质保



Smart lighting system
智能云控制



天猫精灵
TMALL GENIE



amazon alexa



works with the
Google Assistant



Air Surface Mounting Ceiling Light

天际LED吸顶灯



AIR SURFACE MOUNTING CEILING LIGHT

天际LED吸顶灯

Model 型号	Size 尺寸	Power 功率	Lumen 通光量	CCT 色温	LED Brand 灯珠品牌	IP Rate 防护等级
LV180	Φ180*24MM	12Watt	1400-1600LM	2800K \ 5000K \ 2800+5000K	Philips\Epistar	IP40/IP44
LV230	Φ230*24MM	18Watt	2100-2300LM	2800K \ 5000K \ 2800+5000K	Philips\Epistar	IP40/IP44
LV300	Φ300*24MM	24Watt	3050-3200LM	2800K \ 5000K \ 2800+5000K	Philips\Epistar	IP40/IP44
LV480	Φ480*24MM	36Watt	4300-4500LM	2800K \ 5000K \ 2800+5000K	Philips\Epistar	IP40/IP44
LV600	Φ600*24MM	45Watt	5400-5600LM	2800K \ 5000K \ 2800+5000K	Philips\Epistar	IP40/IP44



天猫精灵
TMALL GENIE



amazon alexa



works with the
Google Assistant



Web

www.ledlightsworld.com



Tel

+86-755 8306 6884



Wechat

18926556539



E-mail

info@ledlightsworld.com

Surface Mounting Ceiling Light-Microwave

微波感应超薄LED吸顶灯



SURFACE MOUNTING CEILING LIGHT-MICROWARE

微波感应超薄LED吸顶灯

Model 型号	Size 尺寸	Power 功率
LV180	Φ180*24MM	12Watt
LV230	Φ230*24MM	18Watt
LV300	Φ300*24MM	24Watt

Lumen 通光量	CCT 色温	CRI 显色指数
1400-1600LM	2800K \ 5000K	>Ra80
2100-2300LM	2800K \ 5000K	>Ra80
2700-2900LM	2800K \ 5000K	>Ra80

LED Brand 灯珠品牌	Beam Angle 发光角度	IP Rate 防护等级
Philips\Epistar	120°	IP40\IP44
Philips\Epistar	120°	IP40\IP44
Philips\Epistar	120°	IP40\IP44



Web

www.ledlightsworld.com



Tel

+86-755 8306 6884



Wechat

18926556539



E-mail

info@ledlightsworld.com

Surface Ceiling Light-CCT

天际超薄LED吸顶灯-调色系列



SURFACE CEILING LIGHT-CCT

天际超薄LED吸顶灯-调色系列

开关调色\拨码调色

CCT adjust by Button or Switch

Model 型号	Size 尺寸	Power 功率	Lumen 通光量	CCT 色温	Beam Angle 发光角度	LED Brand 灯珠品牌	IP Rate 防护等级
LV180C	Φ180*24MM	12Watt	1400-1600LM	2800K \ 5000K	120°	Philips\Epistar	IP40/IP44
LV230C	Φ230*24MM	18Watt	2100-2300LM	2800K \ 5000K	120°	Philips\Epistar	IP40/IP44
LV300C	Φ300*24MM	24Watt	3050-3200LM	2800K \ 5000K	120°	Philips\Epistar	IP40/IP44
LV480C	Φ480*24MM	36Watt	4300-4500LM	2800K \ 5000K	120°	Philips\Epistar	IP40/IP44
LV600C	Φ600*24MM	45Watt	5400-5600LM	2800K \ 5000K	120°	Philips\Epistar	IP40/IP44



Web

www.ledlightsworld.com



Tel

+86-755 8306 6884



Wechat

18926556539



E-mail

info@ledlightsworld.com

Surface Ceiling Light-Triac Dimmer

天际超薄LED吸顶灯-可控硅调光系列




SURFACE CEILING LIGHT-TRIAC DIMMER

天际超薄LED吸顶灯-可控硅调光系列

Model 型号	Size 尺寸	Power 功率	Lumen 通光量	CCT 色温	Beam Angle 发光角度	LED Brand 灯珠品牌	IP Rate 防护等级
LV180T	Φ180*24MM	12Watt	1400-1600LM	2800K \ 5000K	120°	Philips\Epistar	IP40/IP44
LV230T	Φ230*24MM	18Watt	2100-2300LM	2800K \ 5000K	120°	Philips\Epistar	IP40/IP44
LV300T	Φ300*24MM	24Watt	3050-3200LM	2800K \ 5000K	120°	Philips\Epistar	IP40/IP44
LV480T	Φ480*24MM	36Watt	4300-4500LM	2800K \ 5000K	120°	Philips\Epistar	IP40/IP44
LV600T	Φ600*24MM	45Watt	5400-5600LM	2800K \ 5000K	120°	Philips\Epistar	IP40/IP44

TRIAC Dimmer

SURFACE CEILING LIGHT



Web
www.ledlightsworld.com

Tel
+86-755 8306 6884

Wechat
18926556539

E-mail
info@ledlightsworld.com