

Software Manual

Download and Install App


Search APP name “Tuya Smart” in your Google play or Android APP store, to Download and install the App

Register/Login/Forget password

Register: Register your account to the following tips before using at the first time. If you have an account, please enter the password to login directly.

Login: Input the correct account number and password to login.

Forget your password: You can enter the login page to retrieve your password.



Add Device-EasyConfig mode


In the main application page,click on the top right corner "+" to next window page and then choose Lighting,as shown below.

In normal mode,please confirm that the device red light is quickly blink and then into the next step.

Note:

If the light is not flash, please power on your device, and then power off (repeat 3 times) .

If add the device in Normal mode fails many times,please go to Add Device-AP mode



← Add Device

Enter Wi-Fi Password

Only support 2.4GHz Wi-Fi network

📶 wendinglife1688 [Change Network](#)

🔒 Password

Confirm

← Add Device

Connecting...

Place your router, mobile phone, and device as close as possible



- Device found
- Register Device to Smart Cloud
- Initializing device...

← Add Device

Device added successfully

 LED Strip Light 

Living Roo...

Done

Add Device-AP mode




In the main application page,click on the top right corner "+" to next window page and then choose Lighting,as shown below.

In normal mode, click on the top right corner "AP Mode" to AP Mode window page.

In AP Mode,please confirm that the device red light is slowly blink and then into the next step.


Note:

If the light in quickly blink,just power on your device, and then power off (repeat 3 times) ,util the red light will slowly blink.



Connect your mobile phone to the device's hotspot

1. Connect the phone to the hotspot shown below.



Go to Connect

Enter Wi-Fi Password

Only support 2.4GHz Wi-Fi network

wendinglife1688 [Change Network](#)

3221353000

Confirm

Add Device

Power on the light and confirm that light blinks slowly



Help

Confirm light slowly blink

WLAN

WLAN 

WLAN+ On >
Enhanced Internet experience

AVAILABLE NETWORKS


- SmartLife-2CB9** 
Connected
- wendinglife1688 
Saved, encrypted (good quality)
- TP-LINK_5G_6402 
Encrypted
- TP-LINK_6402 
Encrypted
- ChinaNet-Lf9j 
Encrypted (WPS available)
- Tenda_F20BC0 
Encrypted

 Scan  WLAN Direct  Configure  More

AP Mode

Connecting...

Place your router, mobile phone, and device as close as possible





3%

- Device found
- Register Device to Smart Cloud
- Initializing device...

AP Mode

Device added successfully

 LED Strip Light 

Living Roo...

Done



Control device

After successfully connecting the devices, the related smart device will be shown on the home page. Tap to enter its control page

Note:

when device is online, it supports quick operations

when device is offline, it displays "Offline". and can not be controlled.






LED Strip Light Sync to Music Function




Enter music mode and play music with any device, and the led strip light will sync to music




Note:

The volume of mobile phone is relatively small, it's better to use Bluetooth audio




Click Edit in the top right corner to enter custom scene
Breath and Static music mode is suitable for light music
Flash music mode is suitable for fast rhythm music
You can add/delete/modify the color displayed and change the speed of color switching
If you are not satisfied, you can reset the settings






Works with Amazon Alexa



Works with Google Assistant





FAQ

1.How to reset the controller?

power on your device, and then power off (repeat 3 times)

(Each time you turn on your device, wait about 2 seconds and then turn off)

2.How to get more help?



Attentions

Please use the product in a dry environment.

Please use the input voltage at 4.5-25V DC voltage, must not connect into 220V AC directly.

The product is requested common anode connection. The wrong connection will cause a malfunction.

In the process of the product and software upgrade, the data and software interface listed in the text are only for description and reference. No further notify will given if there is any change.