# HuaKe



LED MODULES
Flexible IP65 Rated

Outdoor

#### ABOUT

#### US

HUAKE LED is a professional LED display manufacturer with more than 14 Year's experience in developing and producing led display, and provide various of LED solution for global account, distributors, and international partners of ours. We always commit to provide the best LED screen display, not just the completed led panel, but the high-quality LED components provided, even more focusing on the practical and high quality, it's so easy to work with your customized led screens. HUAKE LED displays will be always your first choice.



































#### With Magnets support front and back maintenace

Up to 4500nits, Pixel Options: P2.5, P3.2, P4, P5, P8










## Special Wateprroof Designs of Shields at Interfaces



Interfaces Protection Guiding Waterproof



## The LED Panel supports for making Concave and Convex Shape LED Display

It be able to bend inward and outward in around 16odegree, ideal for making curved, cylinder shape LED screen






## With bulit-in screw holes for magnets

It can be installed by sticking metal stucture support front maintence



Magnets and Screws Past Salt Spray Anti-Corrision Test



#### With silicon gaskets carrying the LED panel

it enhance the entire eveness for final LED display





### **Application Scenarios**



**Outdoor LED Curved Special Designed Display** 



Outdoor LED Column Cyliner Display Outdoor LED Concave or Convex Screen



#### **WF Series Flexible Outdoor LED Modules**

#### Silicon Base Flexible LED Panel / LED Display Modules



SKU	Pixel Pitch	Module Dimension	Module Resolution	ModulePixel	Scan	Pixel Density	View Distance	LED	Brightness	Watt	IP Grade
M-WF2.5L	2.5mm	320x160mm	128x64	8192dots	24S	140,019 dots/m <sup>2</sup>	>2.5m	SMD1921	4500nits	40	IP65
M-WF3.2	3mm	256x128mm	80x40	3200dots	20S	97,656 dots/m <sup>2</sup>	>3m	SMD1921	4500nits	25	IP65
M-WF4L	4mm	320x160mm	80x40	3200dots	16S	62,500 dots/m <sup>2</sup>	>4m	SMD1921	4500nits	30	IP65
M-WF5L	5mm	320x160mm	64x32	2048dots	16S	40,000 dots/m <sup>2</sup>	>5m	SMD1921	4500nits	20	IP65
M-WF8	8mm	256x128mm	32x16	512dots	8S	15,625 dots/m <sup>2</sup>	>8m	SMD3535	4500nits	15	IP65

Outdoor LED display modules as expose in sun, high brightness >4500nits is required. For some indoor installation, but face to windows that has direct sunlight, also need to use high brightness but not waterproo









## HUAKE LIMITED ShenZhen HuaKe Light Electronics Co., Ltd.

5F/ 1#, ChaXi SanWei Industrial Zone, GuShu, XiXiang, BaoAn ShenZhen, GuangDong, 518126, China.

**(86)** 133 0296 0992

⊠info@ 360digitalsignage.com

www. 360digitalsignage.com

