

#### SAFETY DATA SHEET (SDS)

Section 1. Identification			
Product identifier LABPOX 30, Part A (Top Coat Epoxy)			
Other means of identification LP30-000-A			
Recommended use and restrictions on Floor Coating			
use	use		
Initial supplier identifier LabSurface. 101-1079 des Forges, Terrebonne, J6Y0J9, Qué (Canada) Tél. (450) 966-9000			
Emergency telephone number/restriction on use Canada – CANUTEC Number 24 hours 613-996-6666			
Section 2. Hazard Identification			
Classification of hazardous product (name of the category or subcategory of the hazard class)			

Acute toxicity, oral and inhalation (Category 4)

Skin corrosion/irritation (Category 2)

Skin sensitization (Category 1B)

Serious eye damage/eye irritation (Category 2A)

Hazardous to the aquatic environment, acute hazard (Category 2)

Hazardous to the aquatic environment, long-term hazard (Category 2)

#### Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)





#### Warning

H302 + H332 Harmful if swallowed, if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

#### Prevention

P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P264 Wash hands/nails/face/eyes thoroughly after handling. P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well-ventilated area P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/gloves/eye protection/face protection.

#### Response

IF SWALLOWED: P301 + P312 Call a Poison Center/doctor if you feel unwell. P330 Rinse mouth.

IF ON SKIN: P302 + P352 Wash with plenty of water. P312 Call a POISON CENTER/doctor if you feel unwell. P362 + P364 Take off contaminated clothing and wash it before reuse. IF SKIN IRRITATION OCURRE P332+ P313 Get medical advice attention.

IF INHALED: P304 + P340 Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell.

IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention.

**ENVIRONMENT P391 Collect spillage** 

## Storage

P401 Store away from incompatible materials

#### **Disposal**

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards k	nown None		
Section 3. Composition/Information on Ingredients			
Chemical name (common name/synonyms)  CAS number or other  Concentration (%)*			
Polymère en Bisphénol A / Epichlorohydrine		25068-38-6	> 70 %
Benzyl alcohol		100-51-6	< 15 %
*Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).			
Section 4. First-Aid Measures			
Inhalation	IF INHALED: If overexposure remove person to fresh air and keep comfortable for breathing. If symptoms persist, seek		
	medical attention.		
Ingestion	IF SWALLOWED: Immediately call a doctor. Prevent aspiration of vomit. Never give anything by mouth to an unconscious		
person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Rinse mouth thoroughly with			
water.			
Skin contact	IF ON SKIN: Remove contaminated clothing, wash imm	ediately with soap and water (20 -	30 minutes). If skin irritation



	occurs: Get medical attention. Wash contaminated clothing before reuse. Discard items which cannot be decontaminated,		
	including leather articles such as shoes, belts and watchbands. If symptoms persist, seek medical attention.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (20 - 30 minutes). Remove contact lenses, if present and easy to		
	do. Continue rinsing. If eye irritation persists: Get medical attention.		
Most important symptoms and effects (acute or delayed) Harmful if swallowed, if inhaled, Causes skin irritation. May cause an allergi			
skin reaction. Causes serious eye irritation. Toxic to aquatic life. Toxic			
aquatic life with long lasting effects			
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.			
Section 5. Fire-Fighting Measures			
Specific hazards of the hazardous product (hazardous combustion products)			
Smake from avides of seahan			

# Smoke, fume, oxides of carbon. Suitable and unsuitable extinguishing media

In case of fire: Use Carbon dioxide  $(CO_2)$ , dry chemical, water and alcohol resistant foam. Do not use water jet as an extinguisher, as this will spread the fire.

#### Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required

#### Section 6. Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk-through spilled material.

## Methods and materials for containment and cleaning up

Avoid prolonged exposure. Stop leak if you can do it without risk. Do not touch or walk-through spilled material. Spill should be contained with inert material and disposed into suitable retaining area. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Take precautionary measures against static discharges. Dispose of in accordance with local, provincial and federal regulations.

#### Section 7. Handling and Storage

## **Precautions for safe handling**

Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands/nails/face/eyes thoroughly after handling. Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear gloves/protective clothing/gloves/eye protection/face protection.

#### Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Storage temperature: 16 - 27 °C.

## **Section 8. Exposure Controls/Personal Protection**

## Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: ACGIH – TLV-TWA Not available

## **Appropriate engineering controls**

Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.

## Individual protection measures/personal protective equipment

Gloves: Neopren gloves or equivalent; Clothing: Shirts with long sleeves, long pants; Respiratory: Not required if working area is well ventilated. In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.

	$\mathcal{E}$			
Section 9. Physical and Chemical Properties				
Appearance, physical state/colour Liquid	Vapour pressure Not available			
Odour Faint odor	Vapour density Not available			
Odour threshold Not available	Relative density Not available			
pH Not available	Solubility Not available			
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			



Not regulated

Flash point   > 100 °C	Decompo	sition temperature Not available
Evaporation rate Not available		Not available
Flammability (solids and gases) Not available		Not available
Upper and lower flammability/explosive limits Not available	Other	None known
Section 10. Stability	and React	tivity
Reactivity		•
Stable under normal conditions.		
Chemical stability		
Yes, Stable under the recommended storage and handling conditions prescribe	ed.	
Possibility of hazardous reactions		
Non under normal conditions of storage and use.		
Conditions to avoid (static discharge, shock or vibration)		
Excess heat.		
Incompatible materials		
Acids, bases, amines, oxidizing agents.		
Hazardous decomposition products		
Decomposition products depend upon temperature, air supply and the present	nce of other i	materials. Carbon oxides.
Section 11. Toxicolog	ical Inforn	nation
Information on the likely routes of exposure (inhalation, ingestion, skin		
Harmful if swallowed, if inhaled, Causes skin irritation. May cause an allerg		ion. Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteri	stics	
No specific information available.		
Delayed and immediate effects (chronic effects from short-term and lon		
Skin Sensitization – May cause allergic skin reaction; Respiratory Sensitizat		
Germ Cell Mutagenicity – Based on available data, the classification of		
classification criteria are not met.; Reproductive Toxicity – Based on availa		
Toxicity — Single Exposure – Evaluation of available data suggests that thi - Repeated Exposure – Except for skin sensitization, repeated exposures to		
cause any significant adverse effects; Aspiration Hazard – Based on physical		
Otherwise Classified – No data available.	ii properties,	, not likely to be all aspiration hazard, freath flazards for
Numerical measures of toxicity (ATE; LD <sub>50</sub> & LC <sub>50</sub> )		
CAS 25068-38-6 LD <sub>50</sub> Oral - Rat - > 15,000 mg/kg; LD <sub>50</sub> Dermal - Rabbit	- 23,000 mg/	/kg: LC <sub>50</sub> Inhalation – has not been determined: CAS 100-
51-6 LD <sub>50</sub> Oral - Rat – 1230 - 3100 mg/kg; LD <sub>50</sub> Dermal – Rabbit – 20		
document.		
Section 12. Ecological Information		
Ecotoxicity (aquatic and terrestrial information)		
<b>Toxicity to fish</b> CAS: 25068-38-6 LC <sub>50</sub> : 1 – 10 mg/l (in the most sensitive species tested)/ LC <sub>50</sub> 2 mg/l (Oncorhynchus mykiss (rainbow trout),		
semi-static test, 96h; CAS 100-51-6 LC <sub>50</sub> Bluegill (Lepomis macrochirus) 10 mg/L/96h.		
Toxicity to Aquatic Invertebrates: CAS: 25068-38-6 EC <sub>50</sub> : 1.8 mg/l (Water flea (Daphnia magna) 48h);		
<b>Toxicity to Algae and Aquatic Plants</b> : CAS: 25068-38-6 EC <sub>50</sub> : 11 mg/l (Fresh water algae (Scenedesmus capricornutum) static test, 72h); <b>Toxicity to Bacteria</b> CAS: 25068-38-6 IC <sub>50</sub> : >42.6 mg/l, (Respiration rates, 18h).		
		CAS 100-51-6 No data is available on the degradability
of any ingredients in the mixture	degradable.	CAS 100-31-0 140 data is available on the degradability
	tial is moder	rate. CAS 100-51-6 Partition coefficient n-octanol/water
(log Kow) 1.1		
Mobility in soil CAS: 25068-38-6 Potential for mobility in soil is low.		
Other adverse effects Toxic to aquatic life. Toxic to aquatic life with long lasting effects		
CAS 100-51-6 Do not allow to enter into groundwater, surface water or drains. The product contains volatile organic		
compounds which have a photochemical ozone creation potential		
Section 13. Disposal Considerations Information on safe handling for disposal/methods of disposal/contaminated packaging		
Dispose of contents/container into safe container in accordance with local, regional or national regulations.		
Section 14. Transport Information		
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations		
On number; rroper simpling name; Class(es); racking group (r-G) of the TDG Regulations		

UN 3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN, BENZYL ALCOHOL); CLASS: 9; PG:

UN 3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN, BENZYL ALCOHOL); CLASS: 9; PG:

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

2



Special precautions (transport/conveyance) May also be shipped as a LIMITED QUANTITY in accordance with TDG.		
Environmental hazards (IMDG or other) Marine Pollutant		
Bulk transport (usually more than 450 L in capacity) Not established.		
Section 15. Regulatory Information		
Safety/health Canadian regulations specifics This product has been classified in accordance with the hazard criteria of the Hazardous Products		
Regulations (HPR).		
Environmental Canadian regulations specifics   Refer to Section 3 for ingredient(s) of the DSL		
Safety/health/environmental outside regulations specifics		
United States OSHA information: This product is regulated according to OSHA (29 CFR).		
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.		
United States TCSA information: Refer to the ingredients listed in Section 3.		
US state regulations US. California Proposition 65 Not listed		
Section 16. Other Information		
Date of the latest revision of the safety data sheet   December 14, 2020 - version 02		
References Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu		
Abbreviations		
ACGIH American Conference of Governmental Industrial Hygienists		
ATE Acute toxicity estimate		
CAS Chemical Abstract Service		
DSL Domestic Substance List		
IARC International Agency for Research on Cancer		
IATA International Air Transport Association		
IMDG International Maritime Dangerous Goods Code		
LC Lethal concentration		
LD Lethal Dosage		
NIOSH National Institute for Occupational Safety and Health		
NTP National Toxicology Program (U.S.A.)		
OSHA Occupational Safety and Health Administration (U.S.A.)		
PEL Permissible Exposure Limit		
STEL Short-term Exposure Limit		
TDG Transport of dangerous goods in Canada		
TLV Threshold Limit Value		
TSCA Toxic Substances Control Act		
TWA Time Weighted Average		
WHMIS Workplace Hazardous Materials Information System  DISCLAMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose with respect to the production.		

DISCLAMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product.



#### SAFETY DATA SHEET (SDS)

SHEIT BITTI SHEET (SBS)			
Section 1. Identification			
Product identifier LABPOX 30 Fast-Cure, Part B (Top Coat Epoxy)			
Other means of identification LP30FC-B			
Recommended use and restrictions on use   Floor Coating			
Initial supplier identifier LabSurface. 101-1079, rue des Forges, Terrebonne, J6Y 0J9, Qué (Canada) Tél. (450) 966-9000			
Emergency telephone number/restriction on use Canada – CANUTEC Number 24 hours 613-996-6666			
Section 2 Hazard Identification			

## Classification of hazardous product (name of the category or subcategory of the hazard class)

Flammable liquids (Category 4)

Acute toxicity, oral, dermal and inhalation (Category 4)

Skin corrosion/irritation (Category 1A)

Skin sensitisation (Category 1)

Serious eye damage/eye irritation (Category 1)

Sensitisation respiratory (Category 1)

Specific target organ toxicity, single exposure; respiratory tract irritation (Category 3)

Reproductive toxicity (Category 1A)

Reproductive toxicity, effects on or via lactation (Additional category)

Specific target organ toxicity, repeated exposure (category 1)

Hazardous to the aquatic environment short/long term hazard (Category 3)

## Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)







#### Warning

H227 Combustible liquid

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 May cause respiratory irritation

H360 May damage fertility or the unborn child

H362 May cause harm to breast-fed children

H372 Specific target organ toxicity, repeated exposure

H412 Harmful to aquatic life with long lasting effects

#### Prevention

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources No smoking P260+P261 Do not/Avoid breathing dust/fume/gas/mist/vapors/spray. P263 Avoid contact during pregnancy and while nursing P264 Wash hands/nails/face/eyes thoroughly after handling. P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well ventilated area P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment. P280 Wear gloves/protective clothing/gloves/eye protection/face protection P284 (In case of inadequate ventilation) wear respiratory protection.

#### Response

IF SWALLOWED: P301 + P312 Immediately call a Poison Center/doctor if you feel unwell. P330 Rinse mouth. P331 Do NOT induce vomiting. IF ON SKIN: P302 + P352 Wash with plenty of water. P312 Immediately call a Poison Center/doctor if you feel unwell.

IF ON SKIN/ OR HAIR: P303 + P361 + P353 Take off immediately all contaminated clothing. Wash with plenty of water (or shower). P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

IF INHALED: P304 + P340 Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a POISON CENTER. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

IF IN EYES: P305 + P351 + P338 Rinse cautiously with water. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER

IF EXPOSED OR CONCERNED: P308 + P313 Get medical attention.

IN CASE OF FIRE P370 + P378 Use manufacturer/supplier or the competent authority to specify appropriate media

#### Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.



-			
Di	sn	ns	я

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None

Section 3. Composition/Information on Ingrédients			
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)*	
Polyetheramine	9046-10-0	10 – 30%	
Isophorone Diamine	2855-13-2	10 – 30 %	
HMDA	1761-71-3	10 – 30 %	
Benzyl alcohol	100-51-6	0,2 - 2 %	
Polymère en Bisphénol A / Epichlorohydrine	25068-38-6	5 - 15%	
Styrenated Phenol	61788-44-1	5 - 15%	
Aminoethypiperazine	140-31-8	5 - 25%	
Trade Secret	-	1 - 10 %	
Bisphenol-A	80-05-7	3 - 15 %	
Benzyldimethylamine	103-83-3	1 - 5 %	

\*Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).

Section 4. First-Aid	Measures
----------------------	----------

Inhalation	IF INHALED: If overexposure remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial	
	respiration or give oxygen by trained personnel. If symptoms persist, seek medical attention.	
Ingestion	IF SWALLOWED: Immediately call a doctor. Do NOT induce vomiting. Prevent aspiration of vomit. Rinse mouth thoroughly	
	with water. Never give anything by mouth if the victim is rapidly losing consciousness, or is unconscious or convulsing.	
Skin contact	IF ON SKIN: Remove contaminated clothing, wash immediately with soap and water (20 - 30 minutes). If skin irritation	
	occurs: Get medical attention. Wash contaminated clothing before reuse. Suitable emergency safety shower facility should be	
	immediately available. Discard or decontaminate footwear before reuse.	
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (20 - 30 minutes). Remove contact lenses, if present and easy to	
	do. Continue rinsing. If eye irritation persists: Get medical attention. Suitable emergency safety shower facility should be	
	immediately available. Do not attempt to neutralize with chemical agents.	

## Most important symptoms and effects (acute or delayed)

Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May damage fertility or the unborn child. May cause harm to breast-fed children. Specific target organ toxicity, repeated exposure.

Indication of immediate medical attention/special treatment

In all cases, call a doctor. Do not forget this document.

## **Section 5. Fire-Fighting Measures**

Specific hazards of the hazardous product (hazardous combustion products)

Oxides of carbon and nitrogen.

#### Suitable and unsuitable extinguishing media

In case of fire: Use Carbon dioxide (CO2), dry chemical and alcohol resistant foam. Do not use direct water stream.

## Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment as required.

## **Section 6. Accidental Release Measures**

## Personal precautions, protective equipment and emergency procedures

Evacuate non-emergency personnel. Isolate the area and prevent access. Control source of the leak. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Prevent the spill spread into drains, sewers, water supplies, or soil. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

#### Methods and materials for containment and cleaning up

Avoid prolonged exposure. Stop leak if you can do it without risk. Spill should be contained with inert material and disposed into suitable retaining area. Do not touch or walk through spilled material. Small volumes of liquid may be contained or absorbed into an appropriate absorbent. Keep away from all watercourses. Do not flush down storm or sanitary sewer. Take precautionary measures against static discharges. Dispose of in accordance with local, provincial and federal regulations.

## Section 7. Handling and Storage

## **Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources No smoking. Do not/Avoid breathing dust/fume/gas/ mist/vapors/spray. Avoid contact during pregnancy and while nursing. Wash hands/nails/face/eyes thoroughly after handling. Do not eat, drink or smoke when using this product Use only outdoors or in a well ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the



environment. Wear gloves/protective clothing/gloves/eye protection/face protection. (In case of inadequate ventilation) wear respiratory protection.

#### Conditions for safe storage, including any incompatibilities

Store in a cool, well-ventilated area. Keep container closed when not in use. Do not handle or store near open flames, heat or other sources of ignition. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labeled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Storage temperature: 16 - 27 °C.

## **Section 8. Exposure Controls/Personal Protection**

#### Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: ACGIH – TLV-TWA CAS 140-31-8:  $0.05 \text{ mg/m}^3$  (skin, DSEN); CAS 80-05-7:  $2 \text{ mg/m}^3$  (fraction and vapor) ; CAS 100-51-6: 10 ppm. ; CAS 103-83-3: 1 ppm.

#### Appropriate engineering controls

Use product in well-ventilated areas. Do not spray the product. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Supply emergency safety/quick-drench shower, eyewash station and washing facilities available in work area and near handling area. Where such systems are not effective, wear suitable personal protection equipment which performs satisfactorily and meets recognized standards.

## Individual protection measures/personal protective equipment

Gloves: Neopren gloves or equivalent; Clothing: Shirts with long sleeves, long pants; Respiratory: A half face piece particulate respirator may be worn for high exposure concentration. Use a NIOSH approved respirators if the exposure limits are unknown; Equipment: Safety glasses, chemical resistant. Special instructions for protection and hygiene: Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Educate and train employees in the safe use and handling of this product. Follow all label instructions.

Section 9. Physical and Chemical Properties				
Appearance, physical state/colour Liquid / Yellow	Vapour pressure Not avilable			
Odour Amine	Vapour density Not available			
Odour threshold Not available	Relative density Not available			
pH Not available	Solubility Slightly soluble in water			
Melting/freezing point Not available	Partition coefficient - n-octanol/water   Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point > 100 °C	<b>Decomposition temperature</b> Not available			
Evaporation rate Not available	Viscosity Not available			
Flammability (solids and gases) Not available	VOC Not available			
Upper and lower flammability/explosive limits Not available	Other None known			
G				

## Section 10. Stability and Reactivity

#### Reactivity

Stable under normal conditions.

#### Chemical stability

Yes, Stable under the recommended storage and handling conditions prescribed.

#### Possibility of hazardous reactions

Non under normal conditions of storage and use.

#### **Conditions to avoid (static discharge, shock or vibration)**

Excess heat, flames, ignition sources and incompatibles.

## **Incompatible materials**

Avoid contact with oxidizing agents, strong acids, strong bases acrylates, metals, absorbent, materials such as: Ground corn cobs.

## **Hazardous decomposition products**

Ammonia, Ethylenediamine. Phenol. Volatile amines. Phenolics.

## Section 11. Toxicological Information

#### Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May damage fertility or the unborn child. May cause harm to breast-fed children. Specific target organ toxicity, repeated exposure.

## Symptoms related to the physical, chemical and toxicological characteristics

No specific information available.

## Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – May cause skin irritation if contact frequently. Respiratory Sensitization – May cause severe respiratory system irritation; Germ Cell Mutagenicity – Not available; Carcinogenicity – Not listed in IARC (International Agency for Research on Cancer) Category; Reproductive Toxicity – Bisphenol A affected reproduction in rats and mice, but only at high exposure levels that exceeded the body's capacity to metabolize and deactivate the chemical; Specific Target Organ Toxicity — Single Exposure – Not available; Specific Target Organ Toxicity — Repeated Exposure – Contains component(s) which have been reported to cause effects on the following organs in animals: liver, central nervous system, muscles, thymus, urinary tract, respiratory tract; Aspiration Hazard – Not available; Health Hazards Not Otherwise Classified – No data



available.

#### Numerical measures of toxicity (ATE; LD<sub>50</sub> & LC<sub>50</sub>)

CAS 100-51-6 LC<sub>50</sub> Inhalation - Rat 11 mg; 4hr/vapour; CAS 103-83-3 LC<sub>50</sub> Inhalation Rat 2,05 mg; 4hr/vapour; Trade Secret LC<sub>50</sub> Inhalation Mouse > 3.636 mg/l vapour; CAS 9046-10-0 LD<sub>50</sub> Oral - Rat 242 mg/kg; ATE not available in this document.

## **Section 12. Ecological Information**

#### **Ecotoxicity (aquatic and terrestrial information)**

Fish toxicity CAS (140-31-8) LC<sub>50</sub>/EC<sub>50</sub>: between 10 and 100 mg/l (in the most sensitive species tested) LC<sub>50</sub>: 2,190 mg/l, Pimephales promelas (fathead minnow), static test, 96h; CAS (Trade Secret) LC<sub>50</sub> 0.05 mg/l Fish, static test, 96 h; CAS (80-05-7) LC<sub>50</sub>/EC<sub>50</sub>: between 1 and 10 mg/l in the most sensitive species tested). LC50: 4.6 mg/l Fathead minnow (Pimephales promelas), 96h, LC50: 9.4 mg/l Atlantic silverside (Menidia menidia), 96h; CAS (100-51-6) LC<sub>50</sub>/EC<sub>50</sub>/EL<sub>50</sub>/LL<sub>50</sub>: >100 mg/l in the most sensitive species tested).LC<sub>50</sub>: 460 mg/l, (Pimephales promelas (fathead minnow)), Static, 96h; CAS (103-83-3) LC<sub>50</sub>/EC<sub>50</sub> between 1 and 10 mg/l (in the most sensitive species tested). May increase pH of aquatic systems to > pH 10 which may be toxic to aquatic organisms. LC50, 37.8 mg/l (Pimephales promelas (fathead minnow)), flow-through test, 96h;

Invertebrate toxicity CAS (140-31-8) EC50: 58 mg/l (Daphnia magna, (water flea) static test, 48h; CAS (Trade Secret) EC50 0.0844 mg/l (Daphnia magna, (water flea) static test, 48h; CAS (80-05-7) EC<sub>50</sub>: 10.2 mg/l (Daphnia magna (Water flea)), 48h, EC<sub>50</sub>: 1.1 mg/l (saltwater mysid Mysidopsis bahia), 96h; CAS (100-51-6) EC<sub>50</sub>: 230 mg/l (Daphnia magna (Water flea)), 48h; CAS (103-83-3) EC<sub>50</sub>: >100 mg/l, (Daphnia magna (Water flea)), static test, 48h:

Aguatic plant and Algae toxicity CAS (140-31-8) ErC<sub>50</sub>: > 1,000 mg/l (Pseudokirchneriella subcapita, (green algae) 72h; CAS (Trade Secret) EC<sub>50</sub>: 0.33 mg/l (Scenedesmus subspicatus) static test, 72h; ; CAS (80-05-7) EC<sub>50</sub>: 1.1 mg/l, Growth rate inhibition (Skeletonema costatum (marine diatom)), static test, 96h; CAS (100-51-6) EC50: 770 mg/l, Growth rate (Pseudokirchneriella subcapitata (green algae)), Static, 72h; CAS (103, 83, 3) ErCss: Growth rate inhibition, 1,34 mg/l (Desmodermus subspicatus (green algae)), static test, 72h;

(103-83-3) ErC <sub>50</sub> : Growth rate inhibition, 1.34 mg/1 (Desmodesmus subspicatus (green algae)), static test, /2n;			
Persistence and degradability	CAS (140-31-8) Material is not readily biodegradable 0% 28d; 10-day Window: Fail; CAS (Trade Secret)		
	this material cannot be considered as readily biodegradable, 48.2% 35d; 10-day Window: Fail; CAS (80-05-		
	7) Material is readily biodegradable 93.1% 28d; 10-day Window: Pass; CAS (100-51-6) Material is readily		
	biodegradable 92 – 96 % 14d; 10-day Window: Not applicable; CAS (103-83-3) Material is expected to		
	biodegrade very slowly (in the environment). $0-2\%$ 28d; 10-day Window: Not applicable.		
Bioaccumulative potential	CAS (140-31-8) Bioconcentration potential is low (BCF < 100 or Log Pow < 3); CAS (Trade Secret)		
Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).; CAS (80-05-7) Bioconcentration			
	potential is low (BCF less than 100 or log Pow greater than 7); CAS (100-51-6) Bioconcentration potential is		
	low (BCF < 100 or Log Pow < 3); CAS (103-83-3) Bioconcentration potential is low (BCF < 100 or Log Pow <		

Mobility in soil

CAS (140-31-8) Expected to be relatively immobile in soil (Koc > 5000).; CAS (Trade Secret) Expected to be relatively immobile in soil (Koc > 5000).; CAS (80-05-7 Potential for mobility in soil is low (Koc between 500 and 2000).; CAS (100-51-6) Potential for mobility in soil is very high (Koc between 0 and 50); CAS (103-83-3) Potential for mobility in soil is low (Koc between 500 and 2000).

Other adverse effects Harmful to aquatic life with long lasting effects.

## **Section 13. Disposal Considerations**

## Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

#### **Section 14. Transport Information**

## UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

UN 2735; NAME: Amines liquids, corrosives (N-Aminoethylpiperazine, Benzyldimethylamine) N.O.S. HAZARD CLASS: 8; PACKING GROUP: II Marine pollutant: 4-Nonylphenol, branched

## UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN 2735; NAME: Amines liquids, corrosives (N-Aminoethylpiperazine, Benzyldimethylamine) N.O.S. HAZARD CLASS: 8; PACKING GROUP:II Marine pollutant: 4-Nonylphenol, branched, Bisphenol A

## UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

UN 2735; NAME: Amines liquids, corrosives (N-Aminoethylpiperazine, Benzyldimethylamine) N.O.S. HAZARD CLASS: 8; PACKING GROUP:II

Special precautions (transport/conveyance)	Can be shipped as LIMITED QUANTITY according to TDG.
Environmental hazards (IMDG or other)	Consult IMO regulations before transporting ocean bulk

**Bulk transport (usually more than 450 L in capacity)** Not established.

## **Section 15. Regulatory Information**

Safety/health Canadian regulations specifics This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).

**Environmental Canadian regulations specifics** | Refer to Section 3 for ingredient(s) of the DSL

#### Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.

California Proposition 65: Listed Carcinogenic substance: Bisphenol A (CAS 80-05-7) This product is known to the State of California to cause



cancer or other reproductive harm.		
Section 16. Other Information		
Date of the lates	st revision of the safety data sheet   September 11, 2020 - version 01	
References	Safety Data Sheets from manufacturer/supplier & from Sigma-Aldrich.com & Echa.eurpea.eu	
Abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
ATE	Acute toxicity estimate	
CAS	Chemical Abstract Service	
DSL	Domestic Substance List	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods Code	
LC	Lethal concentration	
LD	Lethal Dosage	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program (U.S.A.)	
OSHA	Occupational Safety and Health Administration (U.S.A.)	
PEL	Permissible Exposure Limit	
STEL	Short-term Exposure Limit	
TDG	Transport of dangerous goods in Canada	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
TWA	Time Weighted Average	
WHMIS	Workplace Hazardous Materials Information System	

DISCLAMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product.