

SAFETY DATA SHEET CPR-Concrete Patch and Repair

PRODUCT NAME:	CPR-Concrete Pa	itch and Repair			MANUFACTURER:	Turley Int	ernational Resources, LLC.		
PRODUCT USE: High Strength Concrete Patching/Binder					4322 South 80 th Street				
SUPPLIER: Stone	_		Mesa, AZ 85212 - USA						
						-	786-6333 E: info@stonedgesurfaces.com		
MERGENCY: Cor	ntact Local Hospit	al or call 911 ir			MEDICAL: Contact L				
	•					ocarnospia			
	IAZARDS IDE		ON						
	F THE SUBSTANC	E MIXTURE:	CATEGORY				ATEMENITS		
n cute Toxicity, Or			4	HAZARD STATEMENTS Harmful if swallowed					
cute Toxicity, De			5	May be harmful in contact with skin					
kin corrosion / ir			1	Causes severe	skin burns and eye da	amage			
	ge / Eye irritation		1	Causes serious					
arcinogenicity			2B		ase of inhalation				
	gan toxicity, single gan toxicity, repea		3		piratory irritation	tory system	n, through prolonged or repeated exposure b		
xposure	sun toxicity, repet		1	-			through prolonged or repeated exposure.		
-				•		-			
SHA HAZARD CO	OMMUNICATION	STANDARD:		is a "Hazardous C	Chemical" as defined	by the OSH	A Hazard Communication Standard, 29 CFR		
			1910.1200.						
GHS LABEL E		SI	GNAL WORD: D		DICTOGRA	M (S).			
GH3 LABEL E	LEIVIEINTS.	31	SINAL WORD. L	JANGER	PICTOGRAM (S):				
							\vee \vee \vee		
ECAUTIONARY S	TATEMENTS:								
HEADING	OSHA Ref.	. #			Instruc	tions			
	P201	Obta	in special instru	uction before use					
	P202	Do no	Do not handle until all safety precautions have been read and understood.						
	P281	Use p	ersonal protec	tive equipment a	is required.				
PREVENTION:	P271	Use o	Use only outdoors or in a well-ventilated area.						
FREVENTION.	P260	P260 Do n		s or mists.					
	P270	Do no	Do not eat, drink, and smoke when using this product.						
	P280	Wear	Wear protective gloves/ protective clothing / eye protection/ face protection.						
	P264	Wash	Wash exposed area with plenty of water and soap thoroughly after handling.						
	P301 + P330 +	• P312 IF SW	SWALLOWED: Rinse mouth. Call a POISON CENTER or physician if you feel unwell.						
	P331	Do no	o not induce vomiting.						
	P303 + P361 +	- P353 IF ON	SKIN (or hair):	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.					
	P363			clothing before					
RESPONSE:	P304 + P340 +	· P310			•	a position	comfortable for breathing. Immediately call		
		a POI		r doctor/ physicia					
	P305+P351+P338		IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.						
	P310		Immediately call a POISON CENTER or doctor/ physician.						
	P308+ P32				Il advice/attention.				
STORAGE:	P403 + P235 +				cool. Store Locked L	al			
							on point in accordance with		
DISPOSAL:	P501			nal/international					
	OMPOSITIO	· · · · · · · · · · · · · · · · · · ·	<u> </u>	•					
							Concentration 0/		
Componen Calcium Sulfoalu			CAS #		EC #		Concentration, %		
Silica Sanc		1	None 1808-60-7		N/A		<40 <70		
			4808-60-7 9012-64-2		N/A N/A		<10%		
Proprietary Blend*		0			11/1	•	10/0		
Portland Cem			5997-15-1	I.	N/A		<10%		

EMERGENCY INFO	ORMATION:	under <u>SKIN:</u> or infla <u>INHAL</u> artifici: amour <u>INGES</u>	EYES: Immediately flush eye thoroughly with water. Continue flushing eye for at least 15 minutes, including under lids, to remove all particles. Call physician immediately. SKIN: Wash skin with cool water and pH-neutral soap or a mild detergent. Seek medical treatment if irritation or inflammation develops or persists. Seek immediate medical treatment in the event of burns. INHALATION: Remove person to fresh air. If breathing is difficult, administer oxygen. If not breathing, give artificial respiration. Seek medical help if coughing and other symptoms do not subside. Inhalation of large amounts of product requires immediate medical attention. INGESTION: Do not induce vomiting. If conscious, have victim drink plenty of water and call a physician immediately.							
SECTION 5 – FIRE	FIGHTING MI		URES							
SUITABLE EXTINGUISH	IING MEDIA:	Use an	Use an extinguishing agent suitable for the surrounding fire.							
UNSUITABLE EXTINGU	ISHING MEDIA:	Do not	Do not use water jet and halogenated compounds							
SPECIFIC HAZARDS AR CHEMICAL:	ISING FROM THE		This product is non-flammable and non-combustible. Containers at risk from fire should be cooled with water spray and, if possible, removed from the danger area.							
HAZARDUS COMBUST	ION PRODUCTS:	None.								
SPECIAL PROTECTIVE PRECAUTIONS FOR FIL	-	Firefig	nters should wear full prote	ective gear.						
SECTION 6 – ACC	DENTAL RELI	EASE MEAS	SURES							
EMERGENCY PROCED	URES:	Keep unne	cessary and unprotected pe	ersonnel from entering spill area.	Do not touch or walk throu	gh spilled material.				
PROTECTIVE EQUIPMI	ENT:			nal protection methods as o						
PROPER METHODS OF	CONTAINMENT:	Collect dry inhalation designated	entilation/exhaust extraction. Avoid inhalation of dust and contact with skin and eyes during clean up. Delect dry material using a scoop. Avoid actions that cause dust to become airborne. Do not dry sweep. Avoid halation of dust and contact with skin. Vacuum dust with equipment fitted with HEPA filter and place in a esignated labeled waste container. If material is wet, scrape up wet material and place in an appropriate container. Is we material to dry before dispersal. For major calls, approach form unwind. Browned wind dispersal.							
CLEANUP:		Seal the co federal, sta	llow the material to dry before disposal. For major spills: approach from upwind. Prevent wind dispersal. eal the container(s), remove from spill area and properly dispose of the waste material in accordance with existing ederal, state and local regulations.							
ENVIRONMENTAL PRI		spills in wa	revent from entering into soil, ditches, sewers, waterways and/or groundwater, basements or confined areas. Large nills in waterways may be hazardous due to alkalinity of the certain components of the product. Inform the relevant uthorities if the product has accessed waterways or other natural areas. See Section 12 for more details.							
PRECAUTIONS FOR SAFE HANDLING:	SAFE HANDLING: processed. Hands and/or face should be washed before eating, drinking and smoking and at the end of the shift. Remove contamin clothing and protective equipment before entering eating areas. Wash or vacuum clothing when becomes dusty. Persons with a his of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure by obtaining following special instructions before use. Do not handle until all safety precautions have been read and understood.									
PRECAUTIONS FOR STORAGE:	Store in original or approved alternative container protected from direct sunlight in a dry, cool and well-ventilated area away from incompatible materials (see below for details) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed. Store bags to avoid accidental tearing, breaking, or bursting. Avoid windblown dust by shielding or covering outdoor stockpiles. Protect from getting wet from atmospheric moisture and other sources.									
	CAUTIONS TO	CONTROL	I, well ventilated areas	ONAL PROTECTION						
OSHA's PERMISSABLE E	XPOSURE LIMITS	(PEL)		Cal/OSHA PEL	NIOSH REL	ACGIH 2017				
COMPONE	NTS	CAS #	OSHA PEL mg/m ^{3(e)}	8-hour TWA, mg/m ³	Up to 10-hour TWA, mg/m ³	TLV 8hrs TWA, mg/m ³				
N/A			No Data	N/A	N/A	N/A				
ENGINEERING CONTR	OLS:	ctions that cau ble limits.	se dust to become airborn	e. Use local exhaust or general c	lilution ventilation to contro	ol exposure within				

PERSONAL PROTECTIVE EC	UIPMENT (PPE)								
RESPIRATORY PROTECTIO	causes irritation or discomfort, use MSHA/NIOSH approved respirators.								
EYE PROTECTION:	afety glasses with side shields or goggles to avoid contact with eyes. In extreme dusty environments and unpredictable nments, wear tight fitting unvented or indirectly vented goggles to avoid eye irritation or injury. Contact lenses should worn when handling cement or cement containing products.								
SKIN PROTECTION:	SKIN PROTECTION: Wear impervious abrasion and alkali-resistant gloves, boots, long sleeve shirt, long pants or other protective clothing to preversion skin contact. Wash Hands with Soap and Water.								
SECTION 9 – PHYSIC	CAL AND CH	EMICAL PROPE	RTI	ES					
VISCOSITY		Not Applicable		APPERANCE:		Fine Powder, grey powder			
ODOR & ODOR THRESHO	LD:	Odorless		FLASH POINT:		Not Applicable, Not Flammable			
BOILING POINT:		N/A		MELTING POINT:		N/A			
EVAPORATION RATE:		Not Applicable		FLAMMABILITY (SOLID/GAS)		Not Applicable			
VAPOR PRESSURE:		Not applicable		pH (IN WATER): (ASTM D 1293-95)		N/A			
VAPOR DENSITY:	Not applicable		SOLUBILITY IN WATER:		Slightly (0.1%-1.0%)				
RELATIVE DENSITY	Not Applicable		UPPER/LOWER FLAMMABILITY		Not Flammable, Not Explosive				
PARTITION COEFFICIENT	Not Applicable		AUTO IGNITION TEMPERATURE		Not Flammable				
SECTION 10 - STAB	ILITY AND R	EACTIVITY							
CHEMICAL STABILITY:	Product is stab	le under recommend	ded s	storage conditions. Kee	p dry until used.				
	Hazardous P	olymerization:			none				
CHEMICAL REACTIVITY:	Corrosion to	,			Not Avaliable				
	Oxidizing Pro				Not Avaliable				
CONDITIONS TO AVOID:	Avoid generation of dust.								
INCOMPATIBILITY:	Not recommended for applying in 50° f or below , the product may not cure evenly causing cracking.								
HAZARDOUS DECOMPOSITION:	N/A								

SECTION 11 – TOXOCOLOGY INFORMATION

LIKELY ROU	TES OF EXPOSURE: Skin and	Eye Contact, Inhalation and Ingestion.				
YMPTOMS C	F EXPOSURE:					
	INGESTION:	Harmful if swallowed. Adverse symptoms may include burns to mouth, throat and stomach, abdominal pain, nausea and diarrhea. Although inadvertent ingestion of small quantities of wet concrete or its dry ingredients are not known to be harmful, ingestion of larger quantities can be harmful and requires immediate medical attention				
ACUTE TOXICITY	INHALATION:	May cause respiratory tract irritation and coughing. Ingredients may contain trace amounts of crystalline silica. Exposure to these ingredients in excess of the applicable TLV or PEL (see Section 2) may cause or aggravate other lung conditions				
	SKIN CORROSION SKIN IRRITATION	Acute Skin Irritation.				
	SERIOUS EYE DAMAGE & IRRITATION	Adverse symptoms may include tearing, redness, pain and in the worst-case blindness. Dust may cause abrasion of the cornea.				
	SPECIFIC TARGET ORGAN GENERAL TOXICITY: SINGLE EXPOSURE:	This product contains components that may cause respiratory tract irritation after single exposure.				
	SPECIFIC TARGET ORGAN GENERAL TOXICITY: REPEAT EXPOSURE	Lungs-				
	ASPIRATION HAZARD:	Not an aspiration hazard.				

	Respirator Skin Sensit	-	This product contains trace amounts of chemical (impurity) that is reported to be a skin sensitizer: present in Portland Cement at level <0.1%								
Generative Cell Mutagenicity			Risk to humans is not expected from exposure to this product								
CHRONIC					Silica	IARC:	Group 1 (Carcinogenic to humans)				
ΤΟΧΙΟΙΤΥ				product contains ponents reported		NTP:	Known to be a Human Carcinogen (Respirable size)				
	Carcinoger	licity:		e carcinogenic to nans. Group 1).		ACGIH: NIOSH:	(Quartz)(Not Available) Classified A2 (Suspected for Human)				
			numans. Group 1).								
Reproduct	tive Toxicity:	Risk	to hur	nans is not expected fr	om exposure to	this product					
Conoral Br	roduct Warning			cancer. Prolonged exp							
				IFORMATION		t target orga	((ungs).				
ΕCOTOXIC	CITY						er, this does not exclude the possibility that large or frequent spills				
PERSISTEN	NCE AND DEGRA	DABILIT	Y: N	can have a harmful or damaging effect on the environment. No information available for the product, believed to be not readily biodegradable by OECD criteria.							
-	BIOACCUMULATIVE POTENTIAL: MOBILITY IN SOIL:						believed that no significant accumulation in organisms is expected believed that mobility in soil is not expected				
OTHER AD	OVERSE EFFECTS		Ν	No information is availa		,					
SECTION	13 – DISPC			IDERATIONS		<u> </u>					
		0					er possible. If product becomes a waste, it does not meet criteria of not discharge or dump material into sewer system, the ground or				
PRODUCT	DISPOSAL:		s of water. Spill cleanup residues may still be subject to RCRA storage and disposal requirements. Dispose waste in compliance ocal, state and federal regulations via licensed waste disposal contractor. See Section 7 for Handling Procedures. See Section 8								
				Protective Equipment r			sal contractor. See Section 7 for Handling Procedures. See Section 8				
CONTAINE	TAINER DISPOSAL: Even after emptying, container may retain residues. Containers should be completely emptied and safely stored until appropriately reconditioned or dispose of (contents/container) in accordance with local/regional/national/international regulations.										
SECTION	SECTION 14 – TRANSPORTATION CONSIDERATIONS										
	sport, U.S. DOT: port, IMDG			Regulated Regulated							
	ort, IATA/ICAO:			Regulated							
		LATOF	ry in	FORMATION (N	on-Mandato	ory Sectio	n as per OSHA: Not a Complete List)				
U.S. REGULA				This product is a "Ha	zardous Chemic	al" as define	by the OSHA Hazard Communication Standard, 29CFR 1910.1200.				
	ULATIONS:			All components of this product are listed or are exempt from TSCA Inventory requirements under 40 CFR 720.30							
EPCRA Section 302 (40 CFR Part 355)				(Emergency Response Planning, Extremely Hazardous Substance): No components are subject to the reporting.							
					(Emergency Release Notification Requirements): No components are subject to the reporting. (Hazardous Chemical Inventory Reporting, Hazard Categories): Acute Health Hazard, Chronic Health Hazard						
EPCRA Section 313 40 CER Part 372) (Toxic Chemical Rele					ease Inventory Reporting): No components or impurities of this product are present above De erefore do not require reporting.						
	(Haza				(Hazardous Substances Release Notification): No components are subject to the reporting. Some of the components						
	CERCLA Sections 102-103 (40 CFR Part 302)Contain trace amounts of the following chemicals that require reporting if a criterion of reportable quantity is full Fine Mineral Fibers of average diameter ≤1µm (including Crystalline Silica, CAS #: 14808-60-7 with diameter ≤1µ										
CLEAN AIR	RACT			eting Substances (ODS): This product c	loes not cont	ain and is not manufactured with ozone depleting substances.				
COMPONEN	NT ANALYSIS - S		raous A	Air Pollutants, OSHA, S	ection 112(b), 13	able 2-1 and	ladie 2-3:				
STATE						IFORMATION					
CA	The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.										
V V	-	product									
v v	-	product									
V	-	product									
v	-	product									
V	-	product									
V	-	product									

SECTION 16 – OTHER INFORMATION

HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)

NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme E-Protective Equipment: Safety glasses, gloves, Dust Respirator

Health	1
Flammability	0
Reactivity	0
Personal Protection	E

OTHER INFORMATION:

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY TURLET INTERNATIONAL RSOURCES, LLC., except that the product shall conform to contracted specifications. The information provided herein was believed by TURLEY INTERNATIONAL RESOURCES, LLC. to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether as to product delivered or for non-delivery of product, failure of product due to manufacturers defect, and whether based on contract, breach of warranty, negligence, or otherwise shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages or labor of any kind, whether Buyer's claim is based on contract, breach of warranty, negligence, product failure, or otherwise.

Rest of Sheet Purposely Left Blank

END OF SHEET