

LIQUID DEATH Bottled Water Report
as required by California SB 220

LIQUID DEATH water is a natural drinking water that meets all federal and state health standards. As a food product, it is regulated by the FDA whereas the EPA regulates tap water as provided by water utilities. Standards of quality enacted by the FDA for bottled water must be as protective of the public health as EPA's standards (known as Maximum Contaminant Levels) for tap water. Besides murdering your thirst, our number one goal is to ensure that consumers of our water are protected.

Our water is obtained from a private protected underground source managed by Starzinger in Frankenmarkt, Austria and we also bottled a limited release from a private underground mountain source in Revelstoke, British Columbia managed by Selkirk Springs. Our water is processed using a combination of filtration and pasteurization to remove any microbiological contaminants.

Our company regularly tests for organic chemicals and inorganic chemicals that are regulated by the FDA. No contaminants were detected above FDA's MCL (Maximum Contaminant Limits) in our testing for 2017-2018. There have been no violations of any FDA Standard of Quality.

The U.S. Food and Drug Administration (FDA) has established standards of identity for various types of bottled water, including spring water, mineral water, artesian water and purified water. LIQUID DEATH bottled water is made using natural drinking water, which the FDA defines as:

"Bottled water is water that is intended for human consumption and that is sealed in bottles or other containers with no added ingredients except that it may optionally contain safe and suitable antimicrobial agents."

Bottled water is a food product under Federal and state law and it must meet standards of quality established by the FDA.

The FDA provides recall information at: <http://www.fda.gov/opacom/7alerts.html>

The State of California requires that we provide the following definitions and statements as part of this report.

DEFINITIONS

"statement of quality (SOQ)" - The standard (statement) of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled water, as established by the United States Food and Drug Administration (FDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health.

"maximum contaminant level (MCL)" - The highest level of a contaminant that is allowed in drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health. Primary MCLs are set as close to the PHGs as is economically and technologically feasible.

"public health goal (PHG)" - The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

"primary drinking water standard" - MCLs for contaminants established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public

Health that affect health along with their monitoring and reporting requirements.

STATEMENTS

“Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366).”

“Some persons may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including, but not limited to, persons with cancer who are undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).”

“The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity.”

“Substances that may be present in the source water include any of the following:

1. Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.
2. Pesticides and herbicides that may come from a variety of sources, including but not limited to, agriculture, urban storm water runoff, and residential uses.
3. Organic substances that are by-products of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.
4. Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.
5. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities.

“In order to ensure that bottled water is safe to drink , the United States Food and Drug Administration and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by bottled water companies.”

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Report Date: 02/17/2020

Client: Starzinger GmbH & Co KG
Bahnhofstrase 1
Frankenmarkt, 4890

Attention: (1167) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 1167-002 Liquid Death Mountain Water		Sample #: 202001290036	
Primary Inorganics			
Antimony, Total, ICAP/MS	EPA 200.8	0.001	ND
Arsenic, Total, ICAP/MS	EPA 200.8	0.002	ND
Asbestos by TEM - >10 microns, MFL	EPA 100.2	0.2	ND
Barium, Total, ICAP/MS	EPA 200.8	0.002	0.020
Beryllium, Total, ICAP/MS	EPA 200.8	0.001	ND
Cadmium, Total, ICAP/MS	EPA 200.8	0.0005	ND
Chromium, Total, ICAP/MS	EPA 200.8	0.005	ND
Cyanide	SM4500CN-F	0.025	ND
Fluoride	SM 4500F-C	0.05	ND
Lead, Total, ICAP/MS	EPA 200.8	0.0005	ND
Mercury	EPA 200.8	0.0002	ND
Nickel, Total, ICAP/MS	EPA 200.8	0.005	ND
Nitrate as Nitrogen by IC	EPA 300.0	0.1	2.1
Nitrite, Nitrogen by IC	EPA 300.0	0.05	ND
Total Nitrate and Nitrite	EPA 300.0	0.1	2.1
Selenium, Total, ICAP/MS	EPA 200.8	0.005	ND
Thallium, Total, ICAP/MS	EPA 200.8	0.001	ND
Secondary Inorganics			
Alkalinity in CaCO3 units	SM 2320B	2	200
Aluminum, Total, ICAP/MS	EPA 200.8	0.02	ND
Bicarb.Alkalinity as HCO3,calc	SM2330B	2	240
Boron, Total, ICAP	EPA 200.7	0.05	ND
Bromide	EPA 300.0	0.005	0.0087
Calcium, Total, ICAP	EPA 200.7	1	83
Carbonate as CO3, Calculated	SM2330B	2	ND
Chloride	EPA 300.0	0.5	6.2
Copper, Total, ICAP/MS	EPA 200.8	0.002	ND
Corrosivity, Units	SM 2330B	-14	0.63
Foaming Agents (MBAS)	SM 5540C/EPA 425.1	0.1	ND
Calcium Hardness as CaCO3	EPA 200.7	5	210
Hardness, Total	SM 2340B	3	230
Hydroxide as OH, Calculated	SM2330B	2	ND

All results reported in milligrams per liter unless otherwise noted.
ND - Not detected at the specified limit

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Report Date: 02/17/2020

Client: Starzinger GmbH & Co KG
Bahnhofstrase 1
Frankenmarkt, 4890

Attention: (1167) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 1167-002 Liquid Death Mountain Water		Sample #: 202001290036	
Iron, Total, ICAP	EPA 200.7	0.02	ND
Magnesium, Total, ICAP	EPA 200.7	0.1	5.7
Manganese, Total, ICAP/MS	EPA 200.8	0.002	ND
Orthophosphate-P	4500P-E/365.1	0.01	0.011
pH Bottled Water (units)	4500HB/ E 150	0.1	7.8
Phenolic Compounds-low level	EPA 420.4	0.001	ND
Potassium, Total, ICAP	EPA 200.7	1	ND
Silver, Total, ICAP/MS	EPA 200.8	0.0005	ND
Sodium, Total, ICAP	EPA 200.7	1	2.4
Specific Conductance, umho/cm	SM2510B	2	420
Sulfate	EPA 300.0	0.5	5.5
Total Dissolved Solids (TDS)	E160.1/SM2540C	10	250
Uranium, Total, ICAP/MS	EPA 200.8	0.001	ND
Uranium, Total, ICAP/MS as pCi/L	EPA 200.8	0.7	ND
Zinc, Total, ICAP/MS	EPA 200.8	0.02	ND
Physical			
Color (ACU)	SM 2120B	3	ND
Odor at 60C (TON)	SM 2150B	1	1.0
Turbidity (NTU)	EPA 180.1	0.1	ND
Volatile Organic Compounds			
Benzene	EPA 524.2	0.0005	ND
Bromobenzene	EPA 524.2	0.0005	ND
Bromochloromethane	EPA 524.2	0.0005	ND
Bromodichloromethane	EPA 524.2	0.0005	ND
Bromoform	EPA 524.2	0.0005	ND
Bromomethane	EPA 524.2	0.0005	ND
n-Butylbenzene	EPA 524.2	0.0005	ND
sec-Butylbenzene	EPA 524.2	0.0005	ND
tert-Butylbenzene	EPA 524.2	0.0005	ND
Carbon Tetrachloride	EPA 524.2	0.0005	ND
Chlorobenzene	EPA 524.2	0.0005	ND
Chloroethane	EPA 524.2	0.0005	ND
Chloroform (Trichloromethane)	EPA 524.2	0.0005	ND

All results reported in milligrams per liter unless otherwise noted.
ND - Not detected at the specified limit

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Report Date: 02/17/2020

Client: Starzinger GmbH & Co KG
Bahnhofstrase 1
Frankenmarkt, 4890

Attention: (1167) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 1167-002 Liquid Death Mountain Water			Sample #: 202001290036
Chloromethane(Methyl Chloride)	EPA 524.2	0.0005	ND
2-Chlorotoluene	EPA 524.2	0.0005	ND
4-Chlorotoluene	EPA 524.2	0.0005	ND
Chlorodibromomethane	EPA 524.2	0.0005	ND
Dibromomethane	EPA 524.2	0.0005	ND
1,2-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.0005	ND
1,3-Dichlorobenzene	EPA 524.2	0.0005	ND
1,4-Dichlorobenzene	EPA 524.2	0.0005	ND
Dichlorodifluoromethane	EPA 524.2	0.0005	ND
1,1-Dichloroethane	EPA 524.2	0.0005	ND
1,2-Dichloroethane	EPA 524.2	0.0005	ND
1,1-Dichloroethylene	EPA 524.2	0.0005	ND
cis-1,2-Dichloroethylene	EPA 524.2	0.0005	ND
trans-1,2-Dichloroethylene	EPA 524.2	0.0005	ND
1,2-Dichloropropane	EPA 524.2	0.0005	ND
1,3-Dichloropropane	EPA 524.2	0.0005	ND
2,2-Dichloropropane	EPA 524.2	0.0005	ND
1,1-Dichloropropene	EPA 524.2	0.0005	ND
cis-1,3-Dichloropropene	EPA 524.2	0.0005	ND
trans-1,3-Dichloropropene	EPA 524.2	0.0005	ND
Di-Isopropyl ether	EPA 524.2	0.003	ND
Ethyl benzene	EPA 524.2	0.0005	ND
Hexachlorobutadiene	EPA 524.2	0.0005	ND
Isopropylbenzene	EPA 524.2	0.0005	ND
4-Isopropyltoluene	EPA 524.2	0.0005	ND
4-Methyl-2-Pentanone (MIBK)	EPA 524.2	0.005	ND
Methyl Tert-butyl ether (MTBE)	EPA 524.2	0.0005	ND
Methyl Ethyl Ketone (MEK)	EPA 524.2	0.005	ND
Methylene Chloride (Dichloromethane)	EPA 524.2	0.0005	ND
Naphthalene	EPA 524.2	0.0005	ND
n-Propylbenzene	EPA 524.2	0.0005	ND
Styrene	EPA 524.2	0.0005	ND
Tert-Amyl Methyl Ether (TAME)	EPA 524.2	0.003	ND
Tert-Butyl Ethyl Ether (TBEE)	EPA 524.2	0.003	ND
1,1,1,2-Tetrachloroethane	EPA 524.2	0.0005	ND

All results reported in milligrams per liter unless otherwise noted.
ND - Not detected at the specified limit

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Report Date: 02/17/2020

Client: Starzinger GmbH & Co KG
Bahnhofstrase 1
Frankenmarkt, 4890

Attention: (1167) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 1167-002 Liquid Death Mountain Water		Sample #: 202001290036	
1,1,2,2-Tetrachloroethane	EPA 524.2	0.0005	ND
Tetrachloroethylene (PCE)	EPA 524.2	0.0005	ND
Toluene	EPA 524.2	0.0005	ND
1,2,3-Trichlorobenzene	EPA 524.2	0.0005	ND
1,2,4-Trichlorobenzene	EPA 524.2	0.0005	ND
1,1,1-Trichloroethane	EPA 524.2	0.0005	ND
1,1,2-Trichloroethane	EPA 524.2	0.0005	ND
Trichloroethylene (TCE)	EPA 524.2	0.0005	ND
Trichlorofluoromethane (Freon 11)	EPA 524.2	0.0005	ND
Trichlorotrifluoroethane(Freon 113)	EPA 524.2	0.0005	ND
1,2,3-Trichloropropane	EPA 524.2	0.0005	ND
1,2,4-Trimethylbenzene	EPA 524.2	0.0005	ND
1,3,5-Trimethylbenzene	EPA 524.2	0.0005	ND
Vinyl chloride (VC)	EPA 524.2	0.0003	ND
Total xylenes	EPA 524.2	0.0005	ND
Total xylenes	EPA 524.2	0.0005	ND
m,p-Xylenes	EPA 524.2	0.0005	ND
o-Xylene	EPA 524.2	0.0005	ND
Carbon Disulfide	EPA 524.2	0.0005	ND
EDB and DBCP			
Dibromochloropropane (DBCP)	EPA 504.1	0.00001	ND
Ethylene Dibromide (EDB)	EPA 504.1	0.00001	ND
1,2,3-Trichloropropane	EPA 504.1	0.00002	ND
Pesticides and PCBs			
Alachlor (Alanex)	EPA 505	0.0001	ND
Aldrin	EPA 505	0.00001	ND
Chlordane	EPA 505	0.0001	ND
Dieldrin	EPA 505	0.00001	ND
Endrin	EPA 505	0.00001	ND
Heptachlor	EPA 505	0.00001	ND
Heptachlor Epoxide	EPA 505	0.00001	ND
Lindane (gamma-BHC)	EPA 505	0.00001	ND
Methoxychlor	EPA 505	0.00005	ND

All results reported in milligrams per liter unless otherwise noted.
ND - Not detected at the specified limit

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Report Date: 02/17/2020

Client: Starzinger GmbH & Co KG
Bahnhofstrasse 1
Frankenmarkt, 4890

Attention: (1167) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 1167-002 Liquid Death Mountain Water		Sample #: 202001290036	
Total PCBs	EPA 505	0.0001	ND
PCB 1016 Aroclor	EPA 505	0.00008	ND
PCB 1221 Aroclor	EPA 505	0.0001	ND
PCB 1232 Aroclor	EPA 505	0.0001	ND
PCB 1242 Aroclor	EPA 505	0.0001	ND
PCB 1248 Aroclor	EPA 505	0.0001	ND
PCB 1254 Aroclor	EPA 505	0.0001	ND
PCB 1260 Aroclor	EPA 505	0.0001	ND
Toxaphene	EPA 505	0.0005	ND
Herbicides			
2,4,5-T	EPA 515.4	0.0002	ND
2,4,5-TP (Silvex)	EPA 515.4	0.0002	ND
2,4-D	EPA 515.4	0.0001	ND
2,4-DB	EPA 515.4	0.002	ND
Dichlorprop	EPA 515.4	0.0005	ND
Acifluorfen	EPA 515.4	0.0002	ND
Bentazon	EPA 515.4	0.0005	ND
Dalapon	EPA 515.4	0.001	ND
3,5-Dichlorobenzoic acid	EPA 515.4	0.0005	ND
Tot DCPA Mono&Diacid Degradate	EPA 515.4	0.0001	ND
Dicamba	EPA 515.4	0.0001	ND
Dinoseb	EPA 515.4	0.0002	ND
Pentachlorophenol	EPA 515.4	0.00004	ND
Picloram	EPA 515.4	0.0001	ND
Semivolatile Organic Compounds			
Acenaphthene	EPA 525.2	0.0001	ND
Acenaphthylene	EPA 525.2	0.0001	ND
Acetochlor	EPA 525.2	0.0001	ND
Alpha-BHC	EPA 525.2	0.0001	ND
alpha-Chlordane	EPA 525.2	0.00005	ND
Anthracene	EPA 525.2	0.00002	ND
Atrazine	EPA 525.2	0.00005	ND
Benz(a)Anthracene	EPA 525.2	0.00005	ND

All results reported in milligrams per liter unless otherwise noted.
ND - Not detected at the specified limit

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Report Date: 02/17/2020

Client: Starzinger GmbH & Co KG
Bahnhofstrase 1
Frankenmarkt, 4890

Attention: (1167) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 1167-002 Liquid Death Mountain Water			Sample #: 202001290036
Benzo(a)pyrene	EPA 525.2	0.00002	ND
Benzo(g,h,i)Perylene	EPA 525.2	0.00005	ND
Benzo(b)Fluoranthene	EPA 525.2	0.00002	ND
Benzo(k)Fluoranthene	EPA 525.2	0.00002	ND
Beta BHC	EPA 525.2	0.0001	ND
Butachlor	EPA 525.2	0.00005	ND
Butylbenzylphthalate	EPA 525.2	0.0005	ND
Chlorobenzilate	EPA 525.2	0.0001	ND
Chloroneb	EPA 525.2	0.0001	ND
Chlorothalonil	EPA 525.2	0.0001	ND
Chlorpyrifos	EPA 525.2	0.00005	ND
Chrysene	EPA 525.2	0.00002	ND
Bromacil	EPA 525.2	0.0001	ND
4,4-DDD	EPA 525.2	0.0001	ND
4,4-DDE	EPA 525.2	0.0001	ND
4,4-DDT	EPA 525.2	0.0001	ND
Delta BHC	EPA 525.2	0.0001	ND
Dibenz(a,h)Anthracene	EPA 525.2	0.00005	ND
Diethylphthalate	EPA 525.2	0.0005	ND
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.0006	ND
Diazinon (Qualitative)	EPA 525.2	0.0001	ND
Dieldrin	EPA 525.2	0.0002	ND
Dichlorvos (DDVP)	EPA 525.2	0.00005	ND
Dimethoate	EPA 525.2	0.0001	ND
Di-n-Butylphthalate	EPA 525.2	0.001	ND
2,4-Dinitrotoluene	EPA 525.2	0.0001	ND
Di-n-octylphthalate	EPA 525.2	0.0001	ND
2,6-Dinitrotoluene	EPA 525.2	0.0001	ND
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.0006	ND
Dimethylphthalate	EPA 525.2	0.0005	ND
Endosulfan I (Alpha)	EPA 525.2	0.0001	ND
Endosulfan II (Beta)	EPA 525.2	0.0001	ND
Endosulfan Sulfate	EPA 525.2	0.0001	ND
Endrin Aldehyde	EPA 525.2	0.0001	ND
EPTC	EPA 525.2	0.0001	ND

All results reported in milligrams per liter unless otherwise noted.
ND - Not detected at the specified limit

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Report Date: 02/17/2020

Client: Starzinger GmbH & Co KG
Bahnhofstrase 1
Frankenmarkt, 4890

Attention: (1167) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 1167-002 Liquid Death Mountain Water		Sample #: 202001290036	
Fluoranthene	EPA 525.2	0.0001	ND
Fluorene	EPA 525.2	0.00005	ND
gamma-Chlordane	EPA 525.2	0.00005	ND
Heptachlor	EPA 525.2	0.00004	ND
Hexachlorobenzene	EPA 525.2	0.00005	ND
Hexachlorocyclopentadiene	EPA 525.2	0.00005	ND
Indeno(1,2,3,c,d)Pyrene	EPA 525.2	0.00005	ND
Isophorone	EPA 525.2	0.0005	ND
Malathion	EPA 525.2	0.0001	ND
Metolachlor	EPA 525.2	0.00005	ND
Metribuzin	EPA 525.2	0.00005	ND
Molinate	EPA 525.2	0.0001	ND
Naphthalene	EPA 525.2	0.0003	ND
trans-Nonachlor	EPA 525.2	0.00005	ND
Parathion	EPA 525.2	0.0001	ND
Pendimethalin	EPA 525.2	0.0001	ND
Permethrin	EPA 525.2	0.0002	ND
Phenanthrene	EPA 525.2	0.00004	ND
Propachlor	EPA 525.2	0.00005	ND
Pyrene	EPA 525.2	0.00005	ND
Simazine	EPA 525.2	0.00005	ND
Terbutylazine	EPA 525.2	0.0001	ND
Terbacil	EPA 525.2	0.0001	ND
Thiobencarb	EPA 525.2	0.0002	ND
Trifluralin	EPA 525.2	0.0001	ND
Carbamates			
Aldicarb (Temik)	EPA 531.2	0.0005	ND
Aldicarb sulfone	EPA 531.2	0.0005	ND
Aldicarb sulfoxide	EPA 531.2	0.0005	ND
Baygon (Propoxur)	EPA 531.2	0.0005	ND
Carbaryl	EPA 531.2	0.0005	ND
Carbofuran (Furadan)	EPA 531.2	0.0005	ND
3 Hydroxycarbofuran	EPA 531.2	0.0005	ND
Methiocarb	EPA 531.2	0.0005	ND

All results reported in milligrams per liter unless otherwise noted.
ND - Not detected at the specified limit

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Report Date: 02/17/2020

Client: Starzinger GmbH & Co KG
Bahnhofstrasse 1
Frankenmarkt, 4890

Attention: (1167) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 1167-002 Liquid Death Mountain Water		Sample #: 202001290036	
Methomyl	EPA 531.2	0.0005	ND
Oxamyl (Vydate)	EPA 531.2	0.0005	ND
Other Organics			
Glyphosate	EPA 547	0.006	ND
Endothall	EPA 548.1	0.005	ND
Diquat	EPA 549.2	0.0004	ND
Paraquat	EPA 549.2	0.002	ND
Disinfection By-products			
Bromate	EPA 317	0.005	ND
Chlorite	EPA 300.0	0.01	ND
Total Haloacetic Acids	SM 6251B	0.002	ND
Bromochloroacetic acid	SM 6251B	0.001	ND
Dibromoacetic acid	SM 6251B	0.001	ND
Dichloroacetic acid	SM 6251B	0.001	ND
Monobromoacetic acid	SM 6251B	0.001	ND
Monochloroacetic acid	SM 6251B	0.002	ND
Trichloroacetic acid	SM 6251B	0.001	ND
Total Trihalomethanes	EPA 524.2	0.0005	ND
Total Trihalomethanes	EPA 524.2	0.0005	ND
Total Chlorine Residual	SM 4500-CL G	0.1	ND
Chloramines	SM 4500CL-G/HACH	0.1	ND
Chlorine Dioxide	SM 4500-CLO2-D/HACH	0.24	ND
Free Chlorine Residual	SM 4500CL-G/HACH	0.1	ND
Other Compounds			
Perchlorate	EPA 331.0	0.002	ND
Alpha, Gross, pCi/L	EPA 900.0	3	ND
Beta, Gross, pCi/L	EPA 900.0	3	ND
Radium 226 (subbed), pCi/L	EPA 903.1	1	ND
Radium 228 (subbed), pCi/L	EPA 904.0	1	ND
2,3,7,8-TCDD	EPA 1613B	0.00000005	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Starzinger GmbH & Co KG
Bahnhofstrase 1
Frankenmarkt, 4890

Report Date: 02/17/2020

Attention: (1167) Water Quality Manager

Parameter	Method	Reporting Limit	Result
Sample ID: 1167-002 Liquid Death Mountain Water		Sample #: 202001290036	
Microbiologicals			
Heterotrophic Plate Count, CFU/ml	SM 9215B	1	ND
Total Coliform Bacteria, MPN/100 ml	SM 9223B	1	ND
E. Coli Bacteria, MPN/100 ml	SM 9223B	1	ND



Send To: C0497105

Mr. Marke Antonsen
Selkirk Springs Ltd.
8200 Jumping Creek Road
Revelstoke, British Columbia V0E 2S0
Canada

Facility: C0497107

Selkirk Springs Ltd.
8200 Jumping Creek Road
Revelstoke BC V0E 2S0
Canada

Result COMPLETE

Report Date 16-OCT-2019

Customer Name Selkirk Springs Ltd.
 Tested To USFDA CFR Title 21 Part 165.110
 Description Source Water
 Test Type Source Water
 Job Number J-00336209
 Project Number 10118887 (CLAB)
 Project Manager Kayla Anctil

Thank you for having your product tested by NSF International.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization *Nancy F. Cole*

Nancy Cole - Director, Analysis Laboratories

Date 16-OCT-2019



General Information

Standard: USFDA CFR Title 21 Part 165.110

Collected by: Steven Kao

Date and Time Sampled: 08/28/2019 11:00 EDT | 10/09/2019 11:00 EDT

Product Description: Source Water

Sample Id: **S-0001639326**
 Description: Source Water - 08/28/2019 11:00 EDT
 Sampled Date: 08/28/2019
 Received Date: 08/29/2019

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Physical Quality					
Alkalinity as CaCO3	5	160		mg/LCaCO3	
Color	5	ND	15	Color Unit	Pass
Specific Conductance	10	390		umhos/cm	
Corrosivity	0	0.39			
Hardness, Total	2	190		mg/LCaCO3	
Solids Total Dissolved	5	220	500	mg/L	Pass
Turbidity	0.1	ND	5	NTU	Pass
pH	0.01	7.90			
Temperature	0	22		deg. C	
Bicarbonate	5	190		mg/L HCO3	
Odor, Threshold	1	1	3	TON	Pass
Disinfection Residuals/Disinfection By-Products					
Bromate	5	ND	10	ug/L	Pass
Monochloramine	0.05	ND		mg/L	
Dichloramine	0.05	ND		mg/L	
Nitrogen trichloride	0.05	ND		mg/L	
Chloramine, Total	0.05	ND	4	mg/L	Pass
Chlorite	10	ND	1000	ug/L	Pass
Chlorine Dioxide	0.1	ND	0.8	mg/L	Pass
Monochloroacetic Acid	2	ND		ug/L	
Monobromoacetic Acid	1	ND		ug/L	
Dichloroacetic Acid	1	ND		ug/L	
Bromochloroacetic Acid	1	ND		ug/L	
Trichloroacetic Acid	1	ND		ug/L	
Dibromoacetic Acid	1	ND		ug/L	
Total Haloacetic Acid	1	ND	60	ug/L	Pass
Chlorine, Total Residual	0.05	ND	4	mg/L	Pass
Radiologicals					
Uranium	0.001	0.003	0.03	mg/L	Pass
P1 Gross Alpha	3	ND	15	pCi/L	Pass
P1 Gross Beta	4	ND	50	pCi/L	Pass
Alpha Variance +/-		2		pCi/L	
Beta Variance +/-		2		pCi/L	
Radium-226	1	ND		pCi/L	
Radium-228	1	ND		pCi/L	
Radium-226, Radium-228 Combined	1	ND	5	pCi/L	Pass
Radium 226 Variance +/-		0.3		pCi/L	
Radium 228 Variance +/-		0.3		pCi/L	
Inorganic Chemicals					
Aluminum	0.01	ND	0.2	mg/L	Pass



Sample Id: S-0001639326

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Inorganic Chemicals					
Antimony	0.0002	ND	0.006	mg/L	Pass
Arsenic	0.001	ND	0.01	mg/L	Pass
* Asbestos in Water (Ref: EPA 100.2)-Bureau Veritas					
Chrysotile Fibers	0.2	ND		MFL	
Amphibole Fibers	0.2	ND		MFL	
Single Fiber Detection Limit	0.2	ND		MFL	
Barium	0.001	0.015	2	mg/L	Pass
Beryllium	0.0002	ND	0.004	mg/L	Pass
Bromide	10	ND		ug/L	
Cadmium	0.0002	ND	0.005	mg/L	Pass
Calcium	0.2	46		mg/L	
Chloride	2	ND	250	mg/L	Pass
Chromium (includes Hexavalent Chromium)	0.001	ND	0.1	mg/L	Pass
Copper	0.001	ND	1	mg/L	Pass
Cyanide, Total	0.005	ND	0.2	mg/L	Pass
Fluoride	0.1	ND	2.4	mg/L	Pass
Iron	0.02	ND	0.3	mg/L	Pass
Lead	0.0005	ND	0.005	mg/L	Pass
Magnesium	0.02	18		mg/L	
Manganese	0.001	ND	0.05	mg/L	Pass
Mercury	0.0002	ND	0.002	mg/L	Pass
Nickel	0.0005	0.001	0.1	mg/L	Pass
Nitrogen, Nitrate	0.01	0.05	10	mg/L N	Pass
Nitrogen, Nitrite	0.004	ND	1	mg/L N	Pass
Total Nitrate + Nitrite-Nitrogen	0.02	0.05	10	mg/L	Pass
Potassium	0.5	ND		mg/L	
Selenium	0.001	ND	0.05	mg/L	Pass
Sodium	0.2	1.1		mg/L	
Sulfate as SO4	0.5	40	250	mg/L	Pass
MBAS, calc. as LAS Mol.Wt. 320	0.2	ND		mg/L	
Thallium	0.0002	ND	0.002	mg/L	Pass
Phenolics	0.001	ND	0.001	mg/L	Pass
Zinc	0.01	ND	5	mg/L	Pass
Organic Chemicals					
Diquat (Ref: EPA 549.2)					
Diquat	0.4	ND	20	ug/L	Pass
Endothall (Ref. EPA 548.1) - (ug/L)					
Endothall	9	ND	100	ug/L	Pass
Glyphosate (Ref: EPA 547)					
Glyphosate	6	ND	700	ug/L	Pass
Perchlorate (Ref: EPA 314.0)					
Perchlorate	1	ND		ug/L	
2,3,7,8-TCDD (Ref: EPA 1613B)					
2,3,7,8-Tetrachlorodibenzo-p-dioxin	5	ND	30	pg/L	Pass
Carbamate Pesticides (Ref: 531.2)					
Aldicarb sulfoxide	0.5	ND		ug/L	
Aldicarb sulfone	0.5	ND		ug/L	
Oxamyl	0.5	ND	200	ug/L	Pass
Aldicarb	0.5	ND		ug/L	



Sample Id: S-0001639326

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
Carbofuran	0.5	ND	40	ug/L	Pass
Methomyl	0.5	ND		ug/L	
Carbaryl	0.5	ND		ug/L	
3-Hydroxycarbofuran	0.5	ND		ug/L	
Herbicides (Ref: EPA 515.3)					
Dalapon	1	ND	200	ug/L	Pass
Dicamba	0.1	ND		ug/L	
2,4-D	0.1	ND	70	ug/L	Pass
Pentachlorophenol	0.04	ND	1	ug/L	Pass
2,4,5-TP	0.2	ND	50	ug/L	Pass
Dinoseb	0.2	ND	7	ug/L	Pass
Picloram	0.1	ND	500	ug/L	Pass
Bentazon	0.2	ND		ug/L	
DCPA Acid Metabolites	0.2	ND		ug/L	
Semivolatile Organic Compounds (Ref: EPA 525.2)					
Hexachlorocyclopentadiene	0.1	ND	50	ug/L	Pass
EPTC	0.5	ND		ug/L	
Dimethylphthalate	2	ND		ug/L	
2,6-Dinitrotoluene	0.5	ND		ug/L	
2,4 Dinitrotoluene	0.5	ND		ug/L	
Molinate	0.1	ND		ug/L	
Diethylphthalate	2	ND		ug/L	
Propachlor	0.1	ND		ug/L	
Hexachlorobenzene	0.1	ND	1	ug/L	Pass
Simazine	0.07	ND	4	ug/L	Pass
Atrazine	0.1	ND	3	ug/L	Pass
Lindane	0.02	ND	0.2	ug/L	Pass
Terbacil	0.5	ND		ug/L	
Metribuzin	0.1	ND		ug/L	
Alachlor	0.1	ND	2	ug/L	Pass
Heptachlor	0.04	ND	0.4	ug/L	Pass
Di-n-butylphthalate	2	ND		ug/L	
Metolachlor	0.1	ND		ug/L	
Aldrin	0.1	ND		ug/L	
Heptachlor Epoxide	0.02	ND	0.2	ug/L	Pass
Butachlor	0.2	ND		ug/L	
p,p'-DDE (4,4'-DDE)	0.5	ND		ug/L	
Dieldrin	0.5	ND		ug/L	
Endrin	0.1	ND	2	ug/L	Pass
Butylbenzylphthalate	2	ND		ug/L	
bis(2-Ethylhexyl)adipate	0.6	ND	400	ug/L	Pass
Methoxychlor	0.1	ND	40	ug/L	Pass
bis(2-Ethylhexyl)phthalate (DEHP)	0.6	ND	6	ug/L	Pass
Benzo(a)Pyrene	0.02	ND	0.2	ug/L	Pass
Volatiles: EDB and DBCP (Ref: EPA 504.1)					
Ethylene Dibromide (EDB)	0.01	ND	0.05	ug/L	Pass
1,2-Dibromo-3-Chloropropane (DBCP)	0.01	ND	0.2	ug/L	Pass
Chlorinated Pesticides and Organohalides by EPA 508.1					
Toxaphene	0.1	ND	3	ug/L	Pass



Sample Id: **S-0001639326**

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
Chlordane	0.1	ND	2	ug/L	Pass
PCB 1016	0.08	ND	0.5	ug/L	Pass
PCB 1221	0.1	ND	0.5	ug/L	Pass
PCB 1232	0.1	ND	0.5	ug/L	Pass
PCB 1242	0.1	ND	0.5	ug/L	Pass
PCB 1248	0.1	ND	0.5	ug/L	Pass
PCB 1254	0.1	ND	0.5	ug/L	Pass
PCB 1260	0.1	ND	0.5	ug/L	Pass
Endrin	0.01	ND	2	ug/L	Pass
Total PCBs	0.1	ND	0.5	ug/L	Pass
Miscellaneous					
Silver	0.001	ND	0.1	mg/L	Pass

Sample Id: **S-0001639327**

Description: Source Water - 10/09/2019 11:00 EDT

Sampled Date: 10/09/2019

Received Date: 08/29/2019

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Radiologicals					
Radon	200	ND		pCi/L	
Radon Variance +/-		6		pCi/L	
Organic Chemicals					
Volatiles: Regulated and Monitoring VOC's (Ref: EPA 524.2)					
Dichlorodifluoromethane	0.5	ND		ug/L	
Chloromethane	0.5	ND		ug/L	
Vinyl Chloride	0.5	ND	2	ug/L	Pass
Bromomethane	0.5	ND		ug/L	
Chloroethane	0.5	ND		ug/L	
Trichlorofluoromethane	0.5	ND		ug/L	
Trichlorotrifluoroethane	0.5	ND		ug/L	
Methylene Chloride	0.5	1.2	5	ug/L	Pass
1,1-Dichloroethylene	0.5	ND	7	ug/L	Pass
trans-1,2-Dichloroethylene	0.5	ND	100	ug/L	Pass
1,1-Dichloroethane	0.5	ND		ug/L	
2,2-Dichloropropane	0.5	ND		ug/L	
cis-1,2-Dichloroethylene	0.5	ND	70	ug/L	Pass
Chloroform	0.5	ND		ug/L	
Bromochloromethane	0.5	ND		ug/L	
1,1,1-Trichloroethane	0.5	ND	200	ug/L	Pass
1,1-Dichloropropene	0.5	ND		ug/L	
Carbon Tetrachloride	0.5	ND	5	ug/L	Pass
1,2-Dichloroethane	0.5	ND	5	ug/L	Pass
Trichloroethylene	0.5	ND	5	ug/L	Pass
1,2-Dichloropropane	0.5	ND	5	ug/L	Pass
Bromodichloromethane	0.5	ND		ug/L	
Dibromomethane	0.5	ND		ug/L	
cis-1,3-Dichloropropene	0.5	ND		ug/L	



Sample Id: S-0001639327

Testing Parameter	Reporting Limit	Result	FDA SOQ	Units	P / F
Organic Chemicals					
trans-1,3-Dichloropropene	0.5	ND		ug/L	
1,1,2-Trichloroethane	0.5	ND	5	ug/L	Pass
1,3-Dichloropropane	0.5	ND		ug/L	
Tetrachloroethylene	0.5	ND	5	ug/L	Pass
Chlorodibromomethane	0.5	ND		ug/L	
Chlorobenzene	0.5	ND	100	ug/L	Pass
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
Bromoform	0.5	ND		ug/L	
1,1,1,2-Tetrachloroethane	0.5	ND		ug/L	
1,2,3-Trichloropropane	0.5	ND		ug/L	
1,3-Dichlorobenzene	0.5	ND		ug/L	
1,4-Dichlorobenzene	0.5	ND	75	ug/L	Pass
1,2-Dichlorobenzene	0.5	ND	600	ug/L	Pass
Methyl-tert-Butyl Ether (MTBE)	0.5	ND		ug/L	
Methyl Ethyl Ketone	5	ND		ug/L	
Toluene	0.5	ND	1000	ug/L	Pass
Ethyl Benzene	0.5	ND	700	ug/L	Pass
m+p-Xylenes	1	ND		ug/L	
o-Xylene	0.5	ND		ug/L	
Styrene	0.5	ND	100	ug/L	Pass
Isopropylbenzene (Cumene)	0.5	ND		ug/L	
n-Propylbenzene	0.5	ND		ug/L	
Bromobenzene	0.5	ND		ug/L	
2-Chlorotoluene	0.5	ND		ug/L	
4-Chlorotoluene	0.5	ND		ug/L	
1,3,5-Trimethylbenzene	0.5	ND		ug/L	
tert-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trimethylbenzene	0.5	ND		ug/L	
sec-Butylbenzene	0.5	ND		ug/L	
p-Isopropyltoluene (Cymene)	0.5	ND		ug/L	
1,2,3-Trimethylbenzene	0.5	ND		ug/L	
n-Butylbenzene	0.5	ND		ug/L	
1,2,4-Trichlorobenzene	0.5	ND	70	ug/L	Pass
Hexachlorobutadiene	0.5	ND		ug/L	
1,2,3-Trichlorobenzene	0.5	ND		ug/L	
Naphthalene	0.5	ND		ug/L	
Benzene	0.5	ND	5	ug/L	Pass
Total Trihalomethanes	0.5	ND	80	ug/L	Pass
Total Xylenes	0.5	ND	10000	ug/L	Pass