

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 1 of 14

1. CHEMICAL SUBSTANCE/PRODUCT AND COMPANY IDENTIFICATION**1.1 COMPANY IDENTIFICATION:**

ETERNAL COSMETICS, LLC.
7060 SW 4TH STREET
MIAMI, FL 33144
USA
Tel: +1 (305) 262-5355
Fax: +1 (305)-264-4768

E-mail address: customerservice@eternal-cosmetics.com

Emergency telephone number: +1 (305) 262-5355

Cosmetic Manufactured License (State of Florida): 06526

1.2 PRODUCT INFORMATION:**Name: ETERNAL NAIL POLISH REMOVER 100% PURE ACETONE**

Cosmetic form / Family: Liquid / Nail polish remover.

Product description: Eternal Nail Polish Remover is a 100% pure acetone, which helps eliminate any type of enamel in record time. Plus, it doesn't leave any oily residue, leaving your hands and feet perfect for your next mani-pedi.

Recommended Use: Removal of nail polish.

Additional Product information:

Capacity	4 FL. OZ., 8 FL. OZ., 16 FL. OZ
Shelf Life	24 months

2. HAZARDS IDENTIFICATION**2.1 Classification of substance or mixture**

Product definition: Substance

Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation EC No. 1272/2008

Flammable Liquid - Category 2 [H225]

Eye Irritation - Category 2A [H319]

Single Target Organ Toxicity, Single Exposure - Category 3; STOT SE 3 [H336]

2.2 LABEL ELEMENTS

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 2 of 14

Pictograms:

GHS02



GHS07

Signal Word: DANGER!**Hazard statement(s)**

H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Hazardous Statements - Physical:

- Extremely flammable liquid and vapor

Precautionary statement(s)**[Prevention]**

P210 - Keep away from heat, open flames and hot surfaces. No smoking.
P233 - Keep container tightly closed.
P240 - Ground and bond container and receiving equipment.
P241 + P242 - Use explosion proof electrical, ventilating and lighting equipment. Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P261 - Avoid breathing fumes, mist and vapor.
P264 - Wash hands and other exposed skin areas thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves, protective clothing and eye protection.

[Response]

P303 + P361 + P353 - IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water or shower.
P304 + P340 + P312 - IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing. Call a POISON CENTER or doctor if you feel unwell.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 - If eye irritation persists: Get medical attention.
P362 - Take off contaminated clothing and wash before reuse.
P370 + P378 - In case of fire: Use water fog, foam, dry chemical or carbon dioxide for extinction.

[Storage]

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 3 of 14

P405 + P403 + P233 + P235 - Store locked up in a well-ventilated place. Keep container tightly closed. Keep cool.

[Disposal]

P501 - Dispose of contents and containers in accordance with national and local regulations.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Repeated exposure may cause skin dryness or cracking.

3. COMPOSITION & INGREDIENTS INFORMATION

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
100	Acetone	67-64-1	200-662-2	606-001-00-8	H225, H319, H335

There are no additional ingredients present in this product which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. FIRST AID MEASURES**Inhalation:**

- Remove source of exposure or move person to fresh air and keep comfortable for breathing.
- Eliminate all ignition sources if safe to do so.

Skin Contact:

- Rinse/wash with lukewarm, gently flowing water (and mild soap) for 15-20 minutes or until product is removed. If skin irritation occurs or
- you feel unwell: Get medical advice/attention.

Eye Contact:

- Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for 15-20 minutes,
- while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. Take care not to rinse contaminated
- water into the unaffected eye or onto the face. Get immediate medical attention.

Ingestion:

- Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position. Immediately call 911 POISON
- CENTER/doctor/. Immediately transport to the nearest medical facility for treatment.

Most important symptoms/effects, acute and delayed: May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 4 of 14

Indication of immediate medical attention and special treatment needed: Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information: Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media:

- Dry chemical, foam, carbon dioxide or fog is recommended. Water spray is recommended to cool or protect exposed materials or structures. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam. Sand or earth may be used for small fires only.

Unsuitable Extinguishing Media:

- No data available.

Specific Hazards in Case of Fire:

- Containers exposed to intense heat from fires should be cooled with large quantities of water. The vapour is heavier than air, spreads along the ground and distant ignition is possible.

Fire-fighting Procedures:

- Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel.
- Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Special Protective Actions:

- Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedure:

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 5 of 14

- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Do not touch or walk through spilled material.
- Isolate hazard area and keep unnecessary people away. Remove all possible sources of ignition in the surrounding area. Notify authorities
- if any exposure to the general public or the environment occurs or is likely to occur.
- If spilled material is cleaned up using a regulated solvent, the resulting waste mixture may be regulated.

Recommended Equipment:

- Positive pressure, full-facepiece self-contained breathing apparatus (SCBA), or positive pressure supplied air respirator with escape SCBA
- (NIOSH approved).

Personal Precautions:

- Avoid breathing vapor. Avoid contact with skin, eye or clothing. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Use explosive proof equipment. Avoid inhalation of dust and contact with skin and eyes. Do not touch damaged
- containers or spilled materials unless wearing appropriate protective clothing.

Environmental Precautions:

- Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems
- and natural waterways by using sand, earth, or other appropriate barriers.

Methods and Materials for Containment and Cleaning up:

- Do not flush away residues with water. Retain as contaminated waste. Allow residues to evaporate or soak up with an appropriate
- absorbent material and dispose of safely. Remove contaminated soil and dispose of safely.
- For large liquid spills (> 1 drum), transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal.
- For small liquid spills (< 1 drum), transfer by mechanical means to a labeled, sealable container for product recovery or safe disposal.

7. HANDLING AND STORAGE**General:**

- Wash hands after use.
- Do not get in eyes, on skin or on clothing.
- Do not breathe vapors or mists.
- Use good personal hygiene practices.
- Eating, drinking and smoking in work areas is prohibited.
- Remove contaminated clothing and protective equipment before entering eating areas.

ETERNAL NAIL POLISH REMOVER 100% PURE ACETONE

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 6 of 14

- Eyewash stations and showers should be available in areas where this material is used and stored.

Ventilation Requirements:

- Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to
- control emissions near the source.

Storage Room Requirements:

- Keep container(s) tightly closed and properly labeled. Store in cool, dry, well-ventilated areas away from heat, direct sunlight, strong
- oxidizers and any incompatibilities. Store in approved containers and protect against physical damage. Keep containers securely sealed
- when not in use. Indoor storage should meet OSHA standards and appropriate fire codes. Containers that have been opened must be
- carefully resealed to prevent leakage. Empty container retain residue and may be dangerous.
- Use non-sparking ventilation systems, approved explosion-proof equipment and intrinsically safe electrical systems in areas where this
- product is used and stored.
- Ground and bond containers and receiving equipment. Avoid static electricity by grounding.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Controls Parameters

Occupational exposure limits

US. OSHA Table Z-1 Limits far Air Contaminants (29 CFR 1910.1000)

Material	Type	Value
ACETONE (CAS 67-64-1)	PEL	2400 mg/m ³ 1000 ppm

US. ACGIH Threshold Limil Values

Material	Type	Value
ACETONE (CAS 67-64-1)	STEL	750 ppm
	TWA	500 ppm

US. NIOSH; Pocket Guide to Chemical Hazards

Material	Type	Value
ACETONE (CAS 67-64-1)	TWA	590 mg/m ³ 250 ppm

Biological limit values

ACGIH Biological Exposure Indices

Material	Value	Detem,inant	Specime n	Sampling Time

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 7 of 14

ACETONE (CAS 67-64-1) 50 mg/l

Acetone

Urine

* - Fer sampling details, please see the source document

8.2 Exposure Controls

Respiratory Protection:

- If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection
- program that meets or is equivalent to OSHA 29 CFR 1910.134 and ANSI Z88.2 should be followed. Check with respiratory protective
- equipment suppliers.

Skin Protection:

- Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene
- or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical
- resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced.
- Use of an apron and over- boots of chemically impervious materials such as neoprene or nitrile rubber is recommended to avoid skin
- sensitization. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at
- the specific workplace. Launder soiled clothes or properly disposed of contaminated material, which cannot be decontaminated.

Eye Protection:

- Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids. If
- additional protection is needed for entire face, use in combination with a face shield.

Appropriate Engineering Controls:

- Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold
- limit value.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 8 of 14

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	CLEAR COLORLESS
Odor	Pungent
Odor threshold	Not Available
pH	Not Available
Melting point/freezing point	-139 °F (-95 °C)
Initial boiling point and boiling range	132.89 °F (56.05 °C) 101.325 kPa
Flash point	-4.0 °F (-20.0 °C)
Evaporation Rate	Not Available
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	
Flammability limit - lower	Not available. (%)
Flammability limit - upper	Not available. (%)
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	30.93 kPa at 25 °C 30.8 kPa at 25 °C
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Miscible
Partition coefficient	-0.24 (n-octanol/water)
Auto-ignition temperature	869°F (465 °C) Decomposition
Decomposition temperature	Not available.
Viscosity	Not available,
Other information	
Density	6.59 lbs/gal
Dynamic viscosity	0.32 mPa.s
Dynamic viscosity temperature	68 °F (20 °C)
Explosive properties	Not explosive.
Flammability class	Flammable 1B estimated
Heat of combustion (NFPA 30B)	27.7 kJ/g
Molecular formula	C3-H6-O
Molecular weight	58.08 g/mol
Oxidizing properties	Not oxidizing
Percent volatile	100 %
Specific gravity	0.79
VOC (Weight %)	100 %

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 9 of 14

10. STABILITY AND REACTIVITY

Reactivity: The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials

Incompatible materials: Acids.

Hazardous decomposition products: No hazardous decomposition products are known

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

- Inhalation: May cause drowsiness and dizziness. Headache. Nausea, vomiting.
- Skin contact: No adverse effects due to skin contact are expected.
- Eye contact: Causes serious eye irritation.
- Ingestion: Expected to be a low ingestion hazard.
- Symptoms related to the physical, chemical and toxicological characteristics: May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

- Acute toxicity Narcotic effects.
- Skin corrosion/irritation: Prolonged skin contact may cause temporary irritation
- Serious eye damage/eye Irritation: Causes serious eye irritation.
- Respiratory or skin sensitization
 - Respiratory sensitization: Not a respiratory sensitizer.
 - Skin sensitization: This product is not expected to cause skin sensitization.
- Germ cell mutagenicity: No data available to indicate whether any components present at greater than 0.1% are mutagenic or genotoxic
- Carcinogenicity: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA
 - IARC Monographs. Overall Evaluation of Carcinogenicity Not available.
 - **OSHA** Specifically Regulated Substances (29 CFR **1910.1001-1050**) Not listed.

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 10 of 14

○ US. National Toxicology Program (NTP) Report on Carcinogens Not available.

- Reproductive toxicity This product is not expected to cause reproductive or developmental effects.
- Specific target organ toxicity May cause drowsiness and dizziness. single exposure

12. ECOLOGICAL INFORMATION**Ecotoxicity:**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Toxicity

Large spills or discharges of this material may be harmful to aquatic life.

Toxicity to fish: LC₅₀ - Oncorhynchus mykiss (Rainbow trout), 96 h: 5,540 mg/l

Toxicity to aquatic invertebrates: EC₅₀ - Daphnia magna (Water flea), 48 h: 6,100 mg/l

Toxicity to aquatic plants: EC₅₀ - Selenastrum quadricauda (Algae), 8 d: 7,500 mg/l

Toxicity to micro-organisms: EC₅₀ - Pseudomonas putida (Bacteria), 16h: 1,700 mg/l

Persistence and degradability

This product is readily biodegradable.

Bioaccumulation potential

This material will not bioaccumulate.

Mobility in soil

Mobility in soil is high and may cause contamination of ground water.

Results of PBT and vPvB assessment

This material is not persistent, bioaccumulative and toxic (PBT) and not very persistent and very bioaccumulative (vPvB).

Other effects**Additional ecological information**

Do not allow material to run into surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

Disposal instructions: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations: Dispose in accordance with all applicable regulations.

Hazardous waste code: The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

US RCRA Hazardous Waste U List: Reference
ACETONE (CAS 67-64-1) U002

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 11 of 14

Waste from residues / unused Products: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORTATION INFORMATION

Note Based on package size, product may be eligible for limited quantity exception

U.S. DOT Information:**UN-No. UN1090****Proper Shipping Name: Acetone****Hazard Class: 3.****Packing Group: II.****TDG****UN-No. UN1090****Proper Shipping****Name: Acetone****Hazard Class: 3.****Packing Group: II.****Description****IATA****UN-No. UN1090****Proper Shipping****Name: Acetone****Hazard Class: 3.****Packing Group: II.****Description****IMDG/IMO****UN-No. UN1090****Proper Shipping****Name: Acetone****Hazard Class: 3.****Packing Group: II.****EmS No.****Description**

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 12 of 14

Considerations: According to transportation regulations in every country. Keep containers and packaging completely closed and sealed during transportation. Keep the containers in vertical position during transportation and at any time, to avoid spills. It is recommended to keep the original packaging (corrugated boxes, carton boxes) when more than 6 units are transported.

Transport the product according to the following regulations:

RID: International regulation concerning transportation of dangerous goods by train.

ADR: European international agreements for dangerous goods transportation overland.

15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)
ACETONE (CAS 67-64-1) --- Listed

SARA 304 Emergency release notification Not regulated.
Not Regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)
Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance Not listed.

SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SOWA) Not regulated.

**ETERNAL NAIL POLISH REMOVER
100% PURE ACETONE**

Document N°: SDS-021

Revision: D

Date: 09-28-2022

Validity: 60 months

Page 13 of 14

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(1)(2) and Chemical Code Number
ACETONE (CAS 67-64-1) 6532

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))
ACETONE (CAS 67-64-1) 35 %WV

DEA Exempt Chemical Mixtures Code Number
ACETONE (CAS 67-64-1) 6532

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace
ACETONE (CAS 67-64-1) Low priority

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US, California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal, Code Regs, tit. 22,69502.3, subd, (a)) ACETONE (CAS 67-64-1)

US, Massachusetts RTK Substance List ACETONE (CAS 67-64-1)

US. New Jersey Worker and Community Right-to-Know Act ACETONE (CAS 67-64-1)

US. Pennsylvania Worker and Community Right-to-Know Law ACETONE (CAS 67-64-1)

US. Rhode Island RTK ACETONE (CAS 67-64-1)

US. California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986
(Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	
AUSTRALIA:	Australian inventory of Chemical Substances (AICS)	YES
Canada	Domestic Substances List (DSL)	YES
Canada	Non-Domestic Substances Lis! (NDSL)	No
China	Inventory of Existing Chemical Substances in China (1ECSC)	YES
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	YES
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	YES
Korea	Existing Chemicals List (ECL)	YES
New Zealand	New Zealand inventory	YES
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	YES
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	YES

ETERNAL COSMETICS, LLC	SAFETY DATA SHEET (SDS)
ETERNAL NAIL POLISH REMOVER 100% PURE ACETONE	Document N°: SDS-021
	Revision: D
	Date: 09-28-2022
	Validity: 60 months Page 14 of 14

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. OTHER INFORMATION

Other Information:

DANGER! HIGHLY FLAMMABLE LIQUID AND VAPOR. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS. Keep away from heat/sparks/open flame/ hot surface. No Smoking. Keep container tightly closed. Take precautionary measures against static discharge. Avoid breathing fume/mist/vapors/spray. Wash exposed skin areas thoroughly. IF ON SKIN. Wash with soap and water. IF IN EYES: rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If skin irritation or rash occurs – Get medical advice/attention. Store in a well-ventilated place. Keep cool. Use only as directed. Store in a cool place. **KEEP OUT OF REACH OF CHILDREN.**

Terms & Definitions

Please see last page of this SDS

Disclaimer:

The information in this SDS was obtained from sources which we believe are reliable. However, the above information is provided without warranty, expressed or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Prepared by

ETERNAL COSMETICS LLC

End of SDS