

**ETERNAL TREATMENTS**

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 1 of 11

**1. CHEMICAL SUBSTANCE/PRODUCT AND COMPANY IDENTIFICATION****1.1 COMPANY IDENTIFICATION:**

ETERNAL COSMETICS, LLC.  
7060 SW 4<sup>TH</sup> STREET  
MIAMI, FL 33144  
USA  
Fax: +1 (305)-264-4768

**E-mail address:** [customerservice@eternal-cosmetics.com](mailto:customerservice@eternal-cosmetics.com)

**Emergency telephone number:** +1 (305) 262-5355

Cosmetic Manufactured License (State of Florida): 06526

**1.2 PRODUCT INFORMATION:**

Trade Name: **ALL ETERNAL NAIL TREATMENTS 0.46 FL OZ**  
(except cuticle oil and no bite)

Cosmetic form / Family: Liquids / Nail polish / Nail Enamels

Product Use: Cosmetics use only

**2. HAZARDS IDENTIFICATION****2.1 HAZARD IDENTIFICATION**

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Classification:

<b>Hazard Class</b>	<b>Hazard Category</b>
Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Acute Oral Toxicity	Category 4

**2.2 LABELS ELEMENTS**Hazard Statements (H):

H225 – Highly flammable liquid and vapor.  
H317 – May cause an allergic skin reaction.  
H319 – Causes serious eye irritation.  
H335 – May cause respiratory irritation.  
H336 – May cause drowsiness or dizziness.

**ETERNAL TREATMENTS**

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 2 of 11

Precautionary Statements (P):

- P210 – Keep away from heat/sparks/open flame/hot surfaces – No Smoking.
- P233 – Keep container tightly closed.
- P243 – Take precautionary measures against static discharge.
- P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 – Wash exposed skin areas thoroughly with soap and water after handling.
- P272 – Contaminated work clothing should not be allowed out of the workplace.
- P280 – Wear protective gloves/eye protection/face protection.
- P302+P352 – IF ON SKIN: Wash with soap and water.
- P305+P351+P338 – IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
- P333+P313 – If skin irritation or a rash occurs – Get medical advice/attention.
- P321 – For specific first aid treatment (See Section 4 of this Safety Data Sheet).
- P363 – Wash contaminated clothing before reuse.
- P370+P378 – In case of fire, CO<sub>2</sub>, Halon (if permitted), dry chemical, or foam for extinction.
- P403+P235 – Store in a well-ventilated place.
- Keep cool.
- P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).

Hazard Pictograms



**3. COMPOSITION & INGREDIENTS INFORMATION**

**3.1 PRODUCT COMPOSITION/ INFORMATION ABOUT INGREDIENTS:**

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m <sup>3</sup> )									OTHER
					ACGIH		NOHSC			OSHA				
					ppm		ppm			ppm				
					TLV	STE L	ES-TWA	ES-STE L	ES-PEAK	PEL	STE L	IDL H		
BUTYL ACETATE	123-86-4	AF7350000	204-658-1	20-45	150	200	150	200	NF	200	200	170 0	100 NIOSH	
	Flam. Liq. 3; STOT SE 3; H226, H336													
ETHYL ACETATE	141-78-6	AH5425000	205-500-4	18-35	400	400	200	400	NF	NA	NA	200 0	400 TWA	
	Flam. Liq. 2; Eye Irrit. 2; STOT SE 3; H225, H319, H336													
NITROCELLULOSE	9004-70-0	QW0970000	NA	5-20	400	400	400	200	NF	NA	NA	200 0	400 TWA	
	Flam. Liq. 2; H225													
ADIPIC ACID / NEOPENTYL/GLYCOL / TRIMELLTIC ANHYDRIDE COPOLYMER	28407-73-0	NA	NA	5-10	NA	NA	NF	NF	NF	NA	NA	NA		
	Skin Sens. 1; H317													

### ETERNAL TREATMENTS

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 3 of 11

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m <sup>3</sup> )									OTHER
					ACGIH			NOHSC			OSHA			
					ppm			ppm			ppm			
					TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH		
ACETYL TRIBUTYL CITRATE	77-90-7	NA	201-067-0	5-10	NA	NA	NF	NF	NF	NA	NA	NA		
Flam. Gas 1; Muta. 1B; Carc. 1B; H220, H340, H350														
ISOPROPYL ALCOHOL	67-63-0	NT8050000	200-661-7	4-20	400	500	400	500	NF	400	500	200 0	400 TWA	
Flam. Liq. 2; Skin Irrit. 3; Eye Irrit. 2A; STOT SE 3; H225, H316, H319														
<b>MAY ALSO CONTAIN:</b>														
STEARALKONIUM BENTONITE	130501-87-0	NA	898533	0-2	NA	NA	NF	NF	NF	NA	NA	NA	DUST	
SILICA	7631-86-9	VV7310000	231-545-4	0-2	NA	NA	NF	NF	NF	NA	NA	300 0	RESP FRAC	
ACRYLATES COPOLYMER	25035-69-2	NA	NA	0-2	NA	NA	NF	NF	NF	NA	NA	NA		
BENZOPHENONE-1	131-56-6	DJ0700000	205-029-4	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335														
BENZOPHENONE-3	131-57-7	DJ1575000	205-031-5	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
CAPRYLIC/CAPRIC TRIGLYCERIDE	65381-09-1	NA	NA	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
CELLULOSE ACETATE BUTYRATE	9004-36-8	NA	NA	0-10	NA	NA	NF	NF	NF	NA	NA	NA		
DIMETHICONE	9006-65-9	NA	NA	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
ETOCRYLENE	5232-99-5	AT6200000	213-822-1	0-5	NA	NA	NF	NF	NF	NA	NA	NA		
GARLIC EXTRACT	8008-99-9	NA	NA	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
GLUCONOLACTONE	90-80-2	NA	202-016-5	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
GLYCOLIC ACID	79-14-1	NA		0-1	NA	NA	NF	NF	NF	NA	NA	NA		
N-BUTYL ALCOHOL	71-36-3	EO1400000	200-751-6	0-1	NA	NA	NF	NF	50	100	NA	140 0		
Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; H226, H302, H315, H318, H335, H336														
POLYVINYL BUTYRAL	63148-65-2	TR49550000	NA	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
RUBUS IDAEUS (RASPBERRY) LEAF EXTRACT	84929-76-0	NA	NA	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
STYRENE / ACRYLATES COPOLYMER	9010-92-8	NA	NA	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
CI 77891 (TITANIUM DIOXIDE)	13463-67-7	XR2275000	236-675-5	0-1	-10	NA	NF	NF	NF	-5	NA	500 0	TOTAL DUST	
TRIMETHYLPENTANEDIYL DIBENZOATE	68052-23-3	NA	268-316-3	0-0.5	NA	NA	NF	NF	NF	NA	NA	NA		
TRIMETHYLSILOXYSILICATE	56275-01-5	NA	NA	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
CI 60725 (VIOLET 2)	81-48-1	CB7700000	201-353-5	0-1	NA	NA	NF	NF	NF	NA	NA	NA		
WATER	7732-18-5	ZC0110000	231-191-2	0-0.1	NA	NA	NF	NF	NF	NA	NA	NA		

#### 4. FIRST AID MEASURES

- **Inhalation:** If inhaled directly and during long periods, take the subject to fresh air. Supply oxygen if necessary.
- **Skin contact:** Remove damp clothes and rinse skin thoroughly with water and soap, or using a known skin cleaner. Do not use any other solvent.

**ETERNAL TREATMENTS**

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 4 of 11

- **Eye contact:** Rinse immediately with plenty of water for at least 15 minutes. Search immediate medical assistance.
- **Ingestion:** Do not induce vomiting. If amount is not important, just rinse the mouth with water and ask a doctor. *In case of doubt or if symptoms persist, always call a doctor. Do not force any unconscious subject to swallow anything.*

## 5. FIREFIGHTING MEASURES

---

- **Fire & Explosion Hazards: DANGER! HIGHLY FLAMMABLE LIQUID AND VAPOR!** Keep away from heat, lit cigarettes, sparks & open flame. Keep container closed
- **Extinguishing Media:** Use dry chemical, foam, carbon dioxide, water.
- **Explosion Hazard:** Flammable Liquid. Explosive mixtures may form with air if large quantities of product are released in unventilated areas.
- **Fire Fighting Instructions:** Contact emergency personnel. Flammable material. Explosive mixtures may form with air. Use self-contained breathing apparatus and full protective gear, if large quantities of product are involved. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon and/or nitrogen; hydrocarbons and/or derivatives. Thermal degradation may also produce oxides of silicone.

## 6. ACCIDENTAL RELEASE MEASURES

---

### Procedures for Spill/Leak Clean-up:

- **For Household Settings:** Absorb spills and scrub the area with detergent. Ventilate area and eliminate all ignition sources.
- **For Non-Household Settings:** Ventilate area and eliminate all ignition sources. Use safety glasses or safety goggles if splash hazards exist; use gloves and other protective clothing (apron, boots etc.) to prevent skin contact.

## 7. HANDLING AND STORAGE

---

- **Work & Hygiene Practices:** Avoid prolonged contact with the product. Avoid breathing vapors of this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product.
- **Handling:** Handle and store away from heat or ignition sources (sparks, flames) in a well-aerated place. Do not smoke in the surroundings, particularly when manipulating the product or at the moment of application. Check for expiration date in the container before using. Close the container tightly after every use. Keep the containers hermetically closed when not in use. Do not reuse empty containers for any purpose, hazardous remains may be present in the empty containers. Keep away from the reach of children.
- **Storage:** Store away from heat or ignition sources (sparks, flames) in a well-aerated place. Avoid direct sunlight. Store in original packaging, in dry, fresh and well-aerated places.

**ETERNAL TREATMENTS**

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 5 of 11

- **Fire prevention:** Avoid static charge accumulation by means of grounded containers. Use the product only in places where there is no presence of any kind of flame. Keep electric appliances or tools used in the surroundings well-grounded and protected against power surges. Keep the containers firmly sealed and away from heat, spark and flame sources. Do not use tools that could generate sparks. Do not smoke. Prevent access to unauthorized personnel.
- **Special Precautions:** Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.

**8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**

**8.1 EXPOSURE LEVELS:**

CHEMICAL NAME(S)	ACGIH		NOHSC			OSHA			OTHER
	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	
ETHYL ACETATE	400	400	200	400	NF	NA	NA	2000	400 TWA
BUTYL ACETATE	150	200	150	200	NF	200	200	1700	100 NIOSH
ISOPROPYLOXY ALCOHOL	400	500	400	500	NF	400	500	2000	400 TWA
NITROCELLULOSE	400	400	400	200	NF	NA	NA	2000	400 TWA
N-BUTYL ALCOHOL	NA	50	50	152	50	100	NA	1400	
DIACETONE ALCOHOL	50	240	238	NF	NF	20	240	1800	L

**8.2 PERSONAL PROTECTION:**

- **Technical Measures:** During manufacturing: Perform operations in a well-aerated place, if possible by means of air suction in workplaces and a convenient extraction system.
- **Respiratory Protection:** Respiratory protection during application is not needed. In case of applying the product in a poor aerated area, it is recommended to wear a proper respiratory mask. Overexposure to fumes may be prevented assuring ventilation controls, fumes extraction or fresh air intake. Adequate ventilation is recommended in particular when applying in closed or confined areas.
- **Hands & skin protection:** Use nitrile, latex or neoprene gloves, to avoid prolonged exposure. Use aprons or proper clothing to avoid skin contact.
- **Eye & face protection:** Use security goggles or any other protection to avoid eye contact with the product.
- **Other protection equipment:** Manufacturing facility must be prepared with eye rinse stations and emergency showers.
- **Hygiene practices:** Rinse all body parts in contact with the product. Separate and wash contaminated clothing before using again.

**ETERNAL TREATMENTS**

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 6 of 11

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Parameter	Specifications
Appearance	Viscous liquid, various colors
Odor	Characteristic
PH	NA
Melting Point/Freezing Point:	NA
Initial Boiling Point/Boiling Range:	NA
Flashpoint:	-4 ° C (24° F) Method: Tag Closed Cup (TCC)
Viscosity at 25°C	1,000 – 3,000 cPs
Drying Time at 25°C	According to nail polish tone
Specific gravity	0.98-1.1
Solubility:	Insoluble
Upper/Lower Flammability Limits:	NA
Vapor Pressure:	NA
Vapor Density:	ND
Relative Density:	ND
Partition Coefficient (log Pow):	ND
Autoignition Temperature:	NA
Decomposition Temperature:	ND
Other Information:	NA

**10. STABILITY AND REACTIVITY**

- **Stability:** Stable in normal conditions and when properly handled. Does not polymerize.
- **Reactivity:** Product is stable under proper storage conditions.
- **Compatibility:** Incompatible with: oxidizers (i.e.. Nitrates), because they increase fire or explosion risks; strong acids and bases, because they can decompose the product; metals and amines.
- **Decomposition products:** Thermal decomposition at elevated temperatures releases the following products: Carbon Monoxide (CO), Carbon Dioxide (CO<sub>2</sub>), Nitrogen Oxides, Methane, Hydrogen Cyanide, Aldehydes, Carboxylic Acids and other irritant gases.
- **Conditions that must be avoided:** Direct sunlight, high temperatures, storage near heat and ignition sources.

**11. TOXICOLOGICAL INFORMATION**

**ETERNAL TREATMENTS**

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 7 of 11

**Toxicity:** Non-toxic for nails (intended application). Concentrated vapors may cause dizziness, vertigo, fainting, headache and breathing difficulties.

**Toxicity Data:** This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product, which are found in scientific literature, is available for some of the components of the product and is presented below:

Ingredient	LD50 (Oral, Rat)	LC50 (Inhaled, Rat)	LC50 (Dermal, Rabbit)
Butyl Acetate	14,000 mg/kg	2,000 ppm	Not available
Ethyl Acetate	11,300 mg/kg	1,600 ppm (8h)	Not available
Isopropyl Alcohol	5,840 mg/kg	16,000 ppm (8h)	13,000 mg/kg

**Chronic Effects:** Finished product is not expected to have chronic health effects.

**Target Organs:** No adverse health effects on target organs expected for finished product.

**Carcinogenicity:** Finished product is not expected to be carcinogenic.

**NTP:** No **IARC:** No **OSHA:** No

## 12. ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices. Additional information is available from the supplier on request.

- **Degradability:** The components of this product will slowly degrade over time into a variety of organic compounds.
- **Environmental effects:** Toxic in high concentrations for sea-dwelling animals. Toxic for water streams. Product spills into drains or other water streams must be avoided. Do not contaminate soil or water with the remains and do not eliminate the product through the environment.

## 13. DISPOSAL CONSIDERATIONS

Waste disposal must be in accordance with appropriate Federal, state, and local regulations.

**For Household Settings:** The following instructions are for consumer usage only. Do not discharge product into natural waters without pre-treatment or adequate dilution. Keep product closed to avoid volatilization.

**For Non-Household Settings:** Products covered by this MSDS, in their original form, when disposed as waste, are ignitable hazardous waste, D001, according to Federal RCRA regulations (40 CFR 261).

## 14. TRANSPORTATION INFORMATION

### 14.1 GENERAL INFORMATION:

**ETERNAL TREATMENTS**

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 8 of 11

**Considerations:** According to transportation regulations in every country. Keep containers and packaging completely closed and sealed during transportation. Keep the containers in vertical position during transportation and at any time, to avoid spills. It is recommended to keep the original packaging (corrugated boxes, carton boxes) when more than 6 units are transported.

Transport the product according to the following regulations:

RID: International regulation concerning transportation of dangerous goods by train.

ADR: European international agreements for dangerous goods transportation overland.

IMGD: International regulations for transportation of dangerous goods by sea.

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

DGR: Dangerous Goods Regulation, specified by IATA

CFR: Code of Federal Regulations

UN1263=Paints (includes paint, lacquers, enamels colorants, rubber lake, varnish, polish, liquid preparations and liquid base for lakes) or Paint-related materials

**N° UN:** 1263

**Proper shipping name:** Paints or Paint-related materials.

**Description:** Paint-related materials including paint, lacquer, enamel, stain, shellac solutions, varnish, polish, liquid filler, and liquid lacquer base, or paint related material including paint thinning, drying, removing, or reducing compounds.

**ROAD TRANSPORT**

Proper shipping name PAINT  
ADR Class 3  
ADR Pack Group II  
Tunnels Restriction Code D/E  
Danger Label 3  
Kemler Number 33  
UN Number 1263

**MARITIME TRANSPORT**

Proper shipping name PAINT  
UN Number 1263  
IMDG Class 3  
Marine Pollutant No  
Ems Number F-E, S-D  
IMDG Pack Group II  
Danger Label 3

**IATA**

Proper shipping name PAINT  
UN Number 1263  
IATA Class 3  
Danger Label 3  
Pack Group II  
Packing Instr. 353 (Passenger) – Maximum Quantity 5L  
364 (Cargo) – Maximum Quantity 60L



**ETERNAL TREATMENTS**

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 9 of 11

**15. REGULATORY INFORMATION**

EU DPD (Dangerous Products Directive) Classification (DPD 88/379/EEC). Regulated as a Cosmetic and/or Drug by the FDA (U.S.), HPB (Canada), Cosmetics Directive (EU), MHW (Japan) and China (MOH).

While this finished product is not considered hazardous as defined by OSHA in 29 CFR 1900.1200 (d), this SDS contains valuable information critical to the safe handling and proper use of the product.

**US Federal**

The products described in this Material Safety Data Sheet are regulated under the Federal Food, Drug and Cosmetics Act and are safe to use as per directions on container, box or accompanying literature (where applicable).

**CERCLA reportable quantity (RQ):**

Ingredient	CAS #	Level	RQ
Ethyl Acetate	141-78-6	15-40%	5000 lbs
Butyl Acetate	123-86-4	15-40%	5000 lbs
RCRA Hazardous Waste No. D001/Unlisted Hazardous Waste Characteristic of Ignitability (Nitrocellulose)	9004-70-0	10-30%	100 lbs
RCRA Hazardous Waste No. D001/Unlisted Hazardous Waste Characteristic of Ignitability (Isopropyl Alcohol)	67-63-0	3-7%	100 lbs

**SARA 313/302/304/311/312 chemicals:**

SARA 304 (40 CFR Table 302.4) – Butyl Acetate, Ethyl Acetate. This product contains Isopropyl Alcohol, substances subject to SARA Title III (313) reporting and 40 CFR part 373.

**Other Federal Requirements:**

This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)

**Other Canadian Regulations**

All ingredients are CEPA approved for import to Canada. This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and this MSDS contains all information required by the CPR

**State Regulatory Information:**

California Prop 65: None of the chemicals in this product are listed. Ingredients in this mixture might be found on the some state criteria lists.

**ETERNAL TREATMENTS**

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 10 of 11

Butyl Acetate is found on the following state criteria lists: California Hazardous Substances List (CA), Delaware Air Quality Management List (DE), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), and Washington Permissible Exposures List (WA).

Ethyl Acetate is found on the following state criteria lists: CA, DE, MA, MN, NJ, NY, PA, WA, and Wisconsin Hazardous Substances List (WI).

Nitrocellulose is found on the following state criteria lists: FL, MA, and PA.

Isopropyl Alcohol is found on the following state criteria lists: FL, MA, MN, NJ, PA, and WA.

**67/548/EEC (European Union) Requirements:**

The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC: Hema: (Xi) Irritant. R: 36/38-43 Irritating to eyes and skin. May cause sensitization by skin contact. S: 226-28 Keep out of reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of soap and water. HAZCHEM CODE: 3[Y]E

**16. OTHER INFORMATION****Other Information:**

**DANGER! HIGHLY FLAMMABLE LIQUID AND VAPOR. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. MAY CAUSE DROWSINESS OR DIZZINESS.** Keep away from heat/sparks/open flame/ hot surface. No Smoking. Keep container tightly closed. Take precautionary measures against static discharge. Avoid breathing fume/mist/vapors/spray. Wash exposed skin areas thoroughly. IF ON SKIN. Wash with soap and water. IF IN EYES: rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If skin irritation or rash occurs – Get medical advice/attention. Store in a well-ventilated place. Keep cool. Use only as directed. Store in a cool place. KEEP OUT OF REACH OF CHILDREN.

**Disclaimer:**

This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by ETERNAL COSMETICS LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. ETERNAL COSMETICS LLC assumed no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product. Be sure to consult the latest edition.

**Prepared by****ETERNAL COSMETICS LLC**

**ETERNAL TREATMENTS**

Document N°: SDS-133

Revision: C

Date: 06-21-2021

Validity: 60 months

Page 11 of 11

End of SDS