#### MCCAULEY'S ODOR ELIMINATOR

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

# **SECTION 1. PRODUCT IDENTIFICATION**

1.1 TRADE NAME (AS LABELED): McCauley's Odor Eliminator

<u>SYNONYMS</u>: Linen Spray, Surface deodorant

CAS#: Mixture

**1.2 PRODUCT USE:** Spray freely on surfaces and in the air to freshen open spaces.

1.3 MANUFACTURER'S NAME: Aire-Master of America Inc.
ADDRESS: 1821 N HWY CC, Nixa, Missouri 65714

BUSINESS PHONE: 1-417-725-2691
WEB SITE INFORMATION: www.airemaster.com

1.4 EMERGENCY PHONE NUMBERS: 1-417-725-2691
DATE OF CURRENT REVISION: December 10, 2023

DATE OF CURRENT REVISION: December 10, 20
DATE OF LAST REVISION: May 05, 2017

## **SECTION 2. HAZARD IDENTIFICATION**

**EMERGENCY OVERVIEW:** This product is a clear liquid spray with a clear fresh scent.

**Health Hazards:** May be harmful if swallowed. May cause serious eye irritation. May cause respiratory system and skin irritation.

Flammability Hazards: This product is considered Non-Flammable with a flash point of >390°F.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated, however release may

cause long term adverse environmental effects.

# 2.1 GHS LABELING AND CLASSIFICATION:

This product meets the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 and regulation (EU) No. 2020/878 and regulation (EC) No. 1272/2008.

215-181-3 is listed in Annex VI 019-002-00-8

Substances not listed either individually or in group entries must be self classified.

# Component(s) Contributing to Classification(s)

Ethoxylated Linear Alcohol 91-6

#### 2.2 LABEL ELEMENTS

**GHS Hazard Symbols** 



Signal Word: Warning GHS Hazard Classification(s):

Acute Toxicity Category 4

Serious Eye Irritation Category 2A

**Hazard Statement(s):** 

H302: Harmful if swallowed

H319: Causes serious eye irritation

## Response Statement(s):

P301+P312: IF SWALLOWED: Call a Poison Center / doctor if you feel unwell.

P330: Rinse mouth.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313P: If eye irritation persists: Get medical

advice / attention.

# **Prevention Statement(s):**

P264: Wash thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P280: Use protective gloves/protective clothing/eye

protection/face protection

### Storage Statement(s):

None applicable.

# **Disposal Statement(s):**

P501: Dispose of contents/container in accordance with local/regional/national/international regulations

#### MCCAULEY'S ODOR ELIMINATOR

#### 2.3 OTHER HAZARDS:

Mixture does not meet the criteria for PBT or vPvB in accordance with Annex XIII.

Endocrine Disruptor Information: This product does not contain chemicals on the Candidate List of substances of very high concern for Authorisation.

## SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS#	Hazard Classification
Water	95–99%	7732-18-5	231-791-2	None
Ethoxylated Linear Alcohol 91-6	2-5%	68439-46-3	614-482-0	Acute Toxicity Cat 4, Eye Damage Cat 1
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).			0.1% for carcinogens, reproductive	

# 4. FIRST-AID MEASURES

#### 4.1 DESCRIPTION OF FIRST AID MEASURES:

**EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water for several minutes. Remove contact lenses if present and easy to do. Continue rinseing for at least 15 minutes. Seek medical attention.

**SKIN CONTACT:** Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.

**INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Pre-existing skin or eye problems may be aggravated by prolonged contact.

#### 4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Contact with eyes may cause severe irritation. May be harmful if swallowed.

# 4.3 RECOMMENDATIONS TO PHYSICIANS:

Treat symptoms and eliminate overexposure.

# **SECTION 5. FIRE-FIGHTING MEASURES**

### **5.1 FIRE EXTINGUISHING MATERIALS:**

Use fire extinguishing methods below:

Water Spray:YesCarbon Dioxide:YesFoam:YesDry Chemical:YesHalon:YesOther:Any "C" Class

#### 5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

Irritating and toxic fumes may be produced at high temperature. Use of water may result in the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.

<u>Explosion Sensitivity to Mechanical Impact</u>: No <u>Explosion Sensitivity to Static Discharge</u>: No

# **5.3 SPECIAL FIRE-FIGHTING PROCEDURES:**

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

MCCAULEY'S ODOR ELIMINATOR

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

# 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves and eye/face protection. Evacuate personnel to safe areas

#### **6.2 ENVIRONMENTAL PRECAUTIONS:**

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

### **6.3 SPILL AND LEAK RESPONSE:**

**Small spills**: Soak up with absorbent material such as clay, sand or other suitable non-reactive material. Place in leak-proof containers. Seal tightly for proper disposal.

**Large spills**: Approach suspected leak areas with caution. Create a dike or trench to contain material. Soak up with absorbent material such as clay, sand or other suitable non-reactive material. Place in leak-proof containers. Seal tightly for proper disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

# SECTION 7. HANDLING and STORAGE

# 7.1 PRECAUTIONS FOR SAFE HANDLING:

To prevent skin and eye contact under the foreseeable conditions of use, wear appropriate protective clothing and safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Handle in a well-ventilated work area.

#### 7.2 STORAGE AND HANDLING PRACTICES:

Keep away from: reactive metals, strong acids, oxidizing agents. Protect containers from physical damage.

## 7.3 SPECIFIC USES:

Spray freely on surfaces and in the air to freshen open spaces.

# SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **8.1 EXPOSURE PARAMETERS:**

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Water	7732-18-5	Not Listed	Not Listed
Ethoxylated Linear Alcohol 91-6	68439-46-3	Not Listed	Not Listed

# **8.2 EXPOSURE CONTROLS:**

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

**RESPIRATORY PROTECTION:** Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Safety glasses or goggles are required. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

**HAND PROTECTION:** Chemical resistant gloves are recommended to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

**BODY PROTECTION:** Use body protect appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

#### MCCAULEY'S ODOR ELIMINATOR

# **SECTION 9. PHYSICAL and CHEMICAL PROPERTIES**

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: This product is clear liquid spray.

**ODOR:** Clean fresh scent.

**ODOR THRESHOLD:** Not Available

**pH**: 6-8

**MELTING/FREEZING POINT:** Not Available

**BOILING POINT: Not available** 

FLASH POINT: >390°F

FLAMMABILITY (SOLID, GAS): Not Applicable

**UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS:** Not Available

VAPOR PRESSURE (mm Hg @ 20°C (68°F): Not Available

VAPOR DENSITY: Not Available RELATIVE DENSITY: Not Available SPECIFIC GRAVITY: Approximately 1 SOLUBILITY IN WATER: Yes

WEIGHT PER GALLON: Not Available

PARTITION COEFFICENT (n-octanol/water): Not Available

AUTO-IGNITION TEMPERATURE: Not Available DECOMPOSITION TEMPERATURE: Not Available

**VISCOSITY:** Virtually 0

#### 9.2.1 INFORMATION WITH REGARD TO PHYSICAL HAZARD CLASSES

**EXPLOSIVES:** Not Available

FLAMMABLE GASES: Not Available

**AEROSOLS:** Not Available

**OXIDISING GASES:** Not Available

GASES UNDER PRESSURE: Not Available FLAMMABLE LIQUIDS: Not Available FLAMMABLE SOLIDS: Not Available

SELF-REACTIVE SUBSTANCES AND MIXTURES: Not Available

PYROPHORIC LIQUIDS: Not Available PYROPHORIC SOLIDS: Not Available

**SELF-HEATING SUBSTANCES AND MIXTURES: Not Available** 

SUBSTANCES AND MIXTURES. WHICH EMIT FLAMMABLE GASES IN CONTACT WITH WATER: Not Available

OXIDISING LIQUID: Not Available
OXIDISING SOLID: Not Available
ORGANIC PEROXIDES: Not Available
CORROSIVE TO METALS: Not Available
DESENSITISED EXPLOSIVES: Not Available
GASES UNDER PRESSURE: Not Available

#### 9.2.2 OTHER SAFETY CHARACTERISTICS

MECHANICAL SENSTIVITY: Not Available

**SELF-ACCELERATING POLYMERISATION TEMPERATURE:** Not Available

FORMATION OF EXPLOSIBLE DUST/AIR MIXTURES: Not Available

ACID/ALKALINE RESERVE: Not Available EVAPORATION RATE: Not Available

MISCIBILITY: Not Available CONDUCTIVTY: Not Available CORROSIVENESS: Not Available GAS GROUP: Not Available REDOX POTENTIAL: Not Available

RADICAL FORMATION POTENTIAL: Not Available PHOTOCATALYTIC PROPERTIES: Not Available

#### MCCAULEY'S ODOR ELIMINATOR

# SECTION 10. STABILITY and REACTIVITY

#### **10.1 REACTIVITY:**

This product is not reactive

#### 10.2 STABILITY:

Stable under conditions of normal storage and use.

#### **10.3 POSSIBILITY OF HAZARDOUS REACTIONS:**

Will not occur.

#### **10.4 CONDITIONS TO AVOID:**

Avoid freezing and excessive temperatures.

# 10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Reactive metals, strong acids, oxidizing agents.

#### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Thermal decomposition products may include carbon monoxide.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

#### **TOXICITY DATA:**

Ethoxylated Linear Alcohol 91-6 CAS# 68439-46-3 Oral LD50 1400 mg/kg Rat

Acute toxicity	Acute Toxicity Category 4 (Oral)	
Skin corrosion / irritation	Based on available data, the classification criteria are not met	
Serious eye damage / irritation	Eye Irritation Category 2A	
Respiratory or skin sensitization	Based on available data, the classification criteria are not met	
Germ cell mutagenicity	Based on available data, the classification criteria are not met	
Carcinogenicity	Based on available data, the classification criteria are not met	
Reproductive toxicity	Based on available data, the classification criteria are not met	
STOT-single exposure	Based on available data, the classification criteria are not met	
STOT-repeated exposure	Based on available data, the classification criteria are not met	
Aspiration hazard	Based on available data, the classification criteria are not met	

**SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE:** The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

**ACUTE:** 

**INHALATION:** May cause irritation to the respiratory tract.

**CONTACT WITH SKIN:** May cause mild irritation. May cause skin sensitization evidenced by rashes and hives.

**EYE CONTACT:** Severe irritation, swelling, tearing, redness or cornea damage.

INGESTION: May cause irritation to the gastrointestinal tract, diarrhea, nausea, or vomiting.

CHRONIC: Prolonged contact with the skin and eyes may cause burns.

TARGET ORGANS: Acute: Skin, Respiratory System, Eyes

Chronic: Skin, Eyes

**SUSPECTED CANCER AGENT:** Ingredients within this product are not found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

IRRITANCY OF PRODUCT: This product may be irritating to skin and severely irritating to the eyes.

**SENSITIZATION TO THE PRODUCT:** This product is not expected to be a sensitizer.

**REPRODUCTIVE TOXICITY INFORMATION:** No specific information is available concerning the effects of this product and its components on the human reproductive system.

SPECIFIC TARGET ORGAN TOXICITY-SINGLE EXPOSURE: None known.

SPECIFIC TARGET ORGAN TOXICITY- REPEATED EXPOSURE: None known.

**ASPIRATION HAZARD:** Not expected to be an aspiration hazard.

# 11.2 INFORMATION ON OTHER HAZARD CLASSES WHICH RELATES TO ENDOCIRNE DISRUPTING PROPERTIES:

No specific data available for this product.

MCCAULEY'S ODOR ELIMINATOR

# SECTION 12. ECOLOGICAL INFORMATION

#### 12.1 TOXICITY:

No data available

#### 12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

#### 12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.

# **12.4 MOBILITY IN SOIL:**

No specific data available on this product.

#### 12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

#### 12.6 ENDOCRINE DISRUPTING PROPERTIES:

No specific data available on this product.

#### 12.7 OTHER ADVERSE EFFECTS:

No data available

#### 12.8 WATER ENDANGERMENT CLASS:

May be water endangering in accordance with EU Guideline 91/155-EWG. Do not allow product to reach ground water, water course or sewage system. At present there are no ecotoxicological assessments for this product.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **13.1 WASTE TREATMENT METHODS:**

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

#### **13.2 EU WASTE CODE**:

Not determined.

#### SECTION 14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

**14.1 U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:** This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN IDENTIFICATION NUMBER:

Non-Regulated Material

PROPER SHIPPING NAME:

HAZARD CLASS NUMBER and DESCRIPTION:

None
PACKING GROUP:

None
DOT LABEL(S) REQUIRED:

None

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: None

RQ QUANTITY: None

# 14.2 ENVIRONMENTAL HAZARDS:

**MARINE POLLUTANT:** The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.3 SPECIAL PRECAUTION FOR USER: None

**14.4 INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA)**: This product is not considered as dangerous goods.

14.5 INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is not considered as dangerous goods.

#### 14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

#### MCCAULEY'S ODOR ELIMINATOR

# SECTION 15. REGULATORY INFORMATION

# 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE SUBSTANCE OR MIXTURE: UNITED STATES REGULATIONS:

**U.S. SARA REPORTING REQUIREMENTS:** The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act as follows: None

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

**U.S. TSCA INVENTORY STATUS:** The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS: None known

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):** This product does not contain ingredients on the Proposition 65 Lists.

#### **15.2 CANADIAN REGULATIONS:**

CANADIAN DSL/NDSL INVENTORY STATUS: Components are DSL Listed, NDSL Listed and/or are exempt from listing

OTHER CANADIAN REGULATIONS: Not applicable.

# CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** This product is classified per WHMIS 2015 Controlled Product Regulations.

#### 15.3 EUROPEAN ECONOMIC COMMUNITY INFORMATION:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

See Section 2 for Details

# **CHEMICAL SAFETY ASSESSMENT:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

**15.4 AUSTRALIAN INFORMATION FOR PRODUCT:** Components of this product are listed on the International Chemical Inventory list.

#### 15.5 JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

# 15.6 INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory of Chemicals and Chemical Substances (PICCS): Not Listed

Swiss Giftliste List of Toxic Substances: Listed

U.S. TSCA: Listed

# **SECTION 16. OTHER INFORMATION**

HMIS Rating (Scale 0-4)	NFPA Rating (Scale 0-4)
Health hazard: 1	Health hazard: 1
Flammability: 0	Flammability: 0
Physical Hazard: 0	Physical Hazard: 0

#### MCCAULEY'S ODOR ELIMINATOR

Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

CFR Code of Federal Regulations

**DOT** Federal Department of Transportation

GHS The Globally Harmonized System of Classification and Labelling of Chemicals

HMIS Hazardous Material Identification System

HCS Hazard Communication Standard

IARCInternational Agency for Research on CancerIATAThe International Air Transport AssociationICAOThe International Civil Aviation OrganizationIMDGInternational Maritime Dangerous GoodsIMOInternational Maritime OrganizationLD50/LC50Lethal Concentration/Dose, 50 percentNFPANational Fire Protection Association

NIOSH National Institute for Occupational Safety and Health

NTP
OSHA
OCCUpational Safety and Health
PEL
Permissible Exposure Limit

SARA Superfund Amendments and Reauthorization Act

TLV ACGIH Threshold Limit Value
TWA Time-Weighted Average

PREPARED BY: Chris Eigbrett – (MSDS to GHS Compliance)

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Aire-Master assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Aire-Master assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

### **REVISION LOG**

December 10, 2023 - SDS Review / Update.

**END OF SDS SHEET**