

107 Northern Road Heidelberg Heights Victoria 3081 Phone: (03) 9459 7474 Facsimile: (03) 9459 4343 E-mail: info@synergyaudio.com Internet: www.synergyaudio.com ABN: 53 089 621 223

Melntosh

LEGENDARY PERFORMANCE[™]

RRP Price List - November 2020

| Power Amps | | Pric | CING |
|------------|--|------|----------|
| | MC2KW* Reference Series; twin power and output module 1x 2000 Watts; safe operation to below 2 Ohms Quad-Balanced Design 3 full sets of terminals for tri-wiring | RRP | \$82,995 |
| | MC1.25KW 1 x 1200 Watts; Redesigned from top to bottom 50% increase in filter capacity over MC1.2KW Output Autoformer for 2, 4 & 8 Ohms Peak-Responding Watt meter | RRP | \$27,995 |
| | MC901* 1 x 600 Watts solid state + 1x 300W vacuum tube amp Vacuum tube amp drives mid/high; solid state bass DualView™ power output meter Internal adjustable crossover filters on top of unit | RRP | \$35,995 |
| | MC611 1 x 600 Watts; Quad-Balanced Design Double the filter capacity over MC601 Upgraded internal wiring and circuit components New direct LED backlighting; glass topped enclosures | RRP | \$16,995 |
| | MC830 1 x 300 Watts into 8 Ohms, 1x 480 Watts into 4 Ohms Fast-responding Dual Scale Watt Meter Open chassis design similar to MC275 / MA252 Patented McIntosh speaker binding posts | RRP | \$8,495 |
| | MC301 Run-out 1 x 300 Watts Quad-Balanced Design Space saving 6" tall chassis Patented McIntosh speaker binding posts | RRP | \$10,995 |
| | MC2301* 1 x 300 Watts Balanced Unity-Coupled Vacuum Tube Design Two Balanced inputs / outputs 1/2" thick glass front panel with tube view | RRP | \$26,995 |



LEGENDARY PERFORMANCE"

| Power Amps | (CONT ^I) | Pric | CING |
|-----------------|---|------|----------|
| | MC462 2 x 450 Watts; Quad-Balanced Design 66% increase in dynamic headroom over MC452 Upgraded circuit components and internal wiring New direct LED backlighting; glass topped enclosures | RRP | \$20,995 |
| | MC312 2 x 300 Watts; New LED Peak responding Watt meters Filter capacity doubled over MC302 Monogrammed Heatsinks™ and component upgrades Power Guard® and Sentry Monitor™ technologies | RRP | \$15,995 |
| | MC152 2 x 150 Watts Peak responding Watt meters Space saving 6" tall chassis Patented McIntosh speaker binding posts | RRP | \$10,495 |
| Ille Inlosh 275 | MC275 2 x 75 Watts, Valve Tube design Outputs for 4, 8, 16 Ohms Unique tube illumination indicates operational status Patented McIntosh speaker binding posts | RRP | \$11,995 |
| | MC2152 Run-out 70th Anniversary 2-Channel Tube Amplifier 150W x 2; Unity Coupled Output Transformers 8x KT88 ouput tubes plus 8x signal tubes Black anodized aluminum chassis w/ carbon fibre sides | RRP | \$29,995 |
| | MC1502 150W x 2 Vacuum Tube Amplifier Unity Coupled Output Transformers 8x KT88 ouput tubes plus 8x signal tubes Replaces MC2152. Identical performance in classic design | RRP | \$21,995 |
| | MC303* 3x 300 Watts LED illuminated peak responding Watt meters Exclusive McIntosh Power Assurance System 60 Amps output current | RRP | \$25,995 |
| | MC255 5x 200 Watts (3 x 250 w); Two-Zone operation 50% increase in capacitance doubles dynamic headroom New TripleView Power Output meters (defeatable) Exclusive McIntosh Power Assurance System | RRP | \$16,495 |
| | MC257 7x 200 Watts (3 x 250 w); Two-Zone operation DPM circuit design ensures full power at 4 or 8 Ohms New TripleView Power Output meters (defeatable) Exclusive McIntosh Power Assurance System | RRP | \$19,995 |



LEGENDARY PERFORMANCE"

| POWER AMPS (CONT') | | Pric | CING |
|---|---|------|----------|
| | MC8207 7x 200 Watts; Two-Zone operation DPM circuit design ensures full power at 4 or 8 Ohms Theatre-friendly LED meters Exclusive McIntosh Power Assurance System | RRP | \$14,495 |
| Bite Bite Contraction Contraction | MI347 New! 7-Ch digital amplifier - 3x 250W + 4x 125W @ 8 Ohms Multi-colour LED indicators for channel status Balanced and unbalanced inputs; Power control 3U rack mountable; Sentry Monitor™ protection | RRP | \$10,495 |
| | MI254 4-Channel digital amplifier - 250 Watts into 8 Ohms Two McIntosh Watt Meters (summed ch 1+2 & 3+4) Balanced and unbalanced inputs; BUS inputs / outputs 2U rack mountable; Sentry Monitor™ protection | RRP | \$9,495 |
| En el constante de la constante La constante de la constante de La constante de la constante de | MI128 8-Channel digital amplifier - 120 Watts into 8 Ohms Unbalanced inputs; 2x digital inputs; BUS in / outs Volume controls for channel balancing 2U rack mountable; channel summing circuits | RRP | \$7,495 |

| INTEGRATED AMPS | | Pric | CING |
|-----------------|--|------|----------|
| | MA12000 New! Hybrid integrated amplifier with massive 2x 350 Watts 6 unbalanced, 2 balanced, MM & MC phono inputs DA2 digital module with 7 input; DSD512 & 384kHz 8-Band tone control with tone bypass & input assign | RRP | \$27,995 |
| | MA9000 Powerful 2x 300 Watts 6 unbalanced, 2 balanced, 2 phono & 2 digital inputs Digital up to 32bit and 192kHz; MM & MC phono 8-Band tone control with tone bypass & input assign | RRP | \$22,995 |
| | MA8900 2x 200 Watts; New McIntosh Monogrammed heatsinks 6 unbalanced, 1 balanced, 2 phono & 6 digital inputs New Quad Balanced, 32-bit DA1 Digital module Home Theatre Pass Through; Headphone output | RRP | \$16,995 |
| | MA7200 2x 200 Watts; 'Mc' Monogrammed Heatsinks 5 unbalanced, 1 balanced, 2 phono & 6 digital inputs New Quad Balanced, 32-bit DA1 Digital module Home Theatre Pass Through; Headphone output | RRP | \$14,995 |



LEGENDARY PERFORMANCE"

| INTEGRATED A | AMPS (CONT') | Pric | CING |
|--------------|---|------|----------|
| | MA5300 2x 100 Watts; 'Mc' Monogrammed Heatsinks 4 unbalanced, 1 balanced, 1 phono & 6 digital inputs New Quad Balanced, 32-bit DA1 Digital module Home Theatre Pass Through; Headphone output | RRP | \$9,995 |
| | MA352 2x 200 Watts Hybrid integrated amplifier 2x 12AX7a's and 2x 12AT7's drive the pre-amp stage 3 unbalanced, 2 balanced & 1 MM phono input 5-band tone control; Dual blue Watt meters | RRP | \$12,995 |
| | MA252 2x 100 Watts Hybrid integrated amplifier 2x 12AX7a's and 2x 12AT7's drive the pre-amp stage 2 unbalanced, 1 balanced & 1 MM phono input Sentry Monitor; High Drive headphone amplifier | RRP | \$7,495 |
| | MHA150 Headphone / 50W integrated amp. with 2nd gen. DAC Preamplifier output; 5 step bass boost control 1 unbalanced, 1 balanced, 4 digital inputs | RRP | \$9,495 |

| RECEIVERS | | Pricing | |
|-----------|--|---------|----------|
| | MAC7200* 2x 200 Watts; High performance AM/FM Tuner 5 unbalanced, 1 balanced, 2 phono & 6 digital inputs New replaceable DA1 digital module (32bit/384kHz) Home Theatre Pass Through; Headphone output | RRP | \$15,495 |

| AUDIO PREAMF | AUDIO PREAMP CONTROL CENTERS | | CING |
|--------------|---|-----|----------|
| | C1100C Controller for C1100T tube preamplifier Two Chassis design ensure absolute isolation Headphone preamplier and Phono stage included | RRP | \$13,495 |
| | C1100T Tube preamplifier for C1100C Controller 3 balanced, 4 single ended inputs MM and MC inputs in addition. Two Chassis design ensure absolute isolation | RRP | \$13,495 |
| | C70 70th anniversary tube preamplifier - all analog design 2 balanced, 3 unbalanced, MM/MC inputs (adjustable) 2 balanced & 2 unbalanced outputs Bass/treble tone controls; HXD [®] Headphone amplifier | RRP | \$13,995 |



LEGENDARY PERFORMANCE"

| AUDIO PREAMF | P CONTROL CENTERS (CONT') | Pric | CING |
|--------------|---|------|----------|
| | C2700 Tube preamplifier with new DA2 Digital Audio Module Supports up to DSD512; DA2 includes HDMI ARC input 16 inputs (9 analog + 7 digital); HXD [®] Headphone amp 5x 12AX70A and 1x 12AT7 vacuum tubes | RRP | \$15,995 |
| | C53 State of the art single chassis solid state preamp New DA2 digital module with ARC and up to DSD512 Headphone preamp, phono stages & 8-band EQ 16 total inputs (9 analogue + 7 digital) | RRP | \$14,995 |
| | C52 <i>Run-out</i> State of the art single chassis solid state preamp Supports DSD, PCM to 32 bit/384 kHz, DSD256 & DXD Headphone preamp, phono stage & DAC with USB 3 balanced, 4 single ended inputs, MM and MC | RRP | \$13,995 |
| | C22 Mk V All analog design with retro look vacuum tube preamp 5x 12AX7A and 1x 12AT7 vacuum tubes Headphone preamp, bass & treble control 2 balanced, 3 single ended inputs, MM & MC phono | RRP | \$11,995 |
| | C49 Solid state preamp with new DA1 Digital Module 2 balanced, 3 unbalanced, MM & MC inputs DA1 Module w/ 2 coaxial, 2 optical, USB & MCT inputs 8-ch, 32-bit DAC supporting up to 384kHz & DSD256 | RRP | \$9,495 |
| | C8 2-Channel tube preamp powered by 4x 12AX7a's 1 balanced, 2 unbalanced, MM & MC inputs Headphone preamp; optional DA2 digital module 1 balanced, 2 unbalanced out; home theatre bypass | RRP | \$6,995 |

| PHONO PREAMPLIFIERS | | Pricing | |
|---------------------|---|---------|----------|
| | MP1100* Fully balanced vacuum tube design - (4) 12AX7A tubes 5 programmable & 4 preset profiles for MM & MC 3 inputs (inc. Balanced); Balanced & unbalanced outs Direct digital streaming output via optical, coax or USB | RRP | \$16,495 |
| | MP100 McIntosh's first dedicated phono preamplifier Moving Coil and Moving Magnet inputs Balanced & unbalanced outs; Adjustable loading Direct digital streaming output via optical, coax or USB | RRP | \$3,995 |



LEGENDARY PERFORMANCE"

| AV PREAMP C | CONTROL CENTERS | Pric | CING |
|-------------|--|------|----------|
| | MX170 Dolby Atmos, Auro-3D, DTS:X and IMAX Enhanced 14.2 channels with RoomPerfect room Correction 4K Ultra HD native video and upscaling with HDR 8 HDMI in, 4 HDMI + HDBaseT output | RRP | \$31,995 |
| | MX123 Dolby Atmos, Auro-3D, DTS:X and IMAX Enhanced 13.2-channel surround sound (7.6.2); Room Correction 4K Ultra HD native video and upscaling with HDR 7 HDMI in, 3 HDMI out; Zone 2 (A/V) & Zone 3 (audio) | RRP | \$15,995 |
| | MX100 New! 2U rack mount height digital only A/V processor 11.2-channel surround sound (7.2.4); 13x XLR outs 18Gbps HDMI for 4K, HDR, 4:4:4, Rec. 2020 support 4 HDMI in, 1 HDMI out; HDCP2.2 compliant | RRP | \$10,495 |

| ROOM CORRECTION | | Pricing | |
|-----------------|---|---------|----------|
| | MEN220* Room Correction, Custom EQ and 2-Way Crossover Full system control and PC link; IR remote Balanced and Unbalanced inputs Dual balanced and unbalanced outputs | RRP | \$11,495 |

| DIGITAL PREAMPLIFIERS | | Pricing | |
|-----------------------|--|---------|----------|
| | D1100 Reference digital preamplifier w/ Quad Balanced DAC 3x coaxial, 3x optical, 1x USB, 1x MCT, 1x AES/EBU Balanced and unbalanced outputs, fixed or variable Supports DSD64, DSD128, DXD352.8kHz & DXD384kHz | RRP | \$14,995 |
| | D150 <i>Run-out</i> Remote controlled digital stereo preamplifier 2x coaxial, 2x optical, 1x USB & 1 x DIN digital inputs Balanced and unbalanced outputs, fixed or variable Supports DSD64, DSD128, DXD352.8kHz & DXD384kHz | RRP | \$6,495 |

| PORTABLE DECODING AMPLIFIER | | Pricing | |
|-----------------------------|--|---------|---------|
| O | MHA50 Portable headphone amp for your phone, tablet or PC Bluetooth with aptX; McIntosh XHD output Decodes up to 32bit/192kHz and DSD128 Two gain settings for diverse headphone support | RRP | \$1,295 |



LEGENDARY PERFORMANCE"

| SOURCE COM | IPONENTS | Pric | CING |
|-----------------|---|------|----------|
| | MT10* 2-Channel precision turntable Custom tonearm with rigid, dural-aluminus arm-tube gimbaled in two sapphire and two ceramic bearings 0.5mV moving coil cartridge pre-fitted | RRP | \$22,995 |
| | MT5 2-Channel precision turntable Custom made tonearm High performance platter and motor drive assembly 2.5mV moving coil cartridge pre-fitted | RRP | \$14,495 |
| | MT2 Belt driven 33 1/3 & 45 RPM turntable Dural-aluminum tonearm Polyoxymethylene platter and aluminum sub-platter 2.5mV moving coil cartridge pre-fitted | RRP | \$8,995 |
| | MB50 Wireless media streamer featuring DTS Play-Fi® Supports a vast array of online streaming services Balanced and unbalanced outputs; Digital in/out Supports lossless files up to 24-bit/192kHz | RRP | \$3,995 |
| Polar Series | MB100 Run-out Inbuilt 1TB hard drive; High Speed Networkable 4x USB ports + 1x eSata external inputs; HDMI out Supports lossless files up to 24-bit/192kHz | RRP | \$10,995 |
| | MS500* Media streamer for both stored and internet music 500GB solid state drive; network and 3x USB ports Tidal, Spotify [®] , Pandora [®] , Deezer, Rhapsody [®] , etc Balanced and unbalanced ouputs; 24-bit/192kHz DAC | RRP | \$12,495 |
| | MVP901* Blu-ray, DVD, CD, SACD, DVD-Audio player 8ch, 32bit/192KHz DAC w/ stereo quad balanced mode 4K Ultra HD upsampling with adv. video adjustments True HD, DTS-HD, Atmos, DTS:X and Auro-3D support | RRP | \$9,995 |
| | MCD600 Premium 8-ch, 32-bit PCM/DSD Quad Balanced DAC Plays SACD/CD/DVD Data Discs & USB flash drives Fixed & variable analog outputs; Coax & optical in/out High Drive headphone amplifier | RRP | \$13,995 |
| | MCD350 CD / SACD player with twin DACs Balanced 2-channel, 32-bit/192kHz DAC Balanced and unbalanced outputs; coax & optical out 2x read speed for better error correction and tracking | RRP | \$9,495 |



LEGENDARY PERFORMANCE"

| SOURCE COMPONENTS (CONT') | | Pricing | |
|--------------------------------------|---|---------|---------|
| 1000 1000 1000 1000 1000 | MCT500 CD / SACD transport with support for CD-R/RW, DVD-R File support: AAC, AIFF, ALAC, DSD, FLAC, MP3 & WAV Coaxial, Optical, XLR and MCT digital outputs Power, IR input and Data input control | RRP | \$9,495 |
| | MCT80 CD / SACD transport to match MXA80/MHA150 SACD, CD, CD-R and CD-RW (MP3 and WMA) support 1x Coaxial, 1x Optical & 1x MCT digital output Power, IR input and Data input control | RRP | \$7,495 |
| | MR87* AM / FM tuner with remote control Weighted tuning knob and full scale linear tuning dial Memory for up to 20 stations in both AM and FM Advanced DSP tuning | RRP | \$9,995 |

| INTEGRATED AUDIO & LIFESTYLE SYSTEMS | | Pricing | |
|--------------------------------------|--|---------|----------|
| Tk Intost | MTI100 Integrated 80W turntable system - just add speakers! Bluetooth, analogue and digital inputs Vacuum tube preamplifier Headphone, speaker and subwoofer outputs | RRP | \$12,495 |
| | McAIRE Integrated audio system with built in AirPlay Wired, wireless, USB and auxiliary inputs Two 4" woofers, two 2" midranges, two 3/4" tweeters Optional ST-1 phone / tablet stand | RRP | \$5,995 |
| | MXA80 Integrated Audio System that belies its diminutive size Six inputs, including 4 digital; now supports DSD & DXD 50 Watts per channel; dedicated headphone amplifier Specially designed 2-way loudspeakers | RRP | \$12,995 |
| 0 0 | RS200* Wireless Loudspeaker System with aptx HD Bluetooth Apple AirPlay 2; DTS Play-Fi; DLNA; Works With Alexa USB, HDMI, Optical, and AUX inputs Connect a pair of RS100 Wireless Speakers for surround | RRP | \$6,495 |
| | RS100 Wireless speaker featuring DTS Play-Fi® technology Add up to 16 speakers on a single Wi-Fi network App supports a vast array of streaming services Auxiliary input; Support for files up to 24-bit/192kHz | RRP | \$2,195 |



LEGENDARY PERFORMANCE"

| LOUDSPEAKERS - SOLD AS EACH UNLESS NOTED | | Pricing | |
|--|--|---------|-----------|
| | XRT2.1K* Flagship loudspeaker handles an incredible 2,000 W 4-way line array design with a total of 81 drivers Striking brushed & high gloss black aluminum cabinet Frequency response: 12Hz - 45kHz | RRP | \$112,500 |
| | XRT1.1K* Smaller, more accessible version of flagship XRT2.1K 4-way line array with 70 drivers; Handles up to 1,200W Striking brushed & high gloss black aluminum cabinet Frequency response: 16Hz - 45kHz | RRP | \$62,000 |
| | XR100* Floor standing loudspeaker 3-way design - 1 tweeter, 10 midranges & 4 woofers Use with amplifiers from 75 to 1,200 Watts Available in Black, Pear Maple and Red Walnut | RRP | \$11,495 |
| | XR50 Cleverly engineered compact bookshelf speaker 3-way design - 1 tweeter, 2 midranges & 1 (6") woofer Use with amplifiers from 75 to 300 Watts Available in Black, Pear Maple and Red Walnut | RRP | \$4,495 |
| | LCR80* 3-way speaker, voiced to match XR50 and XR100 Can be used in any position in 5 or 7 channel systems Use with amplifiers from 75 to 300 Watts Available in Black, Pear Maple and Red Walnut | RRP | \$5,795 |

| ACCESSORIES | | Pricing | |
|------------------------------|---|---------|----------|
| | MPC1500* Power controller provides isolation, low noise and maximum power transfer to your McIntosh devices | RRP | \$12,495 |
| | MPC500 Full mode AC power line & secondary surge protection 4x Power receptacles | RRP | \$5,995 |
| Ö Nan- Ö | MC CLOCK* Signature watt meters display hours and minutes Rack, shelf or wall mountable | RRP | \$3,995 |
| | MCBOOK History of McIntosh book | RRP | \$350 |
| Ille Intosh Anno an an an | LB100* Can be seamlessly turned on and off via Power Control | RRP | \$2,995 |
| | BLI-23* 2x XLR inputs, 3x XLR outputs | RRP | \$695 |



LEGENDARY PERFORMANCE"

| CUSTOM INTE | GRATION | Pric | CING |
|-------------|---|--------|---------|
| | CS200* In-ceiling speaker ideal for distributed audio / surround Voice matched to WS500 & WS300 in-wall speakers 3-way: 8" glass fibre, 2x 2" + 1x 0.75" titanium domes 15 - 250 Watts; Frequency response: 48Hz - 22kHz | RRP Ea | \$2,695 |
| | RK200* Rough-in kit for CS200 (pr) | RRP | \$190 |
| | WS300* In-wall speaker designed to fit in 2x4 walls Voice matched to WS500 & CS200 speakers 3-way: 8" glass fibre, 2x 2" + 1x 0.75" titanium domes Up to 250 Watts; Frequency response: 80Hz - 20kHz | RRP Ea | \$4,495 |
| | RK300* Rough-in kit for WS300 (ea) | RRP Ea | \$190 |
| 00000 | WS350* In-wall speaker w/ paintable magnetic grille Unique deep drawn aluminum back enclosure 3-way: 8" woofer, 1x 4" mid and 5x 1" tweeters Up to 200 Watts; Frequency response: 60Hz - 20kHz | RRP Ea | \$4,495 |
| | RK320* Rough-in kit for WS350 (ea) | RRP Ea | \$190 |
| | WS500* Fully enclosed speaker that fits in 2x4 walls Voice matched to WS300 & CS200 speakers 3-way: 2x6.5" woofers, 2x2" + 1x0.75" titanium domes Up to 250 Watts; Frequency response: 80Hz - 20kHz | RRP Ea | \$5,495 |
| | RK500* Rough-in kit for WS500 (ea) | RRP Ea | \$190 |
| | HT30-IW - Pair* Surround in-wall speakers for minimal visual impact Removable, paintable grills; Sealed, braced enclosure Power rating: 200W; Dimensions: 361 x 361 x 102mm Frequency response: 80Hz - 20kHz | RRP Pr | \$6,995 |
| | HT30-OW - Pair* Surround on-wall speakers for minimal visual impact Removable, paintable grills; Sealed, braced enclosure Power handling: 200 Watts Frequency response: 80Hz - 20kHz | RRP Pr | \$6,995 |



Melntosh

LEGENDARY PERFORMANCE"

107 Northern Road Heidelberg Heights Victoria 3081 Phone: (03) 9459 7474 Facsimile: (03) 9459 4343 E-mail: info@synergyaudio.com Internet: www.synergyaudio.com ABN: 53 089 621 223

| UPGRADES | | Pric | CING |
|--|---|------|---------|
| In the second se | DA2 Digital Audio Module* Newest and most advanced Digital Audio Module Suits: MA5300/7200/8900/9000, MAC7200, C49 & C8 Quad-balanced, 8ch, 32bit DAC; DSD512 & DXD384kHz 7 inputs: coax, 2 optical, 1 USB, 1 MCT, 1 HDMI (ARC) | RRP | \$1,995 |

| AUDIO CABLES | | Pricing | |
|--------------|--|---------|---------|
| | CBA1M - 1m balanced XLR cable (single only) | RRP | \$850 |
| | CBA2M* - 2m balanced XLR cable (single only) | RRP | \$1,050 |
| | CA1M - 1m unbalanced RCA cable (pair) | RRP | \$1,250 |
| | CA2M* - 2m unbalanced RCA cable (pair) | RRP | \$1,500 |
| | CDA1M - 1m coaxial digital RCA cable | RRP | \$950 |
| | CDA2M* - 2m coaxial digital RCA cable | RRP | \$1,150 |
| | CC1M - 1m power control cable | RRP | \$175 |
| | CC2M - 2m power control cable | RRP | \$195 |
| | CS2M* - 2m speaker cable (single only) | RRP | \$2,295 |
| | CS3M - 3m speaker cable (single only) | RRP | \$3,195 |



3 year warranty on electronics and 5 year warranty on speakers covering parts and labour with a 90 day warranty on tubes and phono cartridge styli. Prices are subject to change without notice. All retail prices are recommended only and include the 10% Goods & Services Tax. * These items are normally a special order item (3-5 weeks)